Civil Engineering Database Subject Heading Index

The **Civil Engineering Database (CEDB)** is designed to provide free, easy bibliographic access to all ASCE publications. The database covers ASCE documents published since 1970. It provides access to all the journals, conference proceedings, books, standards, manuals, magazines, and newspapers. The index terms below were assigned to papers published in this journal during 2003 from a CEDB subject heading list. The CEDB and subject heading list can be accessed on the Web at *http://www.pubs.asce.org/cedbsrch.html*.

Abutments
Investigations of Blocks in Foundations and Abutments of Concrete Dams. —Richard E. Goodman and Chris Powell; 129(2), 105-16 (2003).
Analysis of Arch Dams Using Coupled Trial Load and Block Element Methods. —Sheng-hong Chen, Ming-yi Xu, Isam Shahrour, and Peter Egger; 129(11), 977-86 (2003).

Aggregates
Fatigue Behavior of a Pavement Foundation with Recycled Aggregate and Waste HDPE Strips. —Khaled Sobhan and Mehedy Mashnad; 129(7), 630-8 (2003).

Algorithms
Scour Vulnerability of River Bridge Piers. —F. Federico, G. Silvagni, and F. Volpi; 129(10), 890-9 (2003).

Analysis
Analysis of Arch Dams Using Coupled Trial Load and Block Element Methods. —Sheng-hong Chen, Ming-yi Xu, Isam Shahrour, and Peter Egger; 129(11), 977-86 (2003).

Anchors
Three-Dimensional Lower Bound Solutions for Stability of Plate Anchors in Clay. —R. S. Merifield, A. V. Lyamin, S. W. Sloan, and H. S. Yu; 129(3), 243-53 (2003).
Uplift Behavior of Blade-Underreamed Anchors in Silty Sand. —H. J. Liao and S. T. Hsu; 129(6), 560-8 (2003).
Performance of Tension and Compression Anchors in Weathered Soil. —Nak-Kyung Kim; 129(12), 1138-50 (2003).

Asphalt concrete
Construction Quality Control for Asphalt Concrete Hydraulic Barriers. —John J. Bowders, J. Erik Loehr, Deepak Neupane, and Abdelmalek Bouazza; 129(3), 219-23 (2003).

Banding
Strain Localization in Sand: Plane Strain versus Triaxial Compression. —Khalid A. Alshibli, Susan N. Batiste, and Stein Sture; 129(6), 483-94 (2003).

Barriers
Construction Quality Control for Asphalt Concrete Hydraulic Barriers. —John J. Bowders, J. Erik Loehr, Deepak Neupane, and Abdelmalek Bouazza; 129(3), 219-23 (2003).

Bayesian analysis
Calibration of Flow and Transport Model with a Bench-Scale Prefabricated Vertical Drain Remediation System. — Andrea L. Welker and Robert B. Gilbert; 129(1), 81-90 (2003).

Bearing capacity
Determination of Bearing Capacity of Open-Ended Piles in Sand. — Kyuho Paik and Rodrigo Salgado; 129(1), 46-57 (2003).
Estimation of Load Capacity of Pipe Piles in Sand Based on Cone Penetration Test Results. — Junhwan Lee, Rodrigo Salgado, and Kyuho Paik; 129(5), 391-403 (2003).
Calculations of Bearing Capacity Factor N_γ Using Numerical Limit Analyses. — Boonchai Ukritchon, Andrew J. Whittle, and C. Klangvijit; 129(5), 468-74 (2003).
Lateral Load Capacity of Drilled Shafts in Jointed Rock. — Albert C. To, Helmut Ernst, and Herbert H. Einstein; 129(8), 711-26 (2003).
Inclination Factors for Seismic Bearing Capacity. — K. L. Fishman, R. Richards, Jr., and D. Yao; 129(9), 861-5 (2003).
Scour Vulnerability of River Bridge Piers. —F. Federico, G. Silvagni, and F. Volpi; 129(10), 890-9 (2003).

Bending moments
Behavior of Pile Groups Subject to Excavation-Induced Soil Movement. —C. F. Leung, J. K. Lim, R. F. Shen, and Y. K. Chow; 129(1), 58-65 (2003).
Single Piles in Lateral Spreads: Field Bending Moment Evaluation. —Ricardo Dobry, Tarek Abdoun, Thomas D. O'Rourke, and S. H. Goh; 129(10), 879-89 (2003).

Biodegradation
Relationship of Compressibility Parameters to Municipal Solid Waste Decomposition. —M. S. Hossain, M. A. Gabr, and M. A. Barlaz; 129(12), 1151-8 (2003).

Blocks
Investigations of Blocks in Foundations and Abutments of Concrete Dams. —Richard E. Goodman and Chris Powell; 129(2), 105-16 (2003).
Keyblock Stability in Seismically Active Rock Slopes—Snake Path Cliff, Masada. —Yossef H. Hatzor; 129(8), 697-710 (2003).

Boreholes
In Situ Estimate of Shear Wave Velocity Using Borehole Spectral Analysis of Surface Waves Tool. — M. E. Kalinski and K. H. Stokoe, II; 129(6), 529-35 (2003).

Braced excavation
Undrained Stability of Braced Excavations in Clay. —Boonchai Ukritchon, Andrew J. Whittle, and Scott W. Sloan; 129(8), 738-55 (2003).

Bracing
Temperature Correction and Strut Loads in Central Artery Excavations. — Youssef M. A. Hashash, Camilo Marulanda, Kyle A. Kershaw, Edward J. Cording, David L. Druss, Dan J. Bobrow, and Prabir K. Das; 129(6), 495-505 (2003).

Bridge construction
Evaluation of Cone Penetration Test-Based Settlement Prediction Methods for Shallow Foundations on Cohesionless Soils at Highway Bridge Construction Sites. — Shad M. Sargand, Teruhisa Masada, and Basel Abdalla; 129(10), 900-8 (2003).

Bridge maintenance
Scour Vulnerability of River Bridge Piers. — F. Federico, G. Silvagni, and F. Volpi; 129(10), 890-9 (2003).

Bridges, piers
Scour Vulnerability of River Bridge Piers. — F. Federico, G. Silvagni, and F. Volpi; 129(10), 890-9 (2003).

Bulk modulus
Variable Bulk Modulus Constitutive Model for Sand. — Bashar S. Qubain, Victor N. Kaliakin, and Joseph P. Martin; 129(2), 158-62 (2003).

Bulkheads
Sheet Pile Tensions in Cellular Structures. —Kord J. Wissmann, George M. Filz, Reed L. Mosher, and James R. Martin, II; 129(3), 224-33 (2003).

Buried pipes
Liquefaction Centrifuge Modeling of Sands of Different Permeability. —Michael K. Sharp, Ricardo Dobry, and Tarek Abdoun; 129(12), 1083-91 (2003).
Centrifugal Modeling of Seismic Behavior of Large-Diameter Pipe in Liquefiable Soil. —Hoe I. Ling, Yoshiyuki Mohri, Toshinori Kawabata, Huabei Liu, Christopher Burke, and Lixun Sun; 129(12), 1092-101 (2003).

Calcareous soils
Evaluation of Cyclic Shear Strength of Two Cemented Calcareous Soils. —Shambhu S. Sharma and Martin Fahey; 129(7), 608-18 (2003).
Degradation of Stiffness of Cemented Calcareous Soil in Cyclic Triaxial Tests. —Shambhu S. Sharma and Martin Fahey; 129(7), 619-29 (2003).

Calibration
Assessment of Current Load Factors for Use in Geotechnical Load and Resistance Factor Design. — B. Scott, B. J. Kim, and R. Salgado; 129(4), 287-95 (2003).
Installation Stress in Prefabricated Vertical Drains. —G. P. Karunaratne, S. H. Chew, K. W. Leong, W. K. Wong, L. H. Lim, K. S. Yeo, and A. M. Hee; 129(9), 858-60 (2003).

California
Liquefaction Potential Index: Field Assessment. —Selcuk Toprak and Thomas L. Holzer; 129(4), 315-22 (2003).
Site Response at Treasure and Yerba Buena Islands,

California. — Laurie G. Baise, Steven D. Glaser, and Douglas Dreger; 129(5), 415-26 (2003).
Evaluation of Seismic Performance for Tunnel Retrofit Project. — Hubert K. Law and Ignatius P. Lam; 129(7), 575-89 (2003).
Nonlinear Dynamic Properties of a Fibrous Organic Soil. — Timothy M. Wehling, Ross W. Boulanger, Rajendram Arulnathan, Leslie F. Harder, Jr., and Michael W. Driller; 129(10), 929-39 (2003).

Case reports
Time-Dependent Back Analysis of a Multianchored Pile Retaining Wall. — Jakob Likar and Vladimir Vukadin; 129(1), 91-5 (2003).
Case History Evaluation of Laterally Loaded Piles. — J. B. Anderson, F. C. Townsend, and B. Grajales; 129(3), 187-96 (2003).

Cavities
Prediction of Undrained Sinkhole Collapse. — Charles E. Augarde, Andrei V. Lyamin, and Scott W. Sloan; 129(3), 197-205 (2003).

Cements
Behavior of Plate Load Tests on Soil Layers Improved with Cement and Fiber. —Nilo Cesar Consoli, Márcio Antonio Vendruscolo, and Pedro Domingos Marques Prietto; 129(1), 96-101 (2003).

Centrifugal model
Centrifugal Modeling of Seismic Behavior of Large-Diameter Pipe in Liquefiable Soil. —Hoe I. Ling, Yoshiyuki Mohri, Toshinori Kawabata, Huabei Liu, Christopher Burke, and Lixun Sun; 129(12), 1092-101 (2003).

Centrifuge model
Centrifuge Modeling of Nonaqueous Phase Liquid Movement and Entrapment in Unsaturated Layered Soils. —K. Soga, J. Kawabata, C. Kechavarzi, H. Coumoulos, and W. A. P. Waduge; 129(2), 173-82 (2003).
Liquefaction Centrifuge Modeling of Sands of Different Permeability. —Michael K. Sharp, Ricardo Dobry, and Tarek Abdoun; 129(12), 1083-91 (2003).

Centrifuge models
Computational Model for Cyclic Mobility and Associated Shear Deformation. —Zhaohui Yang, Ahmed Elgamal, and Ender Parra; 129(12), 1119-27 (2003).

China
Analysis of Arch Dams Using Coupled Trial Load and Block Element Methods. —Sheng-hong Chen, Ming-yi Xu, Isam Shahrour, and Peter Egger; 129(11), 977-86 (2003).

Classification
Measured and Estimated Suction Indices for Swelling Potential Classification. —William J. Likos, Harold W. Olsen, Lisa Krosley, and Ning Lu; 129(7), 665-8 (2003).
Particle Size Distribution of Lunar Soil. —W. David Carrier, III; 129(10), 956-9 (2003).

Clays
Residual Shear Strength Mobilized in First-Time Slope Failures. —G. Mesri and M. Shahien; 129(1), 12-31 (2003).
Mechanism Controlling Permeability Change in Clays due to Changes in Pore Fluid. —A. Anandarajah; 129(2), 163-72 (2003).
Three-Dimensional Lower Bound Solutions for Stability of Plate Anchors in Clay. — R. S. Merifield, A. V. Lyamin, S. W. Sloan, and H. S. Yu; 129(3), 243-53 (2003).
Factors Affecting Long-Term Efficiency of Compensation Grouting in Clays. — S. K. A. Au, K. Soga, M. R. Jafari, M. D. Bolton, and K. Komiya; 129(3), 254-62 (2003).
Sequentially Enhanced Electrokinetic Remediation of Heavy Metals in Low Buffering Clayey Soils. — Krishna R. Reddy and Supraja Chinthamreddy; 129(3), 263-77 (2003).
Undrained Response of Clays to Varying Strain Rate. — Dinesh R. Katti, Jingpeng Tang, and S. Yazdani; 129(3), 278-82 (2003).
Strain-Rate Effect on Soil Secant Shear Modulus at Small Cyclic Strains. — Leo Matešić and Mladen Vucetic; 129(6), 536-49 (2003).
Undrained Stability of Braced Excavations in Clay. — Boonchai Ukritchon, Andrew J. Whittle, and Scott W. Sloan; 129(8), 738-55 (2003).
Consolidation of Clay with a System of Vertical and Horizontal Drains. — Toyoaki Nogami and Maoxin Li; 129(9), 838-48 (2003).
Piecewise-Linear Model for Large Strain Radial Consolidation. — Patrick J. Fox, Mario Di Nicola, and Donald W. Quigley; 129(10), 940-50 (2003).
Consolidation of Clays for Variable Permeability and Compressibility. —K. R. Lekha, N. R. Krishnaswamy, and P. Basak; 129(11), 1001-9 (2003).
Evaporation Theory for Deformable Soils. —In-Mo Lee, Hyung-Joo Lee, Jeong-Yeon Cheon, and Lakshmi N. Reddi; 129(11), 1020-7 (2003).
Drilled Shaft Defects: Detection, and Effects on Capacity in Varved Clay. —Magued Iskander, Douglas Roy, Shawn Kelley, and Carl Ealy; 129(12), 1128-37 (2003).
Use of an Instrumented Flat Dilatometer in Soft Varved Clay. —Jean Benoît and Kevin P. Stetson; 129(12), 1159-67 (2003).

Cliffs
Keyblock Stability in Seismically Active Rock Slopes—Snake Path Cliff, Masada. —Yossef H. Hatzor; 129(8), 697-710 (2003).

Coating
Analysis and Design of Evapotranspirative Cover for Hazardous Waste Landfill. —Jorge G. Zornberg, Lester LaFountain, and Jack A. Caldwell; 129(5), 427-38 (2003).

Cofferdams
Sheet Pile Tensions in Cellular Structures. —Kord J. Wissmann, George M. Filz, Reed L. Mosher, and James R. Martin, II; 129(3), 224-33 (2003).

Cohesionless sand
Effects of Silt on Three-Dimensional Stress–Strain Behavior of Loose Sand. —Saul Shapiro and Jerry A. Yamamuro; 129(1), 1-11 (2003).

Cohesionless soils
Calculations of Bearing Capacity Factor N_γ Using Numerical Limit Analyses. —Boonchai Ukritchon, Andrew J. Whittle, and C. Klangvijit; 129(5), 468-74 (2003).
Evaluation of Cone Penetration Test-Based Settlement Prediction Methods for Shallow Foundations on Cohesionless Soils at Highway Bridge Construction Sites. —Shad M. Sargand, Teruhisa Masada, and Basel Abdalla; 129(10), 900-8 (2003).
Liquefaction Resistance of Clean and Nonplastic Silty Sands Based on Cone Penetration Resistance. — J. A. H. Carraro, P. Bandini, and R. Salgado; 129(11), 965-76 (2003).

Cohesive soils
Undrained Response of Clays to Varying Strain Rate. — Dinesh R. Katti, Jingpeng Tang, and S. Yazdani; 129(3), 278-82 (2003).

Cold weather construction
Some Uncertainties in Embankment Dam Engineering. — Victor Milligan; 129(9), 785-97 (2003).

Columns
Evaporation Theory for Deformable Soils. — In-Mo Lee, Hyung-Joo Lee, Jeong-Yeon Cheon, and Lakshmi N. Reddi; 129(11), 1020-7 (2003).

Comparative studies
Site Response at Treasure and Yerba Buena Islands, California. — Laurie G. Baise, Steven D. Glaser, and Douglas Dreger; 129(5), 415-26 (2003).

Compressibility
Composite Compressibility Model for Municipal Solid Waste. —Afonso Celso Moruzzi Marques, George M. Filz, and Orencio Monje Vilar; 129(4), 372-8 (2003).
Consolidation of Clays for Variable Permeability and Compressibility. —K. R. Lekha, N. R. Krishnaswamy, and P. Basak; 129(11), 1001-9 (2003).
Behavior of Hydrocarbon Reservoir Sands and Sandstones. — M. R. Coop and S. M. Willson; 129(11), 1010-9 (2003).
Relationship of Compressibility Parameters to Municipal Solid Waste Decomposition. —M. S. Hossain, M. A. Gabr, and M. A. Barlaz; 129(12), 1151-8 (2003).

Compression
Variable Bulk Modulus Constitutive Model for Sand. — Bashar S. Qubain, Victor N. Kaliakin, and Joseph P. Martin; 129(2), 158-62 (2003).
Physical Properties of Plywood and Waferboard as Pile Cushion Materials. —Kevin C. Womack, Aaron M. Whitaker, Joseph A. Caliendo, George G. Goble, and Marvin W. Halling; 129(4), 379-82 (2003).
Effect of Compressive Load on Uplift Capacity of Model Piles. —B. K. Dash and P. J. Pise; 129(11), 987-92 (2003).

Compression tests
Effects of Consolidation History on Critical State of Sand. —Richard J. Finno and Amy L. Rechenmacher; 129(4), 350-60 (2003).
Modeling the Stress-Strain Relations of Sand in Cyclic Plane Strain Loading. —Fumio Tatsuoka, Toru Masuda, M. S. A. Siddiquee, and Junichi Koseki; 129(5), 450-67 (2003).

Computation
Calculations of Bearing Capacity Factor N_γ Using Numerical Limit Analyses. —Boonchai Ukritchon, Andrew J. Whittle, and C. Klangvijit; 129(5), 468-74 (2003).

Computer software
Physical Properties of Plywood and Waferboard as Pile Cushion Materials. —Kevin C. Womack, Aaron M. Whitaker, Joseph A. Caliendo, George G. Goble, and Marvin W. Halling; 129(4), 379-82 (2003).

Concrete
Extended Hyperbolic Model for Sand-to-Concrete Interfaces. — Jesús E. Gómez, George M. Filz, and Robert M. Ebeling; 129(11), 993-1000 (2003).

Cone penetration
Case History Evaluation of Laterally Loaded Piles. — J. B. Anderson, F. C. Townsend, and B. Grajales; 129(3), 187-96 (2003).
Evaluation of Cone Penetration Test-Based Settlement Prediction Methods for Shallow Foundations on Cohesionless Soils at Highway Bridge Construction Sites. — Shad M. Sargand, Teruhisa Masada, and Basel Abdalla; 129(10), 900-8 (2003).

Cone penetration tests
Simplified Cone Penetration Test-based Method for Evaluating Liquefaction Resistance of Soils. — C. Hsein Juang, Haiming Yuan, Der-Her Lee, and Ping-Sien Lin; 129(1), 66-80 (2003).
Estimation of Load Capacity of Pipe Piles in Sand Based on Cone Penetration Test Results. — Junhwan Lee, Rodrigo Salgado, and Kyuho Paik; 129(5), 391-403 (2003).
High Overburden Stress Effects in Liquefaction Analyses. — Ross W. Boulanger; 129(12), 1071-82 (2003).

Consolidation
Factors Affecting Long-Term Efficiency of Compensation Grouting in Clays. —S. K. A. Au, K. Soga, M. R. Jafari, M. D. Bolton, and K. Komiya; 129(3), 254-62 (2003).
Effects of Consolidation History on Critical State of Sand. —Richard J. Finno and Amy L. Rechenmacher; 129(4), 350-60 (2003).
Consolidation of Clay with a System of Vertical and Horizontal Drains. —Toyoaki Nogami and Maoxin Li; 129(9), 838-48 (2003).
Consolidation of Clays for Variable Permeability and Compressibility. —K. R. Lekha, N. R. Krishnaswamy, and P. Basak; 129(11), 1001-9 (2003).

Consolidation, soils
Piecewise-Linear Model for Large Strain Radial Consolidation. — Patrick J. Fox, Mario Di Nicola, and Donald W. Quigley; 129(10), 940-50 (2003).

Constitutive models
Variable Bulk Modulus Constitutive Model for Sand. — Bashar S. Qubain, Victor N. Kaliakin, and Joseph P. Martin; 129(2), 158-62 (2003).
Fully Coupled Analysis of Failure and Remediation of Lower San Fernando Dam. —H. Y. Ming and X. S. Li; 129(4), 336-49 (2003).
Modeling the Stress-Strain Relations of Sand in Cyclic Plane Strain Loading. —Fumio Tatsuoka, Toru Masuda, M. S. A. Siddiquee, and Junichi Koseki; 129(5), 450-67 (2003).
Computational Model for Cyclic Mobility and Associated Shear Deformation. —Zhaohui Yang, Ahmed Elgamal, and Ender Parra; 129(12), 1119-27 (2003).

Constitutive relations
Time-Dependent Back Analysis of a Multianchored Pile Retaining Wall. —Jakob Likar and Vladimir Vukadin; 129(1), 91-5 (2003).

Correlation
Identification of Statistically Homogeneous Soil Layers Using Modified Bartlett Statistics. — Kok-Kwang Phoon, Ser-Tong Quek, and Ping An; 129(7), 649-59 (2003).
Plastic Limit, Liquid Limit and Undrained Shear Strength of Soil—Reappraisal. — Binu Sharma and Padma K. Bora; 129(8), 774-7 (2003).

Cracking
Mechanism Controlling Permeability Change in Clays due to Changes in Pore Fluid. — A. Anandarajah; 129(2), 163-72 (2003).
Behavior of Laterally Loaded Large-Section Barrettes. — L. M. Zhang; 129(7), 639-48 (2003).

Creep
Creep Modeling in Excavation Analysis of a High Rock Slope. — Jin Feng, Zhang Chuhan, Wang Gang, and Wang Guanglun; 129(9), 849-57 (2003).
Performance of Tension and Compression Anchors in Weathered Soil. — Nak-Kyung Kim; 129(12), 1138-50 (2003).

Curvature
Modeling the Stress-Strain Relations of Sand in Cyclic Plane Strain Loading. —Fumio Tatsuoka, Toru Masuda, M. S. A. Siddiquee, and Junichi Koseki; 129(5), 450-67 (2003).

Cyclic loads
Modeling the Stress-Strain Relations of Sand in Cyclic Plane Strain Loading. —Fumio Tatsuoka, Toru Masuda, M. S. A. Siddiquee, and Junichi Koseki; 129(5), 450-67 (2003).
Strain-Rate Effect on Soil Secant Shear Modulus at Small Cyclic Strains. —Leo Matešić and Mladen Vucetic; 129(6), 536-49 (2003).
Relating K_α to Relative State Parameter Index. —Ross W. Boulanger; 129(8), 770-3 (2003).

Cyclic plasticity
Computational Model for Cyclic Mobility and Associated Shear Deformation. —Zhaohui Yang, Ahmed Elgamal, and Ender Parra; 129(12), 1119-27 (2003).

Cyclic strength
Postcyclic Degradation of Strength and Stiffness for Low Plasticity Silt. —Kazuya Yasuhara, Satoshi Murakami, Byung-Woong Song, Seiji Yokokawa, and Adrian F. L. Hyde; 129(8), 756-69 (2003).

Cyclic tests
Strain-Rate Effect on Soil Secant Shear Modulus at Small Cyclic Strains. —Leo Matešić and Mladen Vucetic; 129(6), 536-49 (2003).

Dam failure
Time for Development of Internal Erosion and Piping in Embankment Dams. —Robin Fell, Chi Fai Wan, John Cyganiewicz, and Mark Foster; 129(4), 307-14 (2003).
Fully Coupled Analysis of Failure and Remediation of Lower San Fernando Dam. —H. Y. Ming and X. S. Li; 129(4), 336-49 (2003).

Dam foundations
Some Uncertainties in Embankment Dam Engineering. — Victor Milligan; 129(9), 785-97 (2003).

Damping
Evaluation of Pile Diameter Effect on Initial Modulus of Subgrade Reaction. —Scott A. Ashford and Teerawut Juirnarongrit; 129(3), 234-42 (2003).

Dams, arch
Analysis of Arch Dams Using Coupled Trial Load and Block Element Methods. — Sheng-hong Chen, Ming-yi Xu, Isam Shahrour, and Peter Egger; 129(11), 977-86 (2003).

Dams, concrete
Investigations of Blocks in Foundations and Abutments of Concrete Dams. — Richard E. Goodman and Chris Powell; 129(2), 105-16 (2003).

Dams, embankment
Time for Development of Internal Erosion and Piping in Embankment Dams. — Robin Fell, Chi Fai Wan, John Cyganiewicz, and Mark Foster; 129(4), 307-14 (2003).
Some Uncertainties in Embankment Dam Engineering. — Victor Milligan; 129(9), 785-97 (2003).

Dams, rockfill
Rockfill Modulus and Settlement of Concrete Face Rockfill Dams. — Gavan Hunter and Robin Fell; 129(10), 909-17 (2003).

Defects
Drilled Shaft Defects: Detection, and Effects on Capacity in Varved Clay. —Magued Iskander, Douglas Roy, Shawn Kelley, and Carl Ealy; 129(12), 1128-37 (2003).

Deflection
Behavior of Pile Groups Subject to Excavation-Induced Soil Movement. —C. F. Leung, J. K. Lim, R. F. Shen, and Y. K. Chow; 129(1), 58-65 (2003).
Theoretical Elastic-Plastic Solution for Laterally Loaded Piles. —Yur-mei Hsiung; 129(5), 475-80 (2003).

Deformation
Deformation Patterns of Reinforced Foundation Sand at Failure. —Radoslaw L. Michalowski and Lei Shi; 129(5), 439-49 (2003).
Rockfill Modulus and Settlement of Concrete Face Rockfill Dams. —Gavan Hunter and Robin Fell; 129(10), 909-17 (2003).
Analysis of Arch Dams Using Coupled Trial Load and Block Element Methods. —Sheng-hong Chen, Ming-yi Xu, Isam Shahrour, and Peter Egger; 129(11), 977-86 (2003).

Degradation
Degradation of Stiffness of Cemented Calcareous Soil in Cyclic Triaxial Tests. —Shambhu S. Sharma and Martin Fahey; 129(7), 619-29 (2003).
Postcyclic Degradation of Strength and Stiffness for Low Plasticity Silt. —Kazuya Yasuhara, Satoshi Murakami, Byung-Woong Song, Seiji Yokokawa, and Adrian F. L. Hyde; 129(8), 756-69 (2003).

Design
Analysis and Design of Evapotranspirative Cover for Hazardous Waste Landfill. —Jorge G. Zornberg, Lester LaFountain, and Jack A. Caldwell; 129(5), 427-38 (2003).

Dewatering
Evaporation Theory for Deformable Soils. —In-Mo Lee, Hyung-Joo Lee, Jeong-Yeon Cheon, and Lakshmi N. Reddi; 129(11), 1020-7 (2003).

Diaphragm wall
Use of Jet Grouting to Limit Diaphragm Wall Displacement of a Deep Excavation. —Hsii-Sheng Hsieh, Chien-Chih Wang, and Chang-Yu Ou; 129(2), 146-57 (2003).

Pile Response Adjacent to Braced Excavation. — A. T. C. Goh, K. S. Wong, C. I. Teh, and D. Wen; 129(4), 383-6 (2003).

Dilatancy

Laboratory Study of Loose Saturated and Unsaturated Decomposed Granitic Soil. — Charles W. W. Ng and Abraham C. F. Chiu; 129(6), 550-9 (2003).

Dilatometers

Use of an Instrumented Flat Dilatometer in Soft Varved Clay. — Jean Benoît and Kevin P. Stetson; 129(12), 1159-67 (2003).

Discrete elements

Creep Modeling in Excavation Analysis of a High Rock Slope. — Jin Feng, Zhang Chuhan, Wang Gang, and Wang Guanglun; 129(9), 849-57 (2003).

Displacement

Use of Jet Grouting to Limit Diaphragm Wall Displacement of a Deep Excavation. — Hsii-Sheng Hsieh, Chien-Chih Wang, and Chang-Yu Ou; 129(2), 146-57 (2003).

Inclined Plane Studies of the Newmark Sliding Block Procedure. —Joseph Wartman, Jonathan D. Bray, and Raymond B. Seed; 129(8), 673-84 (2003).

Use of an Instrumented Flat Dilatometer in Soft Varved Clay. —Jean Benoît and Kevin P. Stetson; 129(12), 1159-67 (2003).

Drilled shafts

Case History Evaluation of Laterally Loaded Piles. —J. B. Anderson, F. C. Townsend, and B. Grajales; 129(3), 187-96 (2003).

Lateral Load Capacity of Drilled Shafts in Jointed Rock. —Albert C. To, Helmut Ernst, and Herbert H. Einstein; 129(8), 711-26 (2003).

Drilled Shaft Defects: Detection, and Effects on Capacity in Varved Clay. —Magued Iskander, Douglas Roy, Shawn Kelley, and Carl Ealy; 129(12), 1128-37 (2003).

Driven piles

Shaft Resistance of Single Vertical and Batter Piles Driven in Sand. —Adel Hanna and T. Q. Nguyen; 129(7), 601-7 (2003).

Dynamic loads

Behavior of Open- and Closed-Ended Piles Driven Into Sands. —Kyuho Paik, Rodrigo Salgado, Junhwan Lee, and Bumjoo Kim; 129(4), 296-306 (2003).

Dynamic properties

Nonlinear Dynamic Properties of a Fibrous Organic Soil. —Timothy M. Wehling, Ross W. Boulanger, Rajendram Arulnathan, Leslie F. Harder, Jr., and Michael W. Driller; 129(10), 929-39 (2003).

Dynamic response

Low Strain Integrity Testing of Piles: Three-Dimensional Effects. —Y. K. Chow, K. K. Phoon, W. F. Chow, and K. Y. Wong; 129(11), 1057-62 (2003).

Earth pressure

Temperature Correction and Strut Loads in Central Artery Excavations. —Youssef M. A. Hashash, Camilo Marulanda, Kyle A. Kershaw, Edward J. Cording, David L. Druss, Dan J. Bobrow, and Prabir K. Das; 129(6), 495-505 (2003).

Earth reinforcement

Simplified Trial Wedge Method for Soil Nailed Wall Analysis. —Thomas C. Sheahan and Carlton L. Ho; 129(2), 117-24 (2003).

Behavior of Calculated Nail Head Strength in Soil-Nailed Structures. — Bhaskar Joshi; 129(9), 819-28 (2003).

Earthquake damage

Liquefaction Centrifuge Modeling of Sands of Different Permeability. — Michael K. Sharp, Ricardo Dobry, and Tarek Abdoun; 129(12), 1083-91 (2003).

Earthquakes

Simplified Cone Penetration Test-based Method for Evaluating Liquefaction Resistance of Soils. — C. Hsein Juang, Haiming Yuan, Der-Her Lee, and Ping-Sien Lin; 129(1), 66-80 (2003).

Liquefaction Potential Index: Field Assessment. — Selcuk Toprak and Thomas L. Holzer; 129(4), 315-22 (2003).

Lateral Loaded Pile Response in Liquefiable Soil. — Mohamed Ashour and Gary Norris; 129(5), 404-14 (2003).

Evaluation of Seismic Performance for Tunnel Retrofit Project. — Hubert K. Law and Ignatius P. Lam; 129(7), 575-89 (2003).

Inclined Plane Studies of the Newmark Sliding Block Procedure. —Joseph Wartman, Jonathan D. Bray, and Raymond B. Seed; 129(8), 673-84 (2003).

Pile Response to Lateral Spreads: Centrifuge Modeling. — Tarek Abdoun, Ricardo Dobry, Thomas D. O'Rourke, and S. H. Goh; 129(10), 869-78 (2003).

Single Piles in Lateral Spreads: Field Bending Moment Evaluation. —Ricardo Dobry, Tarek Abdoun, Thomas D. O'Rourke, and S. H. Goh; 129(10), 879-89 (2003).

Earthwork

Some Uncertainties in Embankment Dam Engineering. — Victor Milligan; 129(9), 785-97 (2003).

Electrokinetics

Sequentially Enhanced Electrokinetic Remediation of Heavy Metals in Low Buffering Clayey Soils. —Krishna R. Reddy and Supraja Chinthamreddy; 129(3), 263-77 (2003).

Embankments

Yield Strength Ratio and Liquefaction Analysis of Slopes and Embankments. —Scott M. Olson and Timothy D. Stark; 129(8), 727-37 (2003).

Equation of motion

Physical Properties of Plywood and Waferboard as Pile Cushion Materials. —Kevin C. Womack, Aaron M. Whitaker, Joseph A. Caliendo, George G. Goble, and Marvin W. Halling; 129(4), 379-82 (2003).

Erosion

Time for Development of Internal Erosion and Piping in Embankment Dams. —Robin Fell, Chi Fai Wan, John Cyganiewicz, and Mark Foster; 129(4), 307-14 (2003).

Evaporation

Evaporation Theory for Deformable Soils. —In-Mo Lee, Hyung-Joo Lee, Jeong-Yeon Cheon, and Lakshmi N. Reddi; 129(11), 1020-7 (2003).

Evapotranspiration

Analysis and Design of Evapotranspirative Cover for Hazardous Waste Landfill. —Jorge G. Zornberg, Lester LaFountain, and Jack A. Caldwell; 129(5), 427-38 (2003).

Excavation

Behavior of Pile Groups Subject to Excavation-Induced Soil Movement. — C. F. Leung, J. K. Lim, R. F. Shen, and Y. K. Chow; 129(1), 58-65 (2003).

Use of Jet Grouting to Limit Diaphragm Wall Displacement of a Deep Excavation. — Hsii-Sheng Hsieh, Chien-Chih Wang, and Chang-Yu Ou; 129(2), 146-57 (2003).

Pile Response Adjacent to Braced Excavation. — A. T. C. Goh, K. S. Wong, C. I. Teh, and D. Wen; 129(4), 383-6 (2003).

Temperature Correction and Strut Loads in Central Artery Excavations. — Youssef M. A. Hashash, Camilo Marulanda, Kyle A. Kershaw, Edward J. Cording, David L. Druss, Dan J. Bobrow, and Prabir K. Das; 129(6), 495-505 (2003).

Creep Modeling in Excavation Analysis of a High Rock Slope. — Jin Feng, Zhang Chuhan, Wang Gang, and Wang Guanglun; 129(9), 849-57 (2003).

Expansive soils

Measured and Estimated Suction Indices for Swelling Potential Classification. —William J. Likos, Harold W. Olsen, Lisa Krosley, and Ning Lu; 129(7), 665-8 (2003).

Experimentation

Shaft Resistance of Single Vertical and Batter Piles Driven in Sand. —Adel Hanna and T. Q. Nguyen; 129(7), 601-7 (2003).

Failures

Translational Failure Analysis of Landfills. —Xuede Qian, Robert M. Koerner, and Donald H. Gray; 129(6), 506-19 (2003).

Fatigue life

Degradation of Stiffness of Cemented Calcareous Soil in Cyclic Triaxial Tests. —Shambhu S. Sharma and Martin Fahey; 129(7), 619-29 (2003).

Fatigue tests

Fatigue Behavior of a Pavement Foundation with Recycled Aggregate and Waste HDPE Strips. —Khaled Sobhan and Mehedy Mashnad; 129(7), 630-8 (2003).

Fiber reinforced materials

Behavior of Plate Load Tests on Soil Layers Improved with Cement and Fiber. —Nilo Cesar Consoli, Márcio Antonio Vendruscolo, and Pedro Domingos Marques Prietto; 129(1), 96-101 (2003).

Triaxial Compression of Sand Reinforced with Fibers. — Radoslaw L. Michalowski and Jan Čermák; 129(2), 125-36 (2003).

Plate Load Test on Fiber-Reinforced Soil. —Nilo C. Consoli, Michéle D. T. Casagrande, Pedro D. M. Prietto, and Antônio Thomé; 129(10), 951-5 (2003).

Field investigations

Percolation Induced Heat Transfer in Deep Unsaturated Zones. —Ning Lu and Gary D. LeCain; 129(11), 1040-53 (2003).

Field tests

Simplified Trial Wedge Method for Soil Nailed Wall Analysis. —Thomas C. Sheahan and Carlton L. Ho; 129(2), 117-24 (2003).

Uplift Behavior of Blade-Underreamed Anchors in Silty Sand. —H. J. Liao and S. T. Hsu; 129(6), 560-8 (2003).

Fills
Laboratory Study of Loose Saturated and Unsaturated Decomposed Granitic Soil. — Charles W. W. Ng and Abraham C. F. Chiu; 129(6), 550-9 (2003).

Filters
Measured and Estimated Suction Indices for Swelling Potential Classification. — William J. Likos, Harold W. Olsen, Lisa Krosley, and Ning Lu; 129(7), 665-8 (2003).
Installation Stress in Prefabricated Vertical Drains. — G. P. Karunaratne, S. H. Chew, K. W. Leong, W. K. Wong, L. H. Lim, K. S. Yeo, and A. M. Hee; 129(9), 858-60 (2003).

Fine-grained soils
Simplified Cone Penetration Test-based Method for Evaluating Liquefaction Resistance of Soils. — C. Hsein Juang, Haiming Yuan, Der-Her Lee, and Ping-Sien Lin; 129(1), 66-80 (2003).

Finite difference
Site Response at Treasure and Yerba Buena Islands, California. — Laurie G. Baise, Steven D. Glaser, and Douglas Dreger; 129(5), 415-26 (2003).

Finite element method
Sheet Pile Tensions in Cellular Structures. —Kord J. Wissmann, George M. Filz, Reed L. Mosher, and James R. Martin, II; 129(3), 224-33 (2003).
Factors Affecting Long-Term Efficiency of Compensation Grouting in Clays. —S. K. A. Au, K. Soga, M. R. Jafari, M. D. Bolton, and K. Komiya; 129(3), 254-62 (2003).
Pullout Behavior of Geogrid by Test and Numerical Analysis. —M. Sugimoto and A. M. N. Alagiyawanna; 129(4), 361-71 (2003).
Undrained Stability of Braced Excavations in Clay. —Boonchai Ukritchon, Andrew J. Whittle, and Scott W. Sloan; 129(8), 738-55 (2003).
Low Strain Integrity Testing of Piles: Three-Dimensional Effects. —Y. K. Chow, K. K. Phoon, W. F. Chow, and K. Y. Wong; 129(11), 1057-62 (2003).

Finite elements
Three-Dimensional Lower Bound Solutions for Stability of Plate Anchors in Clay. —R. S. Merifield, A. V. Lyamin, S. W. Sloan, and H. S. Yu; 129(3), 243-53 (2003).

Footings
Closely Spaced Footings on Geogrid-Reinforced Sand. — Arvind Kumar and Swami Saran; 129(7), 660-4 (2003).

Foundation design
Assessment of Current Load Factors for Use in Geotechnical Load and Resistance Factor Design. — B. Scott, B. J. Kim, and R. Salgado; 129(4), 287-95 (2003).

Foundation settlement
Evaluation of Cone Penetration Test-Based Settlement Prediction Methods for Shallow Foundations on Cohesionless Soils at Highway Bridge Construction Sites. —Shad M. Sargand, Teruhisa Masada, and Basel Abdalla; 129(10), 900-8 (2003).

Foundations
Investigations of Blocks in Foundations and Abutments of Concrete Dams. —Richard E. Goodman and Chris Powell; 129(2), 105-16 (2003).
Deformation Patterns of Reinforced Foundation Sand at Failure. —Radoslaw L. Michalowski and Lei Shi; 129(5), 439-49 (2003).
Fatigue Behavior of a Pavement Foundation with Recycled Aggregate and Waste HDPE Strips. — Khaled Sobhan and Mehedy Mashnad; 129(7), 630-8 (2003).
Closely Spaced Footings on Geogrid-Reinforced Sand. — Arvind Kumar and Swami Saran; 129(7), 660-4 (2003).
Development of a Reliability-Based Design Framework for Transmission Line Structure Foundations. — Kok-Kwang Phoon, Fred H. Kulhawy, and Mircea D. Grigoriu; 129(9), 798-806 (2003).
Multiple Resistance Factor Design for Shallow Transmission Line Structure Foundations. — Kok-Kwang Phoon, Fred H. Kulhawy, and Mircea D. Grigoriu; 129(9), 807-18 (2003).
Liquefaction Centrifuge Modeling of Sands of Different Permeability. — Michael K. Sharp, Ricardo Dobry, and Tarek Abdoun; 129(12), 1083-91 (2003).

Fracture
Factors Affecting Long-Term Efficiency of Compensation Grouting in Clays. —S. K. A. Au, K. Soga, M. R. Jafari, M. D. Bolton, and K. Komiya; 129(3), 254-62 (2003).

Geographic information systems
Geographic Information Systems-Based Three-Dimensional Critical Slope Stability Analysis and Landslide Hazard Assessment. —Mowen Xie, Tetsuro Esaki, Guoyun Zhou, and Yasuhiro Mitani; 129(12), 1109-18 (2003).

Geogrids
Pullout Behavior of Geogrid by Test and Numerical Analysis. —M. Sugimoto and A. M. N. Alagiyawanna; 129(4), 361-71 (2003).
Closely Spaced Footings on Geogrid-Reinforced Sand. — Arvind Kumar and Swami Saran; 129(7), 660-4 (2003).

Geosynthetics
Strain Distribution within Geosynthetic-Reinforced Slopes. —Jorge G. Zornberg and Fabiana Arriaga; 129(1), 32-45 (2003).
Centrifugal Modeling of Seismic Behavior of Large-Diameter Pipe in Liquefiable Soil. —Hoe I. Ling, Yoshiyuki Mohri, Toshinori Kawabata, Huabei Liu, Christopher Burke, and Lixun Sun; 129(12), 1092-101 (2003).

Ground motion
Kinematic Soil-Structure Interaction from Strong Motion Recordings. —Seunghyun Kim and Jonathan P. Stewart; 129(4), 323-35 (2003).

Ground water
Landslide Hazard Evaluation: The Landslide Hazard Curves. —Tiziano Collotta; 129(6), 520-8 (2003).

Grouting
Factors Affecting Long-Term Efficiency of Compensation Grouting in Clays. —S. K. A. Au, K. Soga, M. R. Jafari, M. D. Bolton, and K. Komiya; 129(3), 254-62 (2003).

Hazardous waste
Analysis and Design of Evapotranspirative Cover for Hazardous Waste Landfill. —Jorge G. Zornberg, Lester LaFountain, and Jack A. Caldwell; 129(5), 427-38 (2003).

Hazards
Landslide Hazard Evaluation: The Landslide Hazard Curves. —Tiziano Collotta; 129(6), 520-8 (2003).

Heat transfer
Percolation Induced Heat Transfer in Deep Unsaturated Zones. — Ning Lu and Gary D. LeCain; 129(11), 1040-53 (2003).

Heavy metals
Sequentially Enhanced Electrokinetic Remediation of Heavy Metals in Low Buffering Clayey Soils. — Krishna R. Reddy and Supraja Chinthamreddy; 129(3), 263-77 (2003).

Homogeneity
Identification of Statistically Homogeneous Soil Layers Using Modified Bartlett Statistics. — Kok-Kwang Phoon, Ser-Tong Quek, and Ping An; 129(7), 649-59 (2003).
A Second Look at Taylor's Stability Chart. — R. Baker; 129(12), 1102-8 (2003).

Hong Kong
Fully Coupled Analysis of Failure and Remediation of Lower San Fernando Dam. — H. Y. Ming and X. S. Li; 129(4), 336-49 (2003).

Horizontal drains
Consolidation of Clay with a System of Vertical and Horizontal Drains. — Toyoaki Nogami and Maoxin Li; 129(9), 838-48 (2003).

Horizontal loads
Performance of Long Rectangular Barrettes in Granitic Saprolites. —Charles W. W. Ng and G. H. Lei; 129(8), 685-96 (2003).

Hydraulic conductivity
Construction Quality Control for Asphalt Concrete Hydraulic Barriers. —John J. Bowders, J. Erik Loehr, Deepak Neupane, and Abdelmalek Bouazza; 129(3), 219-23 (2003).

Hydromechanics
Two-Phase (Air and Water) Flow through Rock Joints: Analytical and Experimental Study. —B. Indraratna, P. G. Ranjith, J. R. Price, and W. Gale; 129(10), 918-28 (2003).

In situ tests
Behavior of Plate Load Tests on Soil Layers Improved with Cement and Fiber. —Nilo Cesar Consoli, Márcio Antonio Vendruscolo, and Pedro Domingos Marques Prietto; 129(1), 96-101 (2003).
In Situ Estimate of Shear Wave Velocity Using Borehole Spectral Analysis of Surface Waves Tool. — M. E. Kalinski and K. H. Stokoe, II; 129(6), 529-35 (2003).

Installation
Installation Stress in Prefabricated Vertical Drains. —G. P. Karunaratne, S. H. Chew, K. W. Leong, W. K. Wong, L. H. Lim, K. S. Yeo, and A. M. Hee; 129(9), 858-60 (2003).

Instrumentation
Sheet Pile Tensions in Cellular Structures. —Kord J. Wissmann, George M. Filz, Reed L. Mosher, and James R. Martin, II; 129(3), 224-33 (2003).

Interfaces
Extended Hyperbolic Model for Sand-to-Concrete Interfaces. —Jesús E. Gómez, George M. Filz, and Robert M. Ebeling; 129(11), 993-1000 (2003).

Israel
Keyblock Stability in Seismically Active Rock Slopes—Snake Path Cliff, Masada. —Yossef H. Hatzor; 129(8), 697-710 (2003).

Jet grouting
Use of Jet Grouting to Limit Diaphragm Wall Displacement of a Deep Excavation. — Hsii-Sheng Hsieh, Chien-Chih Wang, and Chang-Yu Ou; 129(2), 146-57 (2003).

Jointed rocks
Lateral Load Capacity of Drilled Shafts in Jointed Rock. — Albert C. To, Helmut Ernst, and Herbert H. Einstein; 129(8), 711-26 (2003).
Two-Phase (Air and Water) Flow through Rock Joints: Analytical and Experimental Study. — B. Indraratna, P. G. Ranjith, J. R. Price, and W. Gale; 129(10), 918-28 (2003).

Kinematics
Kinematic Soil-Structure Interaction from Strong Motion Recordings. — Seunghyun Kim and Jonathan P. Stewart; 129(4), 323-35 (2003).

Laboratory tests
Behavior of Plate Load Tests on Soil Layers Improved with Cement and Fiber. — Nilo Cesar Consoli, Márcio Antonio Vendruscolo, and Pedro Domingos Marques Prietto; 129(1), 96-101 (2003).
Factors Affecting Long-Term Efficiency of Compensation Grouting in Clays. — S. K. A. Au, K. Soga, M. R. Jafari, M. D. Bolton, and K. Komiya; 129(3), 254-62 (2003).
Laboratory Study of Loose Saturated and Unsaturated Decomposed Granitic Soil. —Charles W. W. Ng and Abraham C. F. Chiu; 129(6), 550-9 (2003).
Relating K_α to Relative State Parameter Index. —Ross W. Boulanger; 129(8), 770-3 (2003).
Effect of Compressive Load on Uplift Capacity of Model Piles. —B. K. Dash and P. J. Pise; 129(11), 987-92 (2003).

Laminates
Residual Shear Strength Mobilized in First-Time Slope Failures. —G. Mesri and M. Shahien; 129(1), 12-31 (2003).

Landfills
Composite Compressibility Model for Municipal Solid Waste. —Afonso Celso Moruzzi Marques, George M. Filz, and Orencio Monje Vilar; 129(4), 372-8 (2003).
Analysis and Design of Evapotranspirative Cover for Hazardous Waste Landfill. —Jorge G. Zornberg, Lester LaFountain, and Jack A. Caldwell; 129(5), 427-38 (2003).
Translational Failure Analysis of Landfills. —Xuede Qian, Robert M. Koerner, and Donald H. Gray; 129(6), 506-19 (2003).
Long Term Landfill Primary and Secondary Leachate Production. —Raymond C. Loehr and Bruce M. Haikola; 129(11), 1063-7 (2003).
Relationship of Compressibility Parameters to Municipal Solid Waste Decomposition. —M. S. Hossain, M. A. Gabr, and M. A. Barlaz; 129(12), 1151-8 (2003).

Landslides
Landslide Hazard Evaluation: The Landslide Hazard Curves. —Tiziano Collotta; 129(6), 520-8 (2003).
Inclined Plane Studies of the Newmark Sliding Block Procedure. —Joseph Wartman, Jonathan D. Bray, and Raymond B. Seed; 129(8), 673-84 (2003).
Geographic Information Systems-Based Three-Dimensional Critical Slope Stability Analysis and Landslide Hazard Assessment. — Mowen Xie, Tetsuro Esaki, Guoyun Zhou, and Yasuhiro Mitani; 129(12), 1109-18 (2003).

Lateral loads
Case History Evaluation of Laterally Loaded Piles. — J. B. Anderson, F. C. Townsend, and B. Grajales; 129(3), 187-96 (2003).
Pile Response Adjacent to Braced Excavation. — A. T. C. Goh, K. S. Wong, C. I. Teh, and D. Wen; 129(4), 383-6 (2003).
Lateral Loaded Pile Response in Liquefiable Soil. — Mohamed Ashour and Gary Norris; 129(5), 404-14 (2003).
Theoretical Elastic-Plastic Solution for Laterally Loaded Piles. — Yun-mei Hsiung; 129(5), 475-80 (2003).
Behavior of Laterally Loaded Large-Section Barrettes. — L. M. Zhang; 129(7), 639-48 (2003).
Lateral Load Capacity of Drilled Shafts in Jointed Rock. — Albert C. To, Helmut Ernst, and Herbert H. Einstein; 129(8), 711-26 (2003).
Rotational Restraint of Pile Caps during Lateral Loading. — Robert L. Mokwa and J. Michael Duncan; 129(9), 829-37 (2003).

Lateral pressure
Pile Response to Lateral Spreads: Centrifuge Modeling. — Tarek Abdoun, Ricardo Dobry, Thomas D. O'Rourke, and S. H. Goh; 129(10), 869-78 (2003).

Lateral stability
Simplified Trial Wedge Method for Soil Nailed Wall Analysis. —Thomas C. Sheahan and Carlton L. Ho; 129(2), 117-24 (2003).

Layered soils
Centrifuge Modeling of Nonaqueous Phase Liquid Movement and Entrapment in Unsaturated Layered Soils. —K. Soga, J. Kawabata, C. Kechavarzi, H. Coumoulos, and W. A. P. Waduge; 129(2), 173-82 (2003).

Leachates
Long Term Landfill Primary and Secondary Leachate Production. —Raymond C. Loehr and Bruce M. Haikola; 129(11), 1063-7 (2003).

Leaching
Mechanism Controlling Permeability Change in Clays due to Changes in Pore Fluid. —A. Anandarajah; 129(2), 163-72 (2003).

Levees
Nonlinear Dynamic Properties of a Fibrous Organic Soil. —Timothy M. Wehling, Ross W. Boulanger, Rajendram Arulnathan, Leslie F. Harder, Jr., and Michael W. Driller; 129(10), 929-39 (2003).

Limit analysis
Simplified Trial Wedge Method for Soil Nailed Wall Analysis. —Thomas C. Sheahan and Carlton L. Ho; 129(2), 117-24 (2003).
Three-Dimensional Analysis of Nonhomogeneous Slopes. —Orang Farzaneh and Faradjollah Askari; 129(2), 137-45 (2003).
Prediction of Undrained Sinkhole Collapse. —Charles E. Augarde, Andrei V. Lyamin, and Scott W. Sloan; 129(3), 197-205 (2003).
Three-Dimensional Lower Bound Solutions for Stability of Plate Anchors in Clay. —R. S. Merifield, A. V. Lyamin, S. W. Sloan, and H. S. Yu; 129(3), 243-53 (2003).
Deformation Patterns of Reinforced Foundation Sand at Failure. — Radoslaw L. Michalowski and Lei Shi; 129(5), 439-49 (2003).
Calculations of Bearing Capacity Factor N_γ Using Numerical Limit Analyses. — Boonchai Ukritchon, Andrew J. Whittle, and C. Klangvijit; 129(5), 468-74 (2003).

Limit equilibrium
Single Piles in Lateral Spreads: Field Bending Moment Evaluation. — Ricardo Dobry, Tarek Abdoun, Thomas D. O'Rourke, and S. H. Goh; 129(10), 879-89 (2003).

Limit states
Assessment of Current Load Factors for Use in Geotechnical Load and Resistance Factor Design. — B. Scott, B. J. Kim, and R. Salgado; 129(4), 287-95 (2003).

Liquefaction
Simplified Cone Penetration Test-based Method for Evaluating Liquefaction Resistance of Soils. — C. Hsein Juang, Haiming Yuan, Der-Her Lee, and Ping-Sien Lin; 129(1), 66-80 (2003).
Liquefaction Potential Index: Field Assessment. — Selcuk Toprak and Thomas L. Holzer; 129(4), 315-22 (2003).
Fully Coupled Analysis of Failure and Remediation of Lower San Fernando Dam. —H. Y. Ming and X. S. Li; 129(4), 336-49 (2003).
Lateral Loaded Pile Response in Liquefiable Soil. —Mohamed Ashour and Gary Norris; 129(5), 404-14 (2003).
Yield Strength Ratio and Liquefaction Analysis of Slopes and Embankments. —Scott M. Olson and Timothy D. Stark; 129(8), 727-37 (2003).
Pile Response to Lateral Spreads: Centrifuge Modeling. — Tarek Abdoun, Ricardo Dobry, Thomas D. O'Rourke, and S. H. Goh; 129(10), 869-78 (2003).
Single Piles in Lateral Spreads: Field Bending Moment Evaluation. —Ricardo Dobry, Tarek Abdoun, Thomas D. O'Rourke, and S. H. Goh; 129(10), 879-89 (2003).
Liquefaction Resistance of Clean and Nonplastic Silty Sands Based on Cone Penetration Resistance. — J. A. H. Carraro, P. Bandini, and R. Salgado; 129(11), 965-76 (2003).
High Overburden Stress Effects in Liquefaction Analyses. — Ross W. Boulanger; 129(12), 1071-82 (2003).
Liquefaction Centrifuge Modeling of Sands of Different Permeability. —Michael K. Sharp, Ricardo Dobry, and Tarek Abdoun; 129(12), 1083-91 (2003).
Centrifugal Modeling of Seismic Behavior of Large-Diameter Pipe in Liquefiable Soil. —Hoe I. Ling, Yoshiyuki Mohri, Toshinori Kawabata, Huabei Liu, Christopher Burke, and Lixun Sun; 129(12), 1092-101 (2003).
Computational Model for Cyclic Mobility and Associated Shear Deformation. —Zhaohui Yang, Ahmed Elgamal, and Ender Parra; 129(12), 1119-27 (2003).

Load and resistance factor design
Development of a Reliability-Based Design Framework for Transmission Line Structure Foundations. — Kok-Kwang Phoon, Fred H. Kulhawy, and Mircea D. Grigoriu; 129(9), 798-806 (2003).
Multiple Resistance Factor Design for Shallow Transmission Line Structure Foundations.

—Kok-Kwang Phoon, Fred H. Kulhawy, and Mircea D. Grigoriu; 129(9), 807-18 (2003).

Load factors

Assessment of Current Load Factors for Use in Geotechnical Load and Resistance Factor Design. — B. Scott, B. J. Kim, and R. Salgado; 129(4), 287-95 (2003).

Load resistant design factor

Assessment of Current Load Factors for Use in Geotechnical Load and Resistance Factor Design. — B. Scott, B. J. Kim, and R. Salgado; 129(4), 287-95 (2003).

Load tests

Case History Evaluation of Laterally Loaded Piles. — J. B. Anderson, F. C. Townsend, and B. Grajales; 129(3), 187-96 (2003).

Behavior of Laterally Loaded Large-Section Barrettes. — L. M. Zhang; 129(7), 639-48 (2003).

Plate Load Test on Fiber-Reinforced Soil. — Nilo C. Consoli, Michéle D. T. Casagrande, Pedro D. M. Prietto, and Antônio Thomé; 129(10), 951-5 (2003).

Load transfer

Behavior of Laterally Loaded Large-Section Barrettes. — L. M. Zhang; 129(7), 639-48 (2003).

Performance of Tension and Compression Anchors in Weathered Soil. —Nak-Kyung Kim; 129(12), 1138-50 (2003).

Loading rate

Undrained Response of Clays to Varying Strain Rate. — Dinesh R. Katti, Jingpeng Tang, and S. Yazdani; 129(3), 278-82 (2003).

Loads

Behavior of Plate Load Tests on Soil Layers Improved with Cement and Fiber. —Nilo Cesar Consoli, Márcio Antonio Vendruscolo, and Pedro Domingos Marques Prietto; 129(1), 96-101 (2003).

Localization

Strain Localization in Sand: Plane Strain versus Triaxial Compression. —Khalid A. Alshibli, Susan N. Batiste, and Stein Sture; 129(6), 483-94 (2003).

Measurement

Installation Stress in Prefabricated Vertical Drains. —G. P. Karunaratne, S. H. Chew, K. W. Leong, W. K. Wong, L. H. Lim, K. S. Yeo, and A. M. Hee; 129(9), 858-60 (2003).

Measuring instruments

Soil Water Content Monitoring Using Electromagnetic Induction. —Robert C. Reedy and Bridget R. Scanlon; 129(11), 1028-39 (2003).

Membranes

Use of an Instrumented Flat Dilatometer in Soft Varved Clay. —Jean Benoît and Kevin P. Stetson; 129(12), 1159-67 (2003).

Mining

Prediction of Undrained Sinkhole Collapse. —Charles E. Augarde, Andrei V. Lyamin, and Scott W. Sloan; 129(3), 197-205 (2003).

Models

Testing and Modeling Two Rockfill Materials. —A. Varadarajan, K. G. Sharma, K. Venkatachalam, and A. K. Gupta; 129(3), 206-18 (2003).

Creep Modeling in Excavation Analysis of a High Rock Slope. —Jin Feng, Zhang Chuhan, Wang Gang, and Wang Guanglun; 129(9), 849-57 (2003).

Effect of Compressive Load on Uplift Capacity of Model Piles. — B. K. Dash and P. J. Pise; 129(11), 987-92 (2003).

Extended Hyperbolic Model for Sand-to-Concrete Interfaces. — Jesús E. Gómez, George M. Filz, and Robert M. Ebeling; 129(11), 993-1000 (2003).

Moments

Theoretical Elastic-Plastic Solution for Laterally Loaded Piles. — Yun-mei Hsiung; 129(5), 475-80 (2003).

Monitoring

Time for Development of Internal Erosion and Piping in Embankment Dams. — Robin Fell, Chi Fai Wan, John Cyganiewicz, and Mark Foster; 129(4), 307-14 (2003).

Soil Water Content Monitoring Using Electromagnetic Induction. — Robert C. Reedy and Bridget R. Scanlon; 129(11), 1028-39 (2003).

Monte Carlo method

Identification of Statistically Homogeneous Soil Layers Using Modified Bartlett Statistics. —Kok-Kwang Phoon, Ser-Tong Quek, and Ping An; 129(7), 649-59 (2003).

Geographic Information Systems-Based Three-Dimensional Critical Slope Stability Analysis and Landslide Hazard Assessment. —Mowen Xie, Tetsuro Esaki, Guoyun Zhou, and Yasuhiro Mitani; 129(12), 1109-18 (2003).

Municipal wastes

Composite Compressibility Model for Municipal Solid Waste. —Afonso Celso Moruzzi Marques, George M. Filz, and Orencio Monje Vilar; 129(4), 372-8 (2003).

Relationship of Compressibility Parameters to Municipal Solid Waste Decomposition. —M. S. Hossain, M. A. Gabr, and M. A. Barlaz; 129(12), 1151-8 (2003).

Neural networks

Simplified Cone Penetration Test-based Method for Evaluating Liquefaction Resistance of Soils. —C. Hsein Juang, Haiming Yuan, Der-Her Lee, and Ping-Sien Lin; 129(1), 66-80 (2003).

Nevada

Centrifugal Modeling of Seismic Behavior of Large-Diameter Pipe in Liquefiable Soil. —Hoe I. Ling, Yoshiyuki Mohri, Toshinori Kawabata, Huabei Liu, Christopher Burke, and Lixun Sun; 129(12), 1092-101 (2003).

Nonaqueous phase liquids

Centrifuge Modeling of Nonaqueous Phase Liquid Movement and Entrapment in Unsaturated Layered Soils. —K. Soga, J. Kawabata, C. Kechavarzi, H. Coumoulos, and W. A. P. Waduge; 129(2), 173-82 (2003).

Nondestructive tests

Low Strain Integrity Testing of Piles: Three-Dimensional Effects. —Y. K. Chow, K. K. Phoon, W. F. Chow, and K. Y. Wong; 129(11), 1057-62 (2003).

Drilled Shaft Defects: Detection, and Effects on Capacity in Varved Clay. —Magued Iskander, Douglas Roy, Shawn Kelley, and Carl Ealy; 129(12), 1128-37 (2003).

Numerical analysis

Time-Dependent Back Analysis of a Multianchored Pile Retaining Wall. —Jakob Likar and Vladimir Vukadin; 129(1), 91-5 (2003).

Use of Jet Grouting to Limit Diaphragm Wall Displacement of a Deep Excavation. — Hsii-Sheng Hsieh, Chien-Chih Wang, and Chang-Yu Ou; 129(2), 146-57 (2003).

Pullout Behavior of Geogrid by Test and Numerical Analysis. — M. Sugimoto and A. M. N. Alagiyawanna; 129(4), 361-71 (2003).

Uplift Behavior of Blade-Underreamed Anchors in Silty Sand. — H. J. Liao and S. T. Hsu; 129(6), 560-8 (2003).

Behavior of Laterally Loaded Large-Section Barrettes. — L. M. Zhang; 129(7), 639-48 (2003).

Evaporation Theory for Deformable Soils. — In-Mo Lee, Hyung-Joo Lee, Jeong-Yeon Cheon, and Lakshmi N. Reddi; 129(11), 1020-7 (2003).

Numerical models

Piecewise-Linear Model for Large Strain Radial Consolidation. — Patrick J. Fox, Mario Di Nicola, and Donald W. Quigley; 129(10), 940-50 (2003).

Percolation Induced Heat Transfer in Deep Unsaturated Zones. —Ning Lu and Gary D. LeCain; 129(11), 1040-53 (2003).

Performance of Tension and Compression Anchors in Weathered Soil. —Nak-Kyung Kim; 129(12), 1138-50 (2003).

Oil recovery

Behavior of Hydrocarbon Reservoir Sands and Sandstones. — M. R. Coop and S. M. Willson; 129(11), 1010-9 (2003).

Organic matters

Nonlinear Dynamic Properties of a Fibrous Organic Soil. —Timothy M. Wehling, Ross W. Boulanger, Rajendram Arulnathan, Leslie F. Harder, Jr., and Michael W. Driller; 129(10), 929-39 (2003).

Overconsolidated soils

Postcyclic Degradation of Strength and Stiffness for Low Plasticity Silt. —Kazuya Yasuhara, Satoshi Murakami, Byung-Woong Song, Seiji Yokokawa, and Adrian F. L. Hyde; 129(8), 756-69 (2003).

Overconsolidation

Undrained Response of Clays to Varying Strain Rate. — Dinesh R. Katti, Jingpeng Tang, and S. Yazdani; 129(3), 278-82 (2003).

Partially saturated soils

Centrifuge Modeling of Nonaqueous Phase Liquid Movement and Entrapment in Unsaturated Layered Soils. —K. Soga, J. Kawabata, C. Kechavarzi, H. Coumoulos, and W. A. P. Waduge; 129(2), 173-82 (2003).

Particle size

Goodbye, Hazen; Hello, Kozeny-Carman. —W. David Carrier, III; 129(11), 1054-6 (2003).

Particle size distribution

Particle Size Distribution of Lunar Soil. —W. David Carrier, III; 129(10), 956-9 (2003).

Goodbye, Hazen; Hello, Kozeny-Carman. —W. David Carrier, III; 129(11), 1054-6 (2003).

Pavements

Fatigue Behavior of a Pavement Foundation with Recycled Aggregate and Waste HDPE Strips. —Khaled Sobhan and Mehedy Mashnad; 129(7), 630-8 (2003).

Penetration resistance

Liquefaction Resistance of Clean and Nonplastic Silty Sands Based on Cone Penetration Resistance. — J. A. H. Carraro, P. Bandini, and R. Salgado; 129(11), 965-76 (2003).

Percolation
Percolation Induced Heat Transfer in Deep Unsaturated Zones. — Ning Lu and Gary D. LeCain; 129(11), 1040-53 (2003).

Permeability
Mechanism Controlling Permeability Change in Clays due to Changes in Pore Fluid. — A. Anandarajah; 129(2), 163-72 (2003).
Consolidation of Clays for Variable Permeability and Compressibility. — K. R. Lekha, N. R. Krishnaswamy, and P. Basak; 129(11), 1001-9 (2003).
Goodbye, Hazen; Hello, Kozeny-Carman. — W. David Carrier, III; 129(11), 1054-6 (2003).
Liquefaction Centrifuge Modeling of Sands of Different Permeability. — Michael K. Sharp, Ricardo Dobry, and Tarek Abdoun; 129(12), 1083-91 (2003).

Pile caps
Rotational Restraint of Pile Caps during Lateral Loading. — Robert L. Mokwa and J. Michael Duncan; 129(9), 829-37 (2003).
Pile Response to Lateral Spreads: Centrifuge Modeling. — Tarek Abdoun, Ricardo Dobry, Thomas D. O'Rourke, and S. H. Goh; 129(10), 869-78 (2003).

Pile driving
Behavior of Open- and Closed-Ended Piles Driven Into Sands. —Kyuho Paik, Rodrigo Salgado, Junhwan Lee, and Bumjoo Kim; 129(4), 296-306 (2003).
Physical Properties of Plywood and Waferboard as Pile Cushion Materials. —Kevin C. Womack, Aaron M. Whitaker, Joseph A. Caliendo, George G. Goble, and Marvin W. Halling; 129(4), 379-82 (2003).

Pile foundations
Single Piles in Lateral Spreads: Field Bending Moment Evaluation. —Ricardo Dobry, Tarek Abdoun, Thomas D. O'Rourke, and S. H. Goh; 129(10), 879-89 (2003).

Pile groups
Behavior of Pile Groups Subject to Excavation-Induced Soil Movement. —C. F. Leung, J. K. Lim, R. F. Shen, and Y. K. Chow; 129(1), 58-65 (2003).
Rotational Restraint of Pile Caps during Lateral Loading. — Robert L. Mokwa and J. Michael Duncan; 129(9), 829-37 (2003).
Pile Response to Lateral Spreads: Centrifuge Modeling. — Tarek Abdoun, Ricardo Dobry, Thomas D. O'Rourke, and S. H. Goh; 129(10), 869-78 (2003).

Pile load tests
Determination of Bearing Capacity of Open-Ended Piles in Sand. —Kyuho Paik and Rodrigo Salgado; 129(1), 46-57 (2003).
Behavior of Open- and Closed-Ended Piles Driven Into Sands. —Kyuho Paik, Rodrigo Salgado, Junhwan Lee, and Bumjoo Kim; 129(4), 296-306 (2003).

Piles
Case History Evaluation of Laterally Loaded Piles. —J. B. Anderson, F. C. Townsend, and B. Grajales; 129(3), 187-96 (2003).
Evaluation of Pile Diameter Effect on Initial Modulus of Subgrade Reaction. —Scott A. Ashford and Teerawut Juirnarongrit; 129(3), 234-42 (2003).
Pile Response Adjacent to Braced Excavation. — A. T. C. Goh, K. S. Wong, C. I. Teh, and D. Wen; 129(4), 383-6 (2003).
Lateral Loaded Pile Response in Liquefiable Soil. — Mohamed Ashour and Gary Norris; 129(5), 404-14 (2003).
Theoretical Elastic-Plastic Solution for Laterally Loaded Piles. — Yun-mei Hsiung; 129(5), 475-80 (2003).
Behavior of Laterally Loaded Large-Section Barrettes. — L. M. Zhang; 129(7), 639-48 (2003).
Pile Response to Lateral Spreads: Centrifuge Modeling. — Tarek Abdoun, Ricardo Dobry, Thomas D. O'Rourke, and S. H. Goh; 129(10), 869-78 (2003).
Effect of Compressive Load on Uplift Capacity of Model Piles. — B. K. Dash and P. J. Pise; 129(11), 987-92 (2003).
Low Strain Integrity Testing of Piles: Three-Dimensional Effects. — Y. K. Chow, K. K. Phoon, W. F. Chow, and K. Y. Wong; 129(11), 1057-62 (2003).

Pipe piles
Behavior of Open- and Closed-Ended Piles Driven Into Sands. —Kyuho Paik, Rodrigo Salgado, Junhwan Lee, and Bumjoo Kim; 129(4), 296-306 (2003).
Estimation of Load Capacity of Pipe Piles in Sand Based on Cone Penetration Test Results. —Junhwan Lee, Rodrigo Salgado, and Kyuho Paik; 129(5), 391-403 (2003).

Pipes
Time for Development of Internal Erosion and Piping in Embankment Dams. —Robin Fell, Chi Fai Wan, John Cyganiewicz, and Mark Foster; 129(4), 307-14 (2003).

Plane strain
Strain Localization in Sand: Plane Strain versus Triaxial Compression. —Khalid A. Alshibli, Susan N. Batiste, and Stein Sture; 129(6), 483-94 (2003).

Plasticity
Calculations of Bearing Capacity Factor N_γ Using Numerical Limit Analyses. —Boonchai Ukritchon, Andrew J. Whittle, and C. Klangvijit; 129(5), 468-74 (2003).
Postcyclic Degradation of Strength and Stiffness for Low Plasticity Silt. —Kazuya Yasuhara, Satoshi Murakami, Byung-Woong Song, Seiji Yokokawa, and Adrian F. L. Hyde; 129(8), 756-69 (2003).
Plastic Limit, Liquid Limit and Undrained Shear Strength of Soil—Reappraisal. —Binu Sharma and Padma K. Bora; 129(8), 774-7 (2003).

Plates
Behavior of Plate Load Tests on Soil Layers Improved with Cement and Fiber. —Nilo Cesar Consoli, Márcio Antonio Vendruscolo, and Pedro Domingos Marques Prietto; 129(1), 96-101 (2003).
Plate Load Test on Fiber-Reinforced Soil. —Nilo C. Consoli, Michéle D. T. Casagrande, Pedro D. M. Prietto, and Antônio Thomé; 129(10), 951-5 (2003).

Polyethylene
Fatigue Behavior of a Pavement Foundation with Recycled Aggregate and Waste HDPE Strips. —Khaled Sobhan and Mehedy Mashnad; 129(7), 630-8 (2003).

Pore water pressure
Postcyclic Degradation of Strength and Stiffness for Low Plasticity Silt. — Kazuya Yasuhara, Satoshi Murakami, Byung-Woong Song, Seiji Yokokawa, and Adrian F. L. Hyde; 129(8), 756-69 (2003).

Predictions
Shrink Test–Water Content Method for Shrink and Swell Predictions. — Jean-Louis Briaud, Xiong Zhang, and Sangho Moon; 129(7), 590-600 (2003).

Probability
Simplified Cone Penetration Test-based Method for Evaluating Liquefaction Resistance of Soils. — C. Hsein Juang, Haiming Yuan, Der-Her Lee, and Ping-Sien Lin; 129(1), 66-80 (2003).

Pull-out resistance
Three-Dimensional Lower Bound Solutions for Stability of Plate Anchors in Clay. — R. S. Merifield, A. V. Lyamin, S. W. Sloan, and H. S. Yu; 129(3), 243-53 (2003).
Pullout Behavior of Geogrid by Test and Numerical Analysis. —M. Sugimoto and A. M. N. Alagiyawanna; 129(4), 361-71 (2003).
Uplift Behavior of Blade-Underreamed Anchors in Silty Sand. —H. J. Liao and S. T. Hsu; 129(6), 560-8 (2003).
Performance of Tension and Compression Anchors in Weathered Soil. —Nak-Kyung Kim; 129(12), 1138-50 (2003).

Quality control
Construction Quality Control for Asphalt Concrete Hydraulic Barriers. —John J. Bowders, J. Erik Loehr, Deepak Neupane, and Abdelmalek Bouazza; 129(3), 219-23 (2003).

Radiography
Strain Localization in Sand: Plane Strain versus Triaxial Compression. —Khalid A. Alshibli, Susan N. Batiste, and Stein Sture; 129(6), 483-94 (2003).

Random processes
Identification of Statistically Homogeneous Soil Layers Using Modified Bartlett Statistics. —Kok-Kwang Phoon, Ser-Tong Quek, and Ping An; 129(7), 649-59 (2003).

Recyling
Fatigue Behavior of a Pavement Foundation with Recycled Aggregate and Waste HDPE Strips. —Khaled Sobhan and Mehedy Mashnad; 129(7), 630-8 (2003).

Relative density
Estimation of Load Capacity of Pipe Piles in Sand Based on Cone Penetration Test Results. —Junhwan Lee, Rodrigo Salgado, and Kyuho Paik; 129(5), 391-403 (2003).

Reliability
Development of a Reliability-Based Design Framework for Transmission Line Structure Foundations. — Kok-Kwang Phoon, Fred H. Kulhawy, and Mircea D. Grigoriu; 129(9), 798-806 (2003).
Multiple Resistance Factor Design for Shallow Transmission Line Structure Foundations. —Kok-Kwang Phoon, Fred H. Kulhawy, and Mircea D. Grigoriu; 129(9), 807-18 (2003).

Reliability analysis
Assessment of Current Load Factors for Use in Geotechnical Load and Resistance Factor Design. — B. Scott, B. J. Kim, and R. Salgado; 129(4), 287-95 (2003).

Remedial action
Fully Coupled Analysis of Failure and Remediation of Lower San Fernando Dam. — H. Y. Ming and X. S. Li; 129(4), 336-49 (2003).
Centrifugal Modeling of Seismic Behavior of Large-Diameter Pipe in Liquefiable Soil. — Hoe I. Ling, Yoshiyuki Mohri, Toshinori Kawabata, Huabei Liu, Christopher Burke, and Lixun Sun; 129(12), 1092-101 (2003).

Repeated loads
Evaluation of Cyclic Shear Strength of Two Cemented Calcareous Soils. — Shambhu S. Sharma and Martin Fahey; 129(7), 608-18 (2003).

Residual strength
Residual Shear Strength Mobilized in First-Time Slope Failures. — G. Mesri and M. Shahien; 129(1), 12-31 (2003).

Resistance factors
Multiple Resistance Factor Design for Shallow Transmission Line Structure Foundations. — Kok-Kwang Phoon, Fred H. Kulhawy, and Mircea D. Grigoriu; 129(9), 807-18 (2003).

Retaining walls
Time-Dependent Back Analysis of a Multianchored Pile Retaining Wall. —Jakob Likar and Vladimir Vukadin; 129(1), 91-5 (2003).
Simplified Trial Wedge Method for Soil Nailed Wall Analysis. —Thomas C. Sheahan and Carlton L. Ho; 129(2), 117-24 (2003).
Extended Hyperbolic Model for Sand-to-Concrete Interfaces. —Jesús E. Gómez, George M. Filz, and Robert M. Ebeling; 129(11), 993-1000 (2003).

Retrofitting
Evaluation of Seismic Performance for Tunnel Retrofit Project. —Hubert K. Law and Ignatius P. Lam; 129(7), 575-89 (2003).

Roads
Landslide Hazard Evaluation: The Landslide Hazard Curves. —Tiziano Collotta; 129(6), 520-8 (2003).

Rock mass
Analysis of Arch Dams Using Coupled Trial Load and Block Element Methods. —Sheng-hong Chen, Ming-yi Xu, Isam Shahrour, and Peter Egger; 129(11), 977-86 (2003).

Rockfill structures
Testing and Modeling Two Rockfill Materials. —A. Varadarajan, K. G. Sharma, K. Venkatachalam, and A. K. Gupta; 129(3), 206-18 (2003).

Rocks
Site Response at Treasure and Yerba Buena Islands, California. —Laurie G. Baise, Steven D. Glaser, and Douglas Dreger; 129(5), 415-26 (2003).

Rotation
Rotational Restraint of Pile Caps during Lateral Loading. — Robert L. Mokwa and J. Michael Duncan; 129(9), 829-37 (2003).

Sand
Determination of Bearing Capacity of Open-Ended Piles in Sand. —Kyuho Paik and Rodrigo Salgado; 129(1), 46-57 (2003).
Triaxial Compression of Sand Reinforced with Fibers. — Radoslaw L. Michalowski and Jan Čermák; 129(2), 125-36 (2003).
Variable Bulk Modulus Constitutive Model for Sand. — Bashar S. Qubain, Victor N. Kaliakin, and Joseph P. Martin; 129(2), 158-62 (2003).
Centrifuge Modeling of Nonaqueous Phase Liquid Movement and Entrapment in Unsaturated Layered Soils. — K. Soga, J. Kawabata, C. Kechavarzi, H. Coumoulos, and W. A. P. Waduge; 129(2), 173-82 (2003).
Behavior of Open- and Closed-Ended Piles Driven Into Sands. — Kyuho Paik, Rodrigo Salgado, Junhwan Lee, and Bumjoo Kim; 129(4), 296-306 (2003).
Effects of Consolidation History on Critical State of Sand. — Richard J. Finno and Amy L. Rechenmacher; 129(4), 350-60 (2003).
Estimation of Load Capacity of Pipe Piles in Sand Based on Cone Penetration Test Results. — Junhwan Lee, Rodrigo Salgado, and Kyuho Paik; 129(5), 391-403 (2003).
Strain Localization in Sand: Plane Strain versus Triaxial Compression. — Khalid A. Alshibli, Susan N. Batiste, and Stein Sture; 129(6), 483-94 (2003).
Strain-Rate Effect on Soil Secant Shear Modulus at Small Cyclic Strains. — Leo Matešić and Mladen Vucetic; 129(6), 536-49 (2003).
Uplift Behavior of Blade-Underreamed Anchors in Silty Sand. —H. J. Liao and S. T. Hsu; 129(6), 560-8 (2003).
Shaft Resistance of Single Vertical and Batter Piles Driven in Sand. —Adel Hanna and T. Q. Nguyen; 129(7), 601-7 (2003).
Closely Spaced Footings on Geogrid-Reinforced Sand. — Arvind Kumar and Swami Saran; 129(7), 660-4 (2003).
Relating K_α to Relative State Parameter Index. —Ross W. Boulanger; 129(8), 770-3 (2003).
Particle Size Distribution of Lunar Soil. —W. David Carrier, III; 129(10), 956-9 (2003).
Liquefaction Resistance of Clean and Nonplastic Silty Sands Based on Cone Penetration Resistance. — J. A. H. Carraro, P. Bandini, and R. Salgado; 129(11), 965-76 (2003).
Effect of Compressive Load on Uplift Capacity of Model Piles. —B. K. Dash and P. J. Pise; 129(11), 987-92 (2003).
Extended Hyperbolic Model for Sand-to-Concrete Interfaces. —Jesús E. Gómez, George M. Filz, and Robert M. Ebeling; 129(11), 993-1000 (2003).
Behavior of Hydrocarbon Reservoir Sands and Sandstones. — M. R. Coop and S. M. Willson; 129(11), 1010-9 (2003).
Goodbye, Hazen; Hello, Kozeny-Carman. —W. David Carrier, III; 129(11), 1054-6 (2003).
High Overburden Stress Effects in Liquefaction Analyses. — Ross W. Boulanger; 129(12), 1071-82 (2003).
Liquefaction Centrifuge Modeling of Sands of Different Permeability. —Michael K. Sharp, Ricardo Dobry, and Tarek Abdoun; 129(12), 1083-91 (2003).

Sandstone
Behavior of Hydrocarbon Reservoir Sands and Sandstones. — M. R. Coop and S. M. Willson; 129(11), 1010-9 (2003).

Saturated soils
Lateral Loaded Pile Response in Liquefiable Soil. —Mohamed Ashour and Gary Norris; 129(5), 404-14 (2003).
Laboratory Study of Loose Saturated and Unsaturated Decomposed Granitic Soil. —Charles W. W. Ng and Abraham C. F. Chiu; 129(6), 550-9 (2003).

Scour
Scour Vulnerability of River Bridge Piers. — F. Federico, G. Silvagni, and F. Volpi; 129(10), 890-9 (2003).

Seismic design
Inclination Factors for Seismic Bearing Capacity. — K. L. Fishman, R. Richards, Jr., and D. Yao; 129(9), 861-5 (2003).

Seismic effects
Keyblock Stability in Seismically Active Rock Slopes—Snake Path Cliff, Masada. — Yossef H. Hatzor; 129(8), 697-710 (2003).

Seismic response
Site Response at Treasure and Yerba Buena Islands, California. — Laurie G. Baise, Steven D. Glaser, and Douglas Dreger; 129(5), 415-26 (2003).
Evaluation of Seismic Performance for Tunnel Retrofit Project. — Hubert K. Law and Ignatius P. Lam; 129(7), 575-89 (2003).
Inclined Plane Studies of the Newmark Sliding Block Procedure. — Joseph Wartman, Jonathan D. Bray, and Raymond B. Seed; 129(8), 673-84 (2003).

Settlement
Composite Compressibility Model for Municipal Solid Waste. —Afonso Celso Moruzzi Marques, George M. Filz, and Orencio Monje Vilar; 129(4), 372-8 (2003).
Rockfill Modulus and Settlement of Concrete Face Rockfill Dams. —Gavan Hunter and Robin Fell; 129(10), 909-17 (2003).
Plate Load Test on Fiber-Reinforced Soil. —Nilo C. Consoli, Michéle D. T. Casagrande, Pedro D. M. Prietto, and Antônio Thomé; 129(10), 951-5 (2003).

Shaft resistance
Shaft Resistance of Single Vertical and Batter Piles Driven in Sand. —Adel Hanna and T. Q. Nguyen; 129(7), 601-7 (2003).

Shaft resistance, piles
Performance of Long Rectangular Barrettes in Granitic Saprolites. —Charles W. W. Ng and G. H. Lei; 129(8), 685-96 (2003).

Shallow foundations
Inclination Factors for Seismic Bearing Capacity. —K. L. Fishman, R. Richards, Jr., and D. Yao; 129(9), 861-5 (2003).
Scour Vulnerability of River Bridge Piers. —F. Federico, G. Silvagni, and F. Volpi; 129(10), 890-9 (2003).
Evaluation of Cone Penetration Test-Based Settlement Prediction Methods for Shallow Foundations on Cohesionless Soils at Highway Bridge Construction Sites. —Shad M. Sargand, Teruhisa Masada, and Basel Abdalla; 129(10), 900-8 (2003).

Shear strain
Postcyclic Degradation of Strength and Stiffness for Low Plasticity Silt. —Kazuya Yasuhara, Satoshi Murakami, Byung-Woong Song, Seiji Yokokawa, and Adrian F. L. Hyde; 129(8), 756-69 (2003).

Shear strength
Translational Failure Analysis of Landfills. —Xuede Qian, Robert M. Koerner, and Donald H. Gray; 129(6), 506-19 (2003).
Evaluation of Cyclic Shear Strength of Two Cemented Calcareous Soils. —Shambhu S. Sharma and Martin Fahey; 129(7), 608-18 (2003).
Yield Strength Ratio and Liquefaction Analysis of

Slopes and Embankments. — Scott M. Olson and Timothy D. Stark; 129(8), 727-37 (2003).
Plastic Limit, Liquid Limit and Undrained Shear Strength of Soil—Reappraisal. — Binu Sharma and Padma K. Bora; 129(8), 774-7 (2003).
Inclination Factors for Seismic Bearing Capacity. — K. L. Fishman, R. Richards, Jr., and D. Yao; 129(9), 861-5 (2003).
Relationship of Compressibility Parameters to Municipal Solid Waste Decomposition. — M. S. Hossain, M. A. Gabr, and M. A. Barlaz; 129(12), 1151-8 (2003).

Shear stress
Relating K_α to Relative State Parameter Index. — Ross W. Boulanger; 129(8), 770-3 (2003).

Shear tests
Plastic Limit, Liquid Limit and Undrained Shear Strength of Soil—Reappraisal. — Binu Sharma and Padma K. Bora; 129(8), 774-7 (2003).

Shear waves
In Situ Estimate of Shear Wave Velocity Using Borehole Spectral Analysis of Surface Waves Tool. — M. E. Kalinski and K. H. Stokoe, II; 129(6), 529-35 (2003).

Sheet piles
Sheet Pile Tensions in Cellular Structures. —Kord J. Wissmann, George M. Filz, Reed L. Mosher, and James R. Martin, II; 129(3), 224-33 (2003).

Shrinkage
Shrink Test–Water Content Method for Shrink and Swell Predictions. —Jean-Louis Briaud, Xiong Zhang, and Sangho Moon; 129(7), 590-600 (2003).

Silts
Effects of Silt on Three-Dimensional Stress–Strain Behavior of Loose Sand. —Saul Shapiro and Jerry A. Yamamuro; 129(1), 1-11 (2003).
Postcyclic Degradation of Strength and Stiffness for Low Plasticity Silt. —Kazuya Yasuhara, Satoshi Murakami, Byung-Woong Song, Seiji Yokokawa, and Adrian F. L. Hyde; 129(8), 756-69 (2003).
Particle Size Distribution of Lunar Soil. —W. David Carrier, III; 129(10), 956-9 (2003).
Goodbye, Hazen; Hello, Kozeny-Carman. —W. David Carrier, III; 129(11), 1054-6 (2003).

Silty soils
Uplift Behavior of Blade-Underreamed Anchors in Silty Sand. —H. J. Liao and S. T. Hsu; 129(6), 560-8 (2003).
Liquefaction Resistance of Clean and Nonplastic Silty Sands Based on Cone Penetration Resistance. — J. A. H. Carraro, P. Bandini, and R. Salgado; 129(11), 965-76 (2003).

Simple shear tests
Strain-Rate Effect on Soil Secant Shear Modulus at Small Cyclic Strains. —Leo Matešić and Mladen Vucetic; 129(6), 536-49 (2003).

Sinkholes
Prediction of Undrained Sinkhole Collapse. —Charles E. Augarde, Andrei V. Lyamin, and Scott W. Sloan; 129(3), 197-205 (2003).

Size effect
Estimation of Load Capacity of Pipe Piles in Sand Based on Cone Penetration Test Results. —Junhwan Lee, Rodrigo Salgado, and Kyuho Paik; 129(5), 391-403 (2003).

Sliding
Inclined Plane Studies of the Newmark Sliding Block Procedure. — Joseph Wartman, Jonathan D. Bray, and Raymond B. Seed; 129(8), 673-84 (2003).

Slip
A Second Look at Taylor's Stability Chart. — R. Baker; 129(12), 1102-8 (2003).

Slope stability
Residual Shear Strength Mobilized in First-Time Slope Failures. — G. Mesri and M. Shahien; 129(1), 12-31 (2003).
Landslide Hazard Evaluation: The Landslide Hazard Curves. — Tiziano Collotta; 129(6), 520-8 (2003).
Keyblock Stability in Seismically Active Rock Slopes—Snake Path Cliff, Masada. — Yossef H. Hatzor; 129(8), 697-710 (2003).
A Second Look at Taylor's Stability Chart. — R. Baker; 129(12), 1102-8 (2003).
Geographic Information Systems-Based Three-Dimensional Critical Slope Stability Analysis and Landslide Hazard Assessment. — Mowen Xie, Tetsuro Esaki, Guoyun Zhou, and Yasuhiro Mitani; 129(12), 1109-18 (2003).

Slopes
Strain Distribution within Geosynthetic-Reinforced Slopes. —Jorge G. Zornberg and Fabiana Arriaga; 129(1), 32-45 (2003).
Three-Dimensional Analysis of Nonhomogeneous Slopes. —Orang Farzaneh and Faradjollah Askari; 129(2), 137-45 (2003).
Inclined Plane Studies of the Newmark Sliding Block Procedure. —Joseph Wartman, Jonathan D. Bray, and Raymond B. Seed; 129(8), 673-84 (2003).
Yield Strength Ratio and Liquefaction Analysis of Slopes and Embankments. —Scott M. Olson and Timothy D. Stark; 129(8), 727-37 (2003).
Creep Modeling in Excavation Analysis of a High Rock Slope. —Jin Feng, Zhang Chuhan, Wang Gang, and Wang Guanglun; 129(9), 849-57 (2003).

Soil deformation
Evaporation Theory for Deformable Soils. —In-Mo Lee, Hyung-Joo Lee, Jeong-Yeon Cheon, and Lakshmi N. Reddi; 129(11), 1020-7 (2003).

Soil dynamics
In Situ Estimate of Shear Wave Velocity Using Borehole Spectral Analysis of Surface Waves Tool. — M. E. Kalinski and K. H. Stokoe, II; 129(6), 529-35 (2003).
Computational Model for Cyclic Mobility and Associated Shear Deformation. —Zhaohui Yang, Ahmed Elgamal, and Ender Parra; 129(12), 1119-27 (2003).

Soil layers
Identification of Statistically Homogeneous Soil Layers Using Modified Bartlett Statistics. —Kok-Kwang Phoon, Ser-Tong Quek, and Ping An; 129(7), 649-59 (2003).

Soil nailing
Simplified Trial Wedge Method for Soil Nailed Wall Analysis. —Thomas C. Sheahan and Carlton L. Ho; 129(2), 117-24 (2003).
Behavior of Calculated Nail Head Strength in Soil-Nailed Structures. —Bhaskar Joshi; 129(9), 819-28 (2003).

Soil properties
Nonlinear Dynamic Properties of a Fibrous Organic Soil. — Timothy M. Wehling, Ross W. Boulanger, Rajendram Arulnathan, Leslie F. Harder, Jr., and Michael W. Driller; 129(10), 929-39 (2003).

Soil settlement
Use of Jet Grouting to Limit Diaphragm Wall Displacement of a Deep Excavation. — Hsii-Sheng Hsieh, Chien-Chih Wang, and Chang-Yu Ou; 129(2), 146-57 (2003).

Soil treatment
Sequentially Enhanced Electrokinetic Remediation of Heavy Metals in Low Buffering Clayey Soils. — Krishna R. Reddy and Supraja Chinthamreddy; 129(3), 263-77 (2003).

Soil water
Soil Water Content Monitoring Using Electromagnetic Induction. — Robert C. Reedy and Bridget R. Scanlon; 129(11), 1028-39 (2003).

Soil-pile interaction
Behavior of Pile Groups Subject to Excavation-Induced Soil Movement. —C. F. Leung, J. K. Lim, R. F. Shen, and Y. K. Chow; 129(1), 58-65 (2003).
Evaluation of Pile Diameter Effect on Initial Modulus of Subgrade Reaction. —Scott A. Ashford and Teerawut Juirnarongrit; 129(3), 234-42 (2003).

Soil-structure interaction
Kinematic Soil-Structure Interaction from Strong Motion Recordings. —Seunghyun Kim and Jonathan P. Stewart; 129(4), 323-35 (2003).
Pile Response to Lateral Spreads: Centrifuge Modeling. — Tarek Abdoun, Ricardo Dobry, Thomas D. O'Rourke, and S. H. Goh; 129(10), 869-78 (2003).
Extended Hyperbolic Model for Sand-to-Concrete Interfaces. —Jesús E. Gómez, George M. Filz, and Robert M. Ebeling; 129(11), 993-1000 (2003).

Soils
Site Response at Treasure and Yerba Buena Islands, California. —Laurie G. Baise, Steven D. Glaser, and Douglas Dreger; 129(5), 415-26 (2003).
Deformation Patterns of Reinforced Foundation Sand at Failure. —Radoslaw L. Michalowski and Lei Shi; 129(5), 439-49 (2003).
Theoretical Elastic-Plastic Solution for Laterally Loaded Piles. —Yun-mei Hsiung; 129(5), 475-80 (2003).
Plastic Limit, Liquid Limit and Undrained Shear Strength of Soil—Reappraisal. —Binu Sharma and Padma K. Bora; 129(8), 774-7 (2003).
Plate Load Test on Fiber-Reinforced Soil. —Nilo C. Consoli, Michéle D. T. Casagrande, Pedro D. M. Prietto, and Antônio Thomé; 129(10), 951-5 (2003).
Particle Size Distribution of Lunar Soil. —W. David Carrier, III; 129(10), 956-9 (2003).

Solid wastes
Composite Compressibility Model for Municipal Solid Waste. —Afonso Celso Moruzzi Marques, George M. Filz, and Orencio Monje Vilar; 129(4), 372-8 (2003).
Relationship of Compressibility Parameters to Municipal Solid Waste Decomposition. —M. S. Hossain, M. A. Gabr, and M. A. Barlaz; 129(12), 1151-8 (2003).

Spacing
Closely Spaced Footings on Geogrid-Reinforced Sand. — Arvind Kumar and Swami Saran; 129(7), 660-4 (2003).
Spread foundations
Single Piles in Lateral Spreads: Field Bending Moment Evaluation. — Ricardo Dobry, Tarek Abdoun, Thomas D. O'Rourke, and S. H. Goh; 129(10), 879-89 (2003).
Evaluation of Cone Penetration Test-Based Settlement Prediction Methods for Shallow Foundations on Cohesionless Soils at Highway Bridge Construction Sites. — Shad M. Sargand, Teruhisa Masada, and Basel Abdalla; 129(10), 900-8 (2003).
Stability
Three-Dimensional Analysis of Nonhomogeneous Slopes. — Orang Farzaneh and Faradjollah Askari; 129(2), 137-45 (2003).
Prediction of Undrained Sinkhole Collapse. — Charles E. Augarde, Andrei V. Lyamin, and Scott W. Sloan; 129(3), 197-205 (2003).
Three-Dimensional Lower Bound Solutions for Stability of Plate Anchors in Clay. —R. S. Merifield, A. V. Lyamin, S. W. Sloan, and H. S. Yu; 129(3), 243-53 (2003).
Undrained Stability of Braced Excavations in Clay. —Boonchai Ukritchon, Andrew J. Whittle, and Scott W. Sloan; 129(8), 738-55 (2003).
Stability analysis
Simplified Trial Wedge Method for Soil Nailed Wall Analysis. —Thomas C. Sheahan and Carlton L. Ho; 129(2), 117-24 (2003).
Standard penetration tests
High Overburden Stress Effects in Liquefaction Analyses. — Ross W. Boulanger; 129(12), 1071-82 (2003).
Static loads
Behavior of Open- and Closed-Ended Piles Driven Into Sands. —Kyuho Paik, Rodrigo Salgado, Junhwan Lee, and Bumjoo Kim; 129(4), 296-306 (2003).
Drilled Shaft Defects: Detection, and Effects on Capacity in Varved Clay. —Magued Iskander, Douglas Roy, Shawn Kelley, and Carl Ealy; 129(12), 1128-37 (2003).
Stationary processes
Identification of Statistically Homogeneous Soil Layers Using Modified Bartlett Statistics. —Kok-Kwang Phoon, Ser-Tong Quek, and Ping An; 129(7), 649-59 (2003).
Statistics
Simplified Cone Penetration Test-based Method for Evaluating Liquefaction Resistance of Soils. —C. Hsein Juang, Haiming Yuan, Der-Her Lee, and Ping-Sien Lin; 129(1), 66-80 (2003).
Identification of Statistically Homogeneous Soil Layers Using Modified Bartlett Statistics. —Kok-Kwang Phoon, Ser-Tong Quek, and Ping An; 129(7), 649-59 (2003).
Stiffness
Degradation of Stiffness of Cemented Calcareous Soil in Cyclic Triaxial Tests. —Shambhu S. Sharma and Martin Fahey; 129(7), 619-29 (2003).
Postcyclic Degradation of Strength and Stiffness for Low Plasticity Silt. —Kazuya Yasuhara, Satoshi Murakami, Byung-Woong Song, Seiji Yokokawa, and Adrian F. L. Hyde; 129(8), 756-69 (2003).
Behavior of Hydrocarbon Reservoir Sands and Sandstones. — M. R. Coop and S. M. Willson; 129(11), 1010-9 (2003).
Strain
Undrained Response of Clays to Varying Strain Rate. — Dinesh R. Katti, Jingpeng Tang, and S. Yazdani; 129(3), 278-82 (2003).
Consolidation of Clays for Variable Permeability and Compressibility. — K. R. Lekha, N. R. Krishnaswamy, and P. Basak; 129(11), 1001-9 (2003).
Strain distribution
Strain Distribution within Geosynthetic-Reinforced Slopes. — Jorge G. Zornberg and Fabiana Arriaga; 129(1), 32-45 (2003).
Strain rate
Strain-Rate Effect on Soil Secant Shear Modulus at Small Cyclic Strains. — Leo Matešić and Mladen Vucetic; 129(6), 536-49 (2003).
Stream erosion
Scour Vulnerability of River Bridge Piers. — F. Federico, G. Silvagni, and F. Volpi; 129(10), 890-9 (2003).
Strength
Behavior of Hydrocarbon Reservoir Sands and Sandstones. — M. R. Coop and S. M. Willson; 129(11), 1010-9 (2003).
Stress
Variable Bulk Modulus Constitutive Model for Sand. — Bashar S. Qubain, Victor N. Kaliakin, and Joseph P. Martin; 129(2), 158-62 (2003).
High Overburden Stress Effects in Liquefaction Analyses. — Ross W. Boulanger; 129(12), 1071-82 (2003).
Stress strain relations
Effects of Silt on Three-Dimensional Stress–Strain Behavior of Loose Sand. —Saul Shapiro and Jerry A. Yamamuro; 129(1), 1-11 (2003).
Modeling the Stress-Strain Relations of Sand in Cyclic Plane Strain Loading. —Fumio Tatsuoka, Toru Masuda, M. S. A. Siddiquee, and Junichi Koseki; 129(5), 450-67 (2003).
Behavior of Laterally Loaded Large-Section Barrettes. — L. M. Zhang; 129(7), 639-48 (2003).
Structural design
Behavior of Calculated Nail Head Strength in Soil-Nailed Structures. —Bhaskar Joshi; 129(9), 819-28 (2003).
Struts
Temperature Correction and Strut Loads in Central Artery Excavations. —Youssef M. A. Hashash, Camilo Marulanda, Kyle A. Kershaw, Edward J. Cording, David L. Druss, Dan J. Bobrow, and Prabir K. Das; 129(6), 495-505 (2003).
Subgrades
Evaluation of Pile Diameter Effect on Initial Modulus of Subgrade Reaction. —Scott A. Ashford and Teerawut Juirnarongrit; 129(3), 234-42 (2003).
Suction
Measured and Estimated Suction Indices for Swelling Potential Classification. —William J. Likos, Harold W. Olsen, Lisa Krosley, and Ning Lu; 129(7), 665-8 (2003).
Surface roughness
Two-Phase (Air and Water) Flow through Rock Joints: Analytical and Experimental Study. —B. Indraratna, P. G. Ranjith, J. R. Price, and W. Gale; 129(10), 918-28 (2003).
Surface waves
Site Response at Treasure and Yerba Buena Islands, California. — Laurie G. Baise, Steven D. Glaser, and Douglas Dreger; 129(5), 415-26 (2003).
In Situ Estimate of Shear Wave Velocity Using Borehole Spectral Analysis of Surface Waves Tool. — M. E. Kalinski and K. H. Stokoe, II; 129(6), 529-35 (2003).
Swelling
Shrink Test–Water Content Method for Shrink and Swell Predictions. — Jean-Louis Briaud, Xiong Zhang, and Sangho Moon; 129(7), 590-600 (2003).
Measured and Estimated Suction Indices for Swelling Potential Classification. — William J. Likos, Harold W. Olsen, Lisa Krosley, and Ning Lu; 129(7), 665-8 (2003).
Temperature
Percolation Induced Heat Transfer in Deep Unsaturated Zones. — Ning Lu and Gary D. LeCain; 129(11), 1040-53 (2003).
Temperature effects
Temperature Correction and Strut Loads in Central Artery Excavations. —Youssef M. A. Hashash, Camilo Marulanda, Kyle A. Kershaw, Edward J. Cording, David L. Druss, Dan J. Bobrow, and Prabir K. Das; 129(6), 495-505 (2003).
Tension
Sheet Pile Tensions in Cellular Structures. —Kord J. Wissmann, George M. Filz, Reed L. Mosher, and James R. Martin, II; 129(3), 224-33 (2003).
Physical Properties of Plywood and Waferboard as Pile Cushion Materials. —Kevin C. Womack, Aaron M. Whitaker, Joseph A. Caliendo, George G. Goble, and Marvin W. Halling; 129(4), 379-82 (2003).
Three-dimensional analysis
Three-Dimensional Analysis of Nonhomogeneous Slopes. —Orang Farzaneh and Faradjollah Askari; 129(2), 137-45 (2003).
Geographic Information Systems-Based Three-Dimensional Critical Slope Stability Analysis and Landslide Hazard Assessment. —Mowen Xie, Tetsuro Esaki, Guoyun Zhou, and Yasuhiro Mitani; 129(12), 1109-18 (2003).
Three-dimensional models
Low Strain Integrity Testing of Piles: Three-Dimensional Effects. —Y. K. Chow, K. K. Phoon, W. F. Chow, and K. Y. Wong; 129(11), 1057-62 (2003).
Time dependence
Time-Dependent Back Analysis of a Multianchored Pile Retaining Wall. —Jakob Likar and Vladimir Vukadin; 129(1), 91-5 (2003).
Transmission lines
Development of a Reliability-Based Design Framework for Transmission Line Structure Foundations. — Kok-Kwang Phoon, Fred H. Kulhawy, and Mircea D. Grigoriu; 129(9), 798-806 (2003).
Multiple Resistance Factor Design for Shallow Transmission Line Structure Foundations. —Kok-Kwang Phoon, Fred H. Kulhawy, and Mircea D. Grigoriu; 129(9), 807-18 (2003).
Triaxial compression
Triaxial Compression of Sand Reinforced with Fibers. — Radoslaw L. Michalowski and Jan Čermák; 129(2), 125-36 (2003).
Strain Localization in Sand: Plane Strain versus

Triaxial Compression. — Khalid A. Alshibli, Susan N. Batiste, and Stein Sture; 129(6), 483-94 (2003).

Triaxial tests

Testing and Modeling Two Rockfill Materials. — A. Varadarajan, K. G. Sharma, K. Venkatachalam, and A. K. Gupta; 129(3), 206-18 (2003).

Undrained Response of Clays to Varying Strain Rate. — Dinesh R. Katti, Jingpeng Tang, and S. Yazdani; 129(3), 278-82 (2003).

Evaluation of Cyclic Shear Strength of Two Cemented Calcareous Soils. — Shambhu S. Sharma and Martin Fahey; 129(7), 608-18 (2003).

Degradation of Stiffness of Cemented Calcareous Soil in Cyclic Triaxial Tests. — Shambhu S. Sharma and Martin Fahey; 129(7), 619-29 (2003).

Liquefaction Resistance of Clean and Nonplastic Silty Sands Based on Cone Penetration Resistance. — J. A. H. Carraro, P. Bandini, and R. Salgado; 129(11), 965-76 (2003).

Behavior of Hydrocarbon Reservoir Sands and Sandstones. — M. R. Coop and S. M. Willson; 129(11), 1010-9 (2003).

Tropical regions

Laboratory Study of Loose Saturated and Unsaturated Decomposed Granitic Soil. — Charles W. W. Ng and Abraham C. F. Chiu; 129(6), 550-9 (2003).

Tunneling

Factors Affecting Long-Term Efficiency of Compensation Grouting in Clays. — S. K. A. Au, K. Soga, M. R. Jafari, M. D. Bolton, and K. Komiya; 129(3), 254-62 (2003).

Tunnels

Evaluation of Seismic Performance for Tunnel Retrofit Project. — Hubert K. Law and Ignatius P. Lam; 129(7), 575-89 (2003).

Two phase flow

Two-Phase (Air and Water) Flow through Rock Joints: Analytical and Experimental Study. — B. Indraratna, P. G. Ranjith, J. R. Price, and W. Gale; 129(10), 918-28 (2003).

Ultimate loads

Deformation Patterns of Reinforced Foundation Sand at Failure. — Radoslaw L. Michalowski and Lei Shi; 129(5), 439-49 (2003).

Uncertainty principles

Some Uncertainties in Embankment Dam Engineering. — Victor Milligan; 129(9), 785-97 (2003).

Undrained shear tests

Postcyclic Degradation of Strength and Stiffness for Low Plasticity Silt. — Kazuya Yasuhara, Satoshi Murakami, Byung-Woong Song, Seiji Yokokawa, and Adrian F. L. Hyde; 129(8), 756-69 (2003).

United States

Long Term Landfill Primary and Secondary Leachate Production. — Raymond C. Loehr and Bruce M. Haikola; 129(11), 1063-7 (2003).

Unsaturated soils

Laboratory Study of Loose Saturated and Unsaturated Decomposed Granitic Soil. — Charles W. W. Ng and Abraham C. F. Chiu; 129(6), 550-9 (2003).

Measured and Estimated Suction Indices for Swelling Potential Classification. — William J. Likos, Harold W. Olsen, Lisa Krosley, and Ning Lu; 129(7), 665-8 (2003).

Evaporation Theory for Deformable Soils. — In-Mo Lee, Hyung-Joo Lee, Jeong-Yeon Cheon, and Lakshmi N. Reddi; 129(11), 1020-7 (2003).

Percolation Induced Heat Transfer in Deep Unsaturated Zones. — Ning Lu and Gary D. LeCain; 129(11), 1040-53 (2003).

Uplift

Effect of Compressive Load on Uplift Capacity of Model Piles. — B. K. Dash and P. J. Pise; 129(11), 987-92 (2003).

Velocity

In Situ Estimate of Shear Wave Velocity Using Borehole Spectral Analysis of Surface Waves Tool. — M. E. Kalinski and K. H. Stokoe, II; 129(6), 529-35 (2003).

Vertical drains

Calibration of Flow and Transport Model with a Bench-Scale Prefabricated Vertical Drain Remediation System. — Andrea L. Welker and Robert B. Gilbert; 129(1), 81-90 (2003).

Consolidation of Clay with a System of Vertical and Horizontal Drains. — Toyoaki Nogami and Maoxin Li; 129(9), 838-48 (2003).

Installation Stress in Prefabricated Vertical Drains. — G. P. Karunaratne, S. H. Chew, K. W. Leong, W. K. Wong, L. H. Lim, K. S. Yeo, and A. M. Hee; 129(9), 858-60 (2003).

Piecewise-Linear Model for Large Strain Radial Consolidation. — Patrick J. Fox, Mario Di Nicola, and Donald W. Quigley; 129(10), 940-50 (2003).

Vertical loads

Performance of Long Rectangular Barrettes in Granitic Saprolites. — Charles W. W. Ng and G. H. Lei; 129(8), 685-96 (2003).

Vibration

Evaluation of Pile Diameter Effect on Initial Modulus of Subgrade Reaction. — Scott A. Ashford and Teerawut Juirnarongrit; 129(3), 234-42 (2003).

Viscoplasticity

Analysis of Arch Dams Using Coupled Trial Load and Block Element Methods. — Sheng-hong Chen, Ming-yi Xu, Isam Shahrour, and Peter Egger; 129(11), 977-86 (2003).

Volumetric strain

Variable Bulk Modulus Constitutive Model for Sand. — Bashar S. Qubain, Victor N. Kaliakin, and Joseph P. Martin; 129(2), 158-62 (2003).

Water content

Shrink Test–Water Content Method for Shrink and Swell Predictions. — Jean-Louis Briaud, Xiong Zhang, and Sangho Moon; 129(7), 590-600 (2003).

Waves

Physical Properties of Plywood and Waferboard as Pile Cushion Materials. — Kevin C. Womack, Aaron M. Whitaker, Joseph A. Caliendo, George G. Goble, and Marvin W. Halling; 129(4), 379-82 (2003).

Wedges

Translational Failure Analysis of Landfills. — Xuede Qian, Robert M. Koerner, and Donald H. Gray; 129(6), 506-19 (2003).

Wick drains

Calibration of Flow and Transport Model with a Bench-Scale Prefabricated Vertical Drain Remediation System. — Andrea L. Welker and Robert B. Gilbert; 129(1), 81-90 (2003).

Author Index

Abdalla, Basel
Evaluation of Cone Penetration Test-Based Settlement Prediction Methods for Shallow Foundations on Cohesionless Soils at Highway Bridge Construction Sites. — Shad M. Sargand, Teruhisa Masada, and Basel Abdalla; 129(10), 900-8 (2003).

Abdoun, Tarek
Pile Response to Lateral Spreads: Centrifuge Modeling. — Tarek Abdoun, Ricardo Dobry, Thomas D. O'Rourke, and S. H. Goh; 129(10), 869-78 (2003).
Single Piles in Lateral Spreads: Field Bending Moment Evaluation. — Ricardo Dobry, Tarek Abdoun, Thomas D. O'Rourke, and S. H. Goh; 129(10), 879-89 (2003).
Liquefaction Centrifuge Modeling of Sands of Different Permeability. — Michael K. Sharp, Ricardo Dobry, and Tarek Abdoun; 129(12), 1083-91 (2003).

Alagiyawanna, A. M. N.
Pullout Behavior of Geogrid by Test and Numerical Analysis. — M. Sugimoto and A. M. N. Alagiyawanna; 129(4), 361-71 (2003).

Alshibli, Khalid A.
Strain Localization in Sand: Plane Strain versus Triaxial Compression. — Khalid A. Alshibli, Susan N. Batiste, and Stein Sture; 129(6), 483-94 (2003).

An, Ping
Identification of Statistically Homogeneous Soil Layers Using Modified Bartlett Statistics. — Kok-Kwang Phoon, Ser-Tong Quek, and Ping An; 129(7), 649-59 (2003).

Anandarajah, A.
Mechanism Controlling Permeability Change in Clays due to Changes in Pore Fluid. — A. Anandarajah; 129(2), 163-72 (2003).

Anderson, J. B.
Case History Evaluation of Laterally Loaded Piles. — J. B. Anderson, F. C. Townsend, and B. Grajales; 129(3), 187-96 (2003).

Andrus, Ronald D.
Closure to "Liquefaction Resistance of Soils: Summary Report from the 1996 NCEER and 1998 NCEER/NSF Workshops on Evaluation of Liquefaction Resistance of Soils" by T. L. Youd, I. M. Idriss, Ronald D. Andrus, Ignacio Arango, Gonzalo Castro, John T. Christian, Richardo Dobry, W. D. Liam Finn, Leslie F. Harder Jr., Mary Ellen Hynes, Kenji Ishihara, Joseph P. Koester, Sam S. C. Liao, William F. Marcuson III, Geoffrey R. Martin, James K. Mitchell, Yoshiharu Moriwaki, Maurice S. Power, Peter K. Robertson, Raymond B. Seed, and Kenneth H. Stokoe II. — T. L. Youd, I. M. Idriss, Ronald D. Andrus, Ignacio Arango, Gonzalo Castro, John T. Christian, Ricardo Dobry, W. D. Liam Finn, Leslie F. Harder, Jr., Mary Ellen Hynes, Kenji Ishihara, Joseph P. Koester, Sam S. C. Liao, William F. Marcuson, III, Geoffrey R. Martin, James K. Mitchell, Yoshiharu Moriwaki, Maurice S. Power, Peter K. Robertson, Raymond B. Seed, and Kenneth H. Stokoe, II; 129(3), 284-6 (2003).

Arango, Ignacio
Closure to "Liquefaction Resistance of Soils: Summary Report from the 1996 NCEER and 1998 NCEER/NSF Workshops on Evaluation of Liquefaction Resistance of Soils" by T. L. Youd, I. M. Idriss, Ronald D. Andrus, Ignacio Arango, Gonzalo Castro, John T. Christian, Richardo Dobry, W. D. Liam Finn, Leslie F. Harder Jr., Mary Ellen Hynes, Kenji Ishihara, Joseph P. Koester, Sam S. C. Liao, William F. Marcuson III, Geoffrey R. Martin, James K. Mitchell, Yoshiharu Moriwaki, Maurice S. Power, Peter K. Robertson, Raymond B. Seed, and Kenneth H. Stokoe II. — T. L. Youd, I. M. Idriss, Ronald D. Andrus, Ignacio Arango, Gonzalo Castro, John T. Christian, Ricardo Dobry, W. D. Liam Finn, Leslie F. Harder, Jr., Mary Ellen Hynes, Kenji Ishihara, Joseph P. Koester, Sam S. C. Liao, William F. Marcuson, III, Geoffrey R. Martin, James K. Mitchell, Yoshiharu Moriwaki, Maurice S. Power, Peter K. Robertson, Raymond B. Seed, and Kenneth H. Stokoe, II; 129(3), 284-6 (2003).

Arriaga, Fabiana
Strain Distribution within Geosynthetic-Reinforced Slopes. — Jorge G. Zornberg and Fabiana Arriaga; 129(1), 32-45 (2003).

Arulnathan, Rajendram
Nonlinear Dynamic Properties of a Fibrous Organic Soil. — Timothy M. Wehling, Ross W. Boulanger, Rajendram Arulnathan, Leslie F. Harder, Jr., and Michael W. Driller; 129(10), 929-39 (2003).

Ashford, Scott A.
Evaluation of Pile Diameter Effect on Initial Modulus of Subgrade Reaction. — Scott A. Ashford and Teerawut Juirnarongrit; 129(3), 234-42 (2003).

Ashour, Mohamed
Lateral Loaded Pile Response in Liquefiable Soil. — Mohamed Ashour and Gary Norris; 129(5), 404-14 (2003).

Askari, Faradjollah
Three-Dimensional Analysis of Nonhomogeneous Slopes. — Orang Farzaneh and Faradjollah Askari; 129(2), 137-45 (2003).

Athanasopoulos, G. A.
Discussion of "Effects of Nonplastic Fines on the Liquefaction Resistance of Sands" by Carmine P. Polito and James R. Martin II. — V. C. Xenaki and G. A. Athanasopoulos; 129(4), 387-9 (2003).

Atmatzidis, Dimitrios K.
Closure to "Properties and Performance of a Pulverized Fly Ash Grout" by I. N. Markou and D. K. Atmatzidis. — Ioannis N. Markou and Dimitrios K. Atmatzidis; 129(10), 964 (2003).

Au, S. K. A.
Factors Affecting Long-Term Efficiency of Compensation Grouting in Clays. — S. K. A. Au, K. Soga, M. R. Jafari, M. D. Bolton, and K. Komiya; 129(3), 254-62 (2003).

Augarde, Charles E.
Prediction of Undrained Sinkhole Collapse. — Charles E. Augarde, Andrei V. Lyamin, and Scott W. Sloan; 129(3), 197-205 (2003).

Baecher, Gregory B.
Discussion of "Probabilistic Foundation Settlement on Spatially Random Soil" by Gordon A. Fenton and D. V. Griffiths. — John T. Christian and Gregory B. Baecher; 129(9), 866 (2003).
Discussion of "Evaluating Site Investigation Quality Using GIS and Geostatistics" by R. L. Parsons and J. D. Frost. — Gregory B. Baecher and John T. Christian; 129(9), 867 (2003).

Baise, Laurie G.
Site Response at Treasure and Yerba Buena Islands, California. — Laurie G. Baise, Steven D. Glaser, and Douglas Dreger; 129(5), 415-26 (2003).

Baker, R.
A Second Look at Taylor's Stability Chart. — R. Baker; 129(12), 1102-8 (2003).

Bandini, P.
Liquefaction Resistance of Clean and Nonplastic Silty Sands Based on Cone Penetration Resistance. — J. A. H. Carraro, P. Bandini, and R. Salgado; 129(11), 965-76 (2003).

Barlaz, M. A.
Relationship of Compressibility Parameters to Municipal Solid Waste Decomposition. — M. S. Hossain, M. A. Gabr, and M. A. Barlaz; 129(12), 1151-8 (2003).

Basak, P.
Consolidation of Clays for Variable Permeability and Compressibility. — K. R. Lekha, N. R. Krishnaswamy, and P. Basak; 129(11), 1001-9 (2003).

Batiste, Susan N.
Strain Localization in Sand: Plane Strain versus Triaxial Compression. — Khalid A. Alshibli, Susan N. Batiste, and Stein Sture; 129(6), 483-94 (2003).

Benoît, Jean
Use of an Instrumented Flat Dilatometer in Soft Varved Clay. — Jean Benoît and Kevin P. Stetson; 129(12), 1159-67 (2003).

Bobrow, Dan J.
Temperature Correction and Strut Loads in Central Artery Excavations. — Youssef M. A. Hashash, Camilo Marulanda, Kyle A. Kershaw, Edward J. Cording, David L. Druss, Dan J. Bobrow, and Prabir K. Das; 129(6), 495-505 (2003).

Bolton, M. D.
Factors Affecting Long-Term Efficiency of Compensation Grouting in Clays. — S. K. A. Au, K. Soga, M. R. Jafari, M. D. Bolton, and K. Komiya; 129(3), 254-62 (2003).

Bora, Padma K.
Plastic Limit, Liquid Limit and Undrained Shear Strength of Soil—Reappraisal. — Binu Sharma and Padma K. Bora; 129(8), 774-7 (2003).

Bouazza, Abdelmalek
Construction Quality Control for Asphalt Concrete Hydraulic Barriers. — John J. Bowders, J. Erik Loehr, Deepak Neupane, and Abdelmalek Bouazza; 129(3), 219-23 (2003).

Boulanger, Ross W.
Relating K_α to Relative State Parameter Index. — Ross W. Boulanger; 129(8), 770-3 (2003).
Nonlinear Dynamic Properties of a Fibrous Organic Soil. — Timothy M. Wehling, Ross W. Boulanger, Rajendram Arulnathan, Leslie F. Harder, Jr., and Michael W. Driller; 129(10), 929-39 (2003).
High Overburden Stress Effects in Liquefaction Analyses. — Ross W. Boulanger; 129(12), 1071-82 (2003).

Bowders, John J.
Construction Quality Control for Asphalt Concrete Hydraulic Barriers. — John J. Bowders, J. Erik Loehr, Deepak Neupane, and Abdelmalek Bouazza; 129(3), 219-23 (2003).

Bray, Jonathan D.
Closure to "Seismic Performance of Hillside Fills" by Jonathan P. Stewart, Jonathan D. Bray, David J. McMahon, Patrick M. Smith, and Alan L. Kropp. — Jonathan P. Stewart, Jonathan D. Bray, David J. McMahon, Patrick M. Smith, and Alan L. Kropp; 129(6), 570-1 (2003).
Closure to "Soil Deformation and Excess Pore Pressure Field around a Closed-Ended Pile" by Juan M. Pestana, Christopher E. Hunt, and Jonathan D. Bray. — Juan M. Pestana, Christopher E. Hunt, and Jonathan D. Bray; 129(7), 671 (2003).
Inclined Plane Studies of the Newmark Sliding Block Procedure. — Joseph Wartman, Jonathan D. Bray, and Raymond B. Seed; 129(8), 673-84 (2003).

Briaud, Jean-Louis
Shrink Test–Water Content Method for Shrink and Swell Predictions. — Jean-Louis Briaud, Xiong Zhang, and Sangho Moon; 129(7), 590-600 (2003).

Burke, Christopher
Centrifugal Modeling of Seismic Behavior of Large-Diameter Pipe in Liquefiable Soil. — Hoe I. Ling, Yoshiyuki Mohri, Toshinori Kawabata, Huabei Liu, Christopher Burke, and Lixun Sun; 129(12), 1092-101 (2003).

Caldwell, Jack A.
Analysis and Design of Evapotranspirative Cover for Hazardous Waste Landfill. — Jorge G. Zornberg, Lester LaFountain, and Jack A. Caldwell; 129(5), 427-38 (2003).

Caliendo, Joseph A.
Physical Properties of Plywood and Waferboard as Pile Cushion Materials. — Kevin C. Womack, Aaron M. Whitaker, Joseph A. Caliendo, George G. Goble, and Marvin W. Halling; 129(4), 379-82 (2003).

Carraro, J. A. H.
Liquefaction Resistance of Clean and Nonplastic Silty Sands Based on Cone Penetration Resistance. — J. A. H. Carraro, P. Bandini, and R. Salgado; 129(11), 965-76 (2003).

Carrier, W. David, III
Particle Size Distribution of Lunar Soil. — W. David Carrier, III; 129(10), 956-9 (2003).
Goodbye, Hazen; Hello, Kozeny-Carman. — W. David Carrier, III; 129(11), 1054-6 (2003).

Casagrande, Michéle D. T.
Plate Load Test on Fiber-Reinforced Soil. — Nilo C. Consoli, Michéle D. T. Casagrande, Pedro D. M. Prietto, and Antônio Thomé; 129(10), 951-5 (2003).

Castro, Gonzalo
Closure to "Liquefaction Resistance of Soils: Summary Report from the 1996 NCEER and 1998 NCEER/NSF Workshops on Evaluation of Liquefaction Resistance of Soils" by T. L. Youd, I. M. Idriss, Ronald D. Andrus, Ignacio Arango, Gonzalo Castro, John T. Christian, Richardo Dobry, W. D. Liam Finn, Leslie F. Harder Jr., Mary Ellen Hynes, Kenji Ishihara, Joseph P. Koester, Sam S. C. Liao, William F. Marcuson III, Geoffrey R. Martin, James K. Mitchell, Yoshiharu Moriwaki, Maurice S. Power, Peter K. Robertson, Raymond B. Seed, and Kenneth H. Stokoe II. — T. L. Youd, I. M. Idriss, Ronald D. Andrus, Ignacio Arango, Gonzalo Castro, John T. Christian, Ricardo Dobry, W. D. Liam Finn, Leslie F. Harder, Jr., Mary Ellen Hynes, Kenji Ishihara, Joseph P. Koester, Sam S. C. Liao, William F. Marcuson, III, Geoffrey R. Martin, James K. Mitchell, Yoshiharu Moriwaki, Maurice S. Power, Peter K. Robertson, Raymond B. Seed, and Kenneth H. Stokoe, II; 129(3), 284-6 (2003).

Čermák, Jan
Triaxial Compression of Sand Reinforced with Fibers. — Radoslaw L. Michalowski and Jan Čermák; 129(2), 125-36 (2003).

Chen, Sheng-hong
Analysis of Arch Dams Using Coupled Trial Load and Block Element Methods. — Sheng-hong Chen, Ming-yi Xu, Isam Shahrour, and Peter Egger; 129(11), 977-86 (2003).

Chen, Tsang-Jiang
Closure to "Passive Earth Pressure with Critical State Concept" by Yung-Show Fang, Ying-Chieh Ho, and Tsang-Jiang Chen. — Yung-Show Fang, Ying-Chieh Ho, and Tsang-Jiang Chen; 129(10), 962 (2003).

Cheon, Jeong-Yeon
Evaporation Theory for Deformable Soils. — In-Mo Lee, Hyung-Joo Lee, Jeong-Yeon Cheon, and Lakshmi N. Reddi; 129(11), 1020-7 (2003).

Chew, S. H.
Installation Stress in Prefabricated Vertical Drains. — G. P. Karunaratne, S. H. Chew, K. W. Leong, W. K. Wong, L. H. Lim, K. S. Yeo, and A. M. Hee; 129(9), 858-60 (2003).

Chinthamreddy, Supraja
Sequentially Enhanced Electrokinetic Remediation of Heavy Metals in Low Buffering Clayey Soils. — Krishna R. Reddy and Supraja Chinthamreddy; 129(3), 263-77 (2003).

Chiu, Abraham C. F.
Laboratory Study of Loose Saturated and Unsaturated Decomposed Granitic Soil. — Charles W. W. Ng and Abraham C. F. Chiu; 129(6), 550-9 (2003).

Chow, W. F.
Low Strain Integrity Testing of Piles: Three-Dimensional Effects. — Y. K. Chow, K. K. Phoon, W. F. Chow, and K. Y. Wong; 129(11), 1057-62 (2003).

Chow, Y. K.
Behavior of Pile Groups Subject to Excavation-Induced Soil Movement. — C. F. Leung, J. K. Lim, R. F. Shen, and Y. K. Chow; 129(1), 58-65 (2003).
Low Strain Integrity Testing of Piles: Three-Dimensional Effects. — Y. K. Chow, K. K. Phoon, W. F. Chow, and K. Y. Wong; 129(11), 1057-62 (2003).

Christian, John T.
Closure to "Liquefaction Resistance of Soils: Summary Report from the 1996 NCEER and 1998 NCEER/NSF Workshops on Evaluation of Liquefaction Resistance of Soils" by T. L. Youd, I. M. Idriss, Ronald D. Andrus, Ignacio Arango, Gonzalo Castro, John T. Christian, Richardo Dobry, W. D. Liam Finn, Leslie F. Harder Jr., Mary Ellen Hynes, Kenji Ishihara, Joseph P. Koester, Sam S. C. Liao, William F. Marcuson III, Geoffrey R. Martin, James K. Mitchell, Yoshiharu Moriwaki, Maurice S. Power, Peter K. Robertson, Raymond B. Seed, and Kenneth H. Stokoe II. — T. L. Youd, I. M. Idriss, Ronald D. Andrus, Ignacio Arango, Gonzalo Castro, John T. Christian, Ricardo Dobry, W. D. Liam Finn, Leslie F. Harder, Jr., Mary Ellen Hynes, Kenji Ishihara, Joseph P. Koester, Sam S. C. Liao, William F. Marcuson, III, Geoffrey R. Martin, James K. Mitchell, Yoshiharu Moriwaki, Maurice S. Power, Peter K. Robertson, Raymond B. Seed, and Kenneth H. Stokoe, II; 129(3), 284-6 (2003).
Discussion of "Probabilistic Foundation Settlement on Spatially Random Soil" by Gordon A. Fenton and D. V. Griffiths. — John T. Christian and Gregory B. Baecher; 129(9), 866 (2003).
Discussion of "Evaluating Site Investigation Quality Using GIS and Geostatistics" by R. L. Parsons and J. D. Frost. — Gregory B. Baecher and John T. Christian; 129(9), 867 (2003).
Discussion of "Least-Squares Finite-Element Evaluation of Flow Nets" by Panos D. Kiousis. — John T. Christian and Alfredo Urzua; 129(11), 1068 (2003).

Chuhan, Zhang
Creep Modeling in Excavation Analysis of a High Rock Slope. — Jin Feng, Zhang Chuhan, Wang Gang, and Wang Guanglun; 129(9), 849-57 (2003).

Collotta, Tiziano
Landslide Hazard Evaluation: The Landslide Hazard Curves. — Tiziano Collotta; 129(6), 520-8 (2003).

Consoli, Nilo C.
Plate Load Test on Fiber-Reinforced Soil. — Nilo C. Consoli, Michéle D. T. Casagrande, Pedro D. M. Prietto, and Antônio Thomé; 129(10), 951-5 (2003).

Consoli, Nilo Cesar
Behavior of Plate Load Tests on Soil Layers Improved with Cement and Fiber. — Nilo Cesar Consoli, Márcio Antonio Vendruscolo, and Pedro Domingos Marques Prietto; 129(1), 96-101 (2003).

Coop, M. R.
Behavior of Hydrocarbon Reservoir Sands and Sandstones. — M. R. Coop and S. M. Willson; 129(11), 1010-9 (2003).

Cording, Edward J.
Temperature Correction and Strut Loads in Central Artery Excavations. — Youssef M. A. Hashash, Camilo Marulanda, Kyle A. Kershaw, Edward J. Cording, David L. Druss, Dan J. Bobrow, and Prabir K. Das; 129(6), 495-505 (2003).

Coumoulos, H.
Centrifuge Modeling of Nonaqueous Phase Liquid Movement and Entrapment in Unsaturated Layered Soils. — K. Soga, J. Kawabata, C. Kechavarzi, H. Coumoulos, and W. A. P. Waduge; 129(2), 173-82 (2003).

Cyganiewicz, John
Time for Development of Internal Erosion and Piping in Embankment Dams. — Robin Fell, Chi Fai Wan, John Cyganiewicz, and Mark Foster; 129(4), 307-14 (2003).

Das, Prabir K.
Temperature Correction and Strut Loads in Central Artery Excavations. — Youssef M. A. Hashash, Camilo Marulanda, Kyle A. Kershaw, Edward J. Cording, David L. Druss, Dan J. Bobrow, and Prabir K. Das; 129(6), 495-505 (2003).

Dash, B. K.
Effect of Compressive Load on Uplift Capacity of Model Piles. — B. K. Dash and P. J. Pise; 129(11), 987-92 (2003).

Day, Robert W.
Discussion of "Seismic Performance of Hillside Fills" by Jonathan P. Stewart, Jonathan D. Bray, David J. McMahon, Patrick M. Smith, and Alan L. Kropp. — Robert W. Day; 129(6), 569 (2003).

Di Nicola, Mario
Piecewise-Linear Model for Large Strain Radial Consolidation. — Patrick J. Fox, Mario Di Nicola, and Donald W. Quigley; 129(10), 940-50 (2003).

Dobry, Ricardo
Closure to "Liquefaction Resistance of Soils: Summary Report from the 1996 NCEER and 1998 NCEER/NSF Workshops on Evaluation of Liquefaction Resistance of Soils" by T. L. Youd, I. M. Idriss, Ronald D. Andrus, Ignacio Arango, Gonzalo Castro, John T. Christian, Richardo Dobry, W. D. Liam Finn, Leslie F. Harder Jr., Mary Ellen Hynes, Kenji Ishihara, Joseph P. Koester, Sam S. C. Liao, William F. Marcuson III, Geoffrey R. Martin, James K. Mitchell, Yoshiharu Moriwaki, Maurice S. Power, Peter K. Robertson, Raymond B. Seed, and Kenneth H. Stokoe II. — T. L. Youd, I. M. Idriss, Ronald D. Andrus, Ignacio Arango, Gonzalo Castro, John T. Christian, Ricardo Dobry, W. D. Liam Finn, Leslie F. Harder, Jr., Mary Ellen Hynes, Kenji Ishihara, Joseph P. Koester, Sam S. C. Liao, William F. Marcuson, III, Geoffrey R. Martin, James K. Mitchell, Yoshiharu Moriwaki, Maurice S. Power, Peter K. Robertson, Raymond B. Seed, and Kenneth H. Stokoe, II; 129(3), 284-6 (2003).
Pile Response to Lateral Spreads: Centrifuge Modeling. — Tarek Abdoun, Ricardo Dobry, Thomas D. O'Rourke, and S. H. Goh; 129(10), 869-78 (2003).
Single Piles in Lateral Spreads: Field Bending Moment Evaluation. — Ricardo Dobry, Tarek Abdoun, Thomas D. O'Rourke, and S. H. Goh; 129(10), 879-89 (2003).
Liquefaction Centrifuge Modeling of Sands of Different Permeability. — Michael K. Sharp, Ricardo Dobry, and Tarek Abdoun; 129(12), 1083-91 (2003).

Dreger, Douglas
Site Response at Treasure and Yerba Buena Islands, California. — Laurie G. Baise, Steven D. Glaser, and Douglas Dreger; 129(5), 415-26 (2003).

Driller, Michael W.
Nonlinear Dynamic Properties of a Fibrous Organic Soil. — Timothy M. Wehling, Ross W. Boulanger, Rajendram Arulnathan, Leslie F. Harder, Jr., and Michael W. Driller; 129(10), 929-39 (2003).

Druss, David L.
Temperature Correction and Strut Loads in Central Artery Excavations. — Youssef M. A. Hashash, Camilo Marulanda, Kyle A. Kershaw, Edward J. Cording, David L. Druss, Dan J. Bobrow, and Prabir K. Das; 129(6), 495-505 (2003).

Duncan, J. Michael
Closure to "Constitutive Behavior of Geosynthetic Interfaces" by Jacob J. B. Esterhuizen, George M. Filz, and J. Michael Duncan. — Jacob J. B. Esterhuizen, George M. Filz, and J. Michael Duncan; 129(6), 572 (2003).
Rotational Restraint of Pile Caps during Lateral Loading. — Robert L. Mokwa and J. Michael Duncan; 129(9), 829-37 (2003).

Ealy, Carl
Drilled Shaft Defects: Detection, and Effects on Capacity in Varved Clay. — Magued Iskander, Douglas Roy, Shawn Kelley, and Carl Ealy; 129(12), 1128-37 (2003).

Ebeling, Robert M.
Extended Hyperbolic Model for Sand-to-Concrete Interfaces. — Jesús E. Gómez, George M. Filz, and Robert M. Ebeling; 129(11), 993-1000 (2003).

Egger, Peter
Analysis of Arch Dams Using Coupled Trial Load and Block Element Methods. — Sheng-hong Chen, Ming-yi Xu, Isam Shahrour, and Peter Egger; 129(11), 977-86 (2003).

Einstein, Herbert H.
Lateral Load Capacity of Drilled Shafts in Jointed Rock. — Albert C. To, Helmut Ernst, and Herbert H. Einstein; 129(8), 711-26 (2003).

Elgamal, Ahmed
Computational Model for Cyclic Mobility and Associated Shear Deformation. — Zhaohui Yang, Ahmed Elgamal, and Ender Parra; 129(12), 1119-27 (2003).

Ernst, Helmut
Lateral Load Capacity of Drilled Shafts in Jointed Rock. — Albert C. To, Helmut Ernst, and Herbert H. Einstein; 129(8), 711-26 (2003).

Esaki, Tetsuro
Geographic Information Systems-Based Three-Dimensional Critical Slope Stability Analysis and Landslide Hazard Assessment. — Mowen Xie, Tetsuro Esaki, Guoyun Zhou, and Yasuhiro Mitani; 129(12), 1109-18 (2003).

Esterhuizen, Jacob J. B.
Closure to "Constitutive Behavior of Geosynthetic Interfaces" by Jacob J. B. Esterhuizen, George M. Filz, and J. Michael Duncan. — Jacob J. B. Esterhuizen, George M. Filz, and J. Michael Duncan; 129(6), 572 (2003).

Fahey, Martin
Evaluation of Cyclic Shear Strength of Two Cemented Calcareous Soils. — Shambhu S. Sharma and Martin Fahey; 129(7), 608-18 (2003).
Degradation of Stiffness of Cemented Calcareous Soil in Cyclic Triaxial Tests. — Shambhu S. Sharma and Martin Fahey; 129(7), 619-29 (2003).

Fang, Yung-Show
Closure to "Passive Earth Pressure with Critical State Concept" by Yung-Show Fang, Ying-Chieh Ho, and Tsang-Jiang Chen. — Yung-Show Fang, Ying-Chieh Ho, and Tsang-Jiang Chen; 129(10), 962 (2003).

Farzaneh, Orang
Three-Dimensional Analysis of Nonhomogeneous Slopes. — Orang Farzaneh and Faradjollah Askari; 129(2), 137-45 (2003).

Federico, F.
Scour Vulnerability of River Bridge Piers. — F. Federico, G. Silvagni, and F. Volpi; 129(10), 890-9 (2003).

Fell, Robin
Time for Development of Internal Erosion and Piping in Embankment Dams. — Robin Fell, Chi Fai Wan, John Cyganiewicz, and Mark Foster; 129(4), 307-14 (2003).
Rockfill Modulus and Settlement of Concrete Face Rockfill Dams. — Gavan Hunter and Robin Fell; 129(10), 909-17 (2003).

Fellenius, Bengt H.
Discussion of "Axial Load Tests on Bored Piles and Pile Groups in Cemented Sands" by Nabil F. Ismael. — Bengt H. Fellenius; 129(2), 183-4 (2003).

Feng, Jin
Creep Modeling in Excavation Analysis of a High Rock Slope. — Jin Feng, Zhang Chuhan, Wang Gang, and Wang Guanglun; 129(9), 849-57 (2003).

Fenton, Gordon A.
Closure to "Probabilistic Foundation Settlement on Spatially Random Soil" by Gordon A. Fenton and D. V. Griffiths. — Gordon A. Fenton and D. V. Griffiths; 129(9), 866-7 (2003).

Filz, George M.
Sheet Pile Tensions in Cellular Structures. — Kord J. Wissmann, George M. Filz, Reed L. Mosher, and James R. Martin, II; 129(3), 224-33 (2003).
Composite Compressibility Model for Municipal Solid Waste. — Afonso Celso Moruzzi Marques, George M. Filz, and Orencio Monje Vilar; 129(4), 372-8 (2003).
Closure to "Constitutive Behavior of Geosynthetic Interfaces" by Jacob J. B. Esterhuizen, George M. Filz, and J. Michael Duncan. — Jacob J. B. Esterhuizen, George M. Filz, and J. Michael Duncan; 129(6), 572 (2003).
Extended Hyperbolic Model for Sand-to-Concrete Interfaces. — Jesús E. Gómez, George M. Filz, and Robert M. Ebeling; 129(11), 993-1000 (2003).

Finn, W. D. Liam
Closure to "Liquefaction Resistance of Soils: Summary Report from the 1996 NCEER and 1998 NCEER/NSF Workshops on Evaluation of Liquefaction Resistance of Soils" by T. L. Youd, I. M. Idriss, Ronald D. Andrus, Ignacio Arango, Gonzalo Castro, John T. Christian, Richardo Dobry, W. D. Liam Finn, Leslie F. Harder Jr., Mary Ellen Hynes, Kenji Ishihara, Joseph P. Koester, Sam S. C. Liao, William F. Marcuson III, Geoffrey R. Martin, James K. Mitchell, Yoshiharu Moriwaki, Maurice S. Power, Peter K. Robertson, Raymond B. Seed, and Kenneth H. Stokoe II. — T. L. Youd, I. M. Idriss, Ronald D. Andrus, Ignacio Arango, Gonzalo Castro, John T. Christian, Ricardo Dobry, W. D. Liam Finn, Leslie F. Harder, Jr., Mary Ellen Hynes, Kenji Ishihara, Joseph P. Koester, Sam S. C. Liao, William F. Marcuson, III, Geoffrey R. Martin, James K. Mitchell, Yoshiharu Moriwaki, Maurice S. Power, Peter K. Robertson, Raymond B. Seed, and Kenneth H. Stokoe, II; 129(3), 284-6 (2003).

Finno, Richard J.
Effects of Consolidation History on Critical State of Sand. — Richard J. Finno and Amy L. Rechenmacher; 129(4), 350-60 (2003).

Fishman, K. L.
Inclination Factors for Seismic Bearing Capacity. — K. L. Fishman, R. Richards, Jr., and D. Yao; 129(9), 861-5 (2003).

Foster, Mark
Time for Development of Internal Erosion and Piping in Embankment Dams. — Robin Fell, Chi Fai Wan, John Cyganiewicz, and Mark Foster; 129(4), 307-14 (2003).

Fox, Patrick J.
Piecewise-Linear Model for Large Strain Radial Consolidation. — Patrick J. Fox, Mario Di Nicola, and Donald W. Quigley; 129(10), 940-50 (2003).

Frost, J. D.
Closure to "Evaluating Site Investigation Quality Using GIS and Geostatistics" by R. L. Parsons and J. D. Frost. — R. L. Parsons and J. D. Frost; 129(9), 867-8 (2003).

Gabr, M. A.
Relationship of Compressibility Parameters to Municipal Solid Waste Decomposition. — M. S. Hossain, M. A. Gabr, and M. A. Barlaz; 129(12), 1151-8 (2003).

Gale, W.
Two-Phase (Air and Water) Flow through Rock Joints: Analytical and Experimental Study. — B. Indraratna, P. G. Ranjith, J. R. Price, and W. Gale; 129(10), 918-28 (2003).

Gang, Wang
Creep Modeling in Excavation Analysis of a High Rock Slope. — Jin Feng, Zhang Chuhan, Wang Gang, and Wang Guanglun; 129(9), 849-57 (2003).

Gilbert, Robert B.
Calibration of Flow and Transport Model with a Bench-Scale Prefabricated Vertical Drain Remediation System. — Andrea L. Welker and Robert B. Gilbert; 129(1), 81-90 (2003).

Glaser, Steven D.
Site Response at Treasure and Yerba Buena Islands, California. — Laurie G. Baise, Steven D. Glaser, and Douglas Dreger; 129(5), 415-26 (2003).

Goble, George G.
Physical Properties of Plywood and Waferboard as Pile Cushion Materials. — Kevin C. Womack, Aaron M. Whitaker, Joseph A. Caliendo, George G. Goble, and Marvin W. Halling; 129(4), 379-82 (2003).

Goh, A. T. C.
Pile Response Adjacent to Braced Excavation. — A. T. C. Goh, K. S. Wong, C. I. Teh, and D. Wen; 129(4), 383-6 (2003).

Goh, S. H.
Pile Response to Lateral Spreads: Centrifuge Modeling. — Tarek Abdoun, Ricardo Dobry, Thomas D. O'Rourke, and S. H. Goh; 129(10), 869-78 (2003).
Single Piles in Lateral Spreads: Field Bending Moment Evaluation. — Ricardo Dobry, Tarek Abdoun, Thomas D. O'Rourke, and S. H. Goh; 129(10), 879-89 (2003).

Gómez, Jesús E.
Extended Hyperbolic Model for Sand-to-Concrete Interfaces. — Jesús E. Gómez, George M. Filz, and Robert M. Ebeling; 129(11), 993-1000 (2003).

Goodman, Richard E.
Investigations of Blocks in Foundations and Abutments of Concrete Dams. — Richard E. Goodman and Chris Powell; 129(2), 105-16 (2003).

Grajales, B.
Case History Evaluation of Laterally Loaded Piles. — J. B. Anderson, F. C. Townsend, and B. Grajales; 129(3), 187-96 (2003).

Gray, Donald H.
Translational Failure Analysis of Landfills. — Xuede Qian, Robert M. Koerner, and Donald H. Gray; 129(6), 506-19 (2003).

Griffiths, D. V.
Closure to "Probabilistic Foundation Settlement on Spatially Random Soil" by Gordon A. Fenton and D. V. Griffiths. — Gordon A. Fenton and D. V. Griffiths; 129(9), 866-7 (2003).

Grigoriu, Mircea D.
Development of a Reliability-Based Design Framework for Transmission Line Structure Foundations. — Kok-Kwang Phoon, Fred H. Kulhawy, and Mircea D. Grigoriu; 129(9), 798-806 (2003).
Multiple Resistance Factor Design for Shallow Transmission Line Structure Foundations. — Kok-Kwang Phoon, Fred H. Kulhawy, and Mircea D. Grigoriu; 129(9), 807-18 (2003).

Guanglun, Wang
Creep Modeling in Excavation Analysis of a High Rock Slope. — Jin Feng, Zhang Chuhan, Wang Gang, and Wang Guanglun; 129(9), 849-57 (2003).

Gupta, A. K.
Testing and Modeling Two Rockfill Materials. — A. Varadarajan, K. G. Sharma, K. Venkatachalam, and A. K. Gupta; 129(3), 206-18 (2003).

Gupta, Ramesh C.
Discussion of "Soil Deformation and Excess Pore Pressure Field around a Closed-Ended Pile" by Juan M. Pestana, Christopher E. Hunt, and Jonathan D. Bray. — Ramesh C. Gupta; 129(7), 669-71 (2003).

Haikola, Bruce M.
Long Term Landfill Primary and Secondary Leachate Production. — Raymond C. Loehr and Bruce M. Haikola; 129(11), 1063-7 (2003).

Halling, Marvin W.
Physical Properties of Plywood and Waferboard as Pile Cushion Materials. — Kevin C. Womack, Aaron M. Whitaker, Joseph A. Caliendo, George G. Goble, and Marvin W. Halling; 129(4), 379-82 (2003).

Handy, Richard L.
Closure to "First-Order Rate Equations in Geotechnical Engineering" by Richard L. Handy. — Richard L. Handy; 129(8), 780-1 (2003).

Hanna, Adel
Shaft Resistance of Single Vertical and Batter Piles Driven in Sand. — Adel Hanna and T. Q. Nguyen; 129(7), 601-7 (2003).
Discussion of "Passive Earth Pressure with Critical State Concept" by Yung-Show Fang, Ying-Chieh Ho, and Tsang-Jiang Chen. — Adel Hanna; 129(10), 960 (2003).

Harder, Leslie F., Jr.
Closure to "Liquefaction Resistance of Soils: Summary Report from the 1996 NCEER and 1998 NCEER/NSF Workshops on Evaluation of Liquefaction Resistance of Soils" by T. L. Youd, I. M. Idriss, Ronald D. Andrus, Ignacio Arango, Gonzalo Castro, John T. Christian, Richardo Dobry, W. D. Liam Finn, Leslie F. Harder Jr., Mary Ellen Hynes, Kenji Ishihara, Joseph P.

Koester, Sam S. C. Liao, William F. Marcuson III, Geoffrey R. Martin, James K. Mitchell, Yoshiharu Moriwaki, Maurice S. Power, Peter K. Robertson, Raymond B. Seed, and Kenneth H. Stokoe II. — T. L. Youd, I. M. Idriss, Ronald D. Andrus, Ignacio Arango, Gonzalo Castro, John T. Christian, Ricardo Dobry, W. D. Liam Finn, Leslie F. Harder, Jr., Mary Ellen Hynes, Kenji Ishihara, Joseph P. Koester, Sam S. C. Liao, William F. Marcuson, III, Geoffrey R. Martin, James K. Mitchell, Yoshiharu Moriwaki, Maurice S. Power, Peter K. Robertson, Raymond B. Seed, and Kenneth H. Stokoe, II; 129(3), 284-6 (2003).

Nonlinear Dynamic Properties of a Fibrous Organic Soil. — Timothy M. Wehling, Ross W. Boulanger, Rajendram Arulnathan, Leslie F. Harder, Jr., and Michael W. Driller; 129(10), 929-39 (2003).

Hashash, Youssef M. A.

Temperature Correction and Strut Loads in Central Artery Excavations. — Youssef M. A. Hashash, Camilo Marulanda, Kyle A. Kershaw, Edward J. Cording, David L. Druss, Dan J. Bobrow, and Prabir K. Das; 129(6), 495-505 (2003).

Hatzor, Yossef H.

Keyblock Stability in Seismically Active Rock Slopes—Snake Path Cliff, Masada. — Yossef H. Hatzor; 129(8), 697-710 (2003).

Hee, A. M.

Installation Stress in Prefabricated Vertical Drains. — G. P. Karunaratne, S. H. Chew, K. W. Leong, W. K. Wong, L. H. Lim, K. S. Yeo, and A. M. Hee; 129(9), 858-60 (2003).

Ho, Carlton L.

Simplified Trial Wedge Method for Soil Nailed Wall Analysis. — Thomas C. Sheahan and Carlton L. Ho; 129(2), 117-24 (2003).

Ho, Ying-Chieh

Closure to "Passive Earth Pressure with Critical State Concept" by Yung-Show Fang, Ying-Chieh Ho, and Tsang-Jiang Chen. — Yung-Show Fang, Ying-Chieh Ho, and Tsang-Jiang Chen; 129(10), 962 (2003).

Holzer, Thomas L.

Liquefaction Potential Index: Field Assessment. — Selcuk Toprak and Thomas L. Holzer; 129(4), 315-22 (2003).

Hossain, M. S.

Relationship of Compressibility Parameters to Municipal Solid Waste Decomposition. — M. S. Hossain, M. A. Gabr, and M. A. Barlaz; 129(12), 1151-8 (2003).

Houston, Sandra L.

Introduction of Richard E. Goodman. — Sandra L. Houston and Matthew Maulden; 129(2), 104 (2003).

Hsieh, Hsii-Sheng

Use of Jet Grouting to Limit Diaphragm Wall Displacement of a Deep Excavation. — Hsii-Sheng Hsieh, Chien-Chih Wang, and Chang-Yu Ou; 129(2), 146-57 (2003).

Hsiung, Yun-mei

Theoretical Elastic-Plastic Solution for Laterally Loaded Piles. — Yun-mei Hsiung; 129(5), 475-80 (2003).

Hsu, S. T.

Uplift Behavior of Blade-Underreamed Anchors in Silty Sand. — H. J. Liao and S. T. Hsu; 129(6), 560-8 (2003).

Hunt, Christopher E.

Closure to "Soil Deformation and Excess Pore Pressure Field around a Closed-Ended Pile" by Juan M. Pestana, Christopher E. Hunt, and Jonathan D. Bray. — Juan M. Pestana, Christopher E. Hunt, and Jonathan D. Bray; 129(7), 671 (2003).

Hunter, Gavan

Rockfill Modulus and Settlement of Concrete Face Rockfill Dams. — Gavan Hunter and Robin Fell; 129(10), 909-17 (2003).

Hyde, Adrian F. L.

Postcyclic Degradation of Strength and Stiffness for Low Plasticity Silt. — Kazuya Yasuhara, Satoshi Murakami, Byung-Woong Song, Seiji Yokokawa, and Adrian F. L. Hyde; 129(8), 756-69 (2003).

Hynes, Mary Ellen

Closure to "Liquefaction Resistance of Soils: Summary Report from the 1996 NCEER and 1998 NCEER/NSF Workshops on Evaluation of Liquefaction Resistance of Soils" by T. L. Youd, I. M. Idriss, Ronald D. Andrus, Ignacio Arango, Gonzalo Castro, John T. Christian, Richardo Dobry, W. D. Liam Finn, Leslie F. Harder Jr., Mary Ellen Hynes, Kenji Ishihara, Joseph P. Koester, Sam S. C. Liao, William F. Marcuson III, Geoffrey R. Martin, James K. Mitchell, Yoshiharu Moriwaki, Maurice S. Power, Peter K. Robertson, Raymond B. Seed, and Kenneth H. Stokoe II. — T. L. Youd, I. M. Idriss, Ronald D. Andrus, Ignacio Arango, Gonzalo Castro, John T. Christian, Ricardo Dobry, W. D. Liam Finn, Leslie F. Harder, Jr., Mary Ellen Hynes, Kenji Ishihara, Joseph P. Koester, Sam S. C. Liao, William F. Marcuson, III, Geoffrey R. Martin, James K. Mitchell, Yoshiharu Moriwaki, Maurice S. Power, Peter K. Robertson, Raymond B. Seed, and Kenneth H. Stokoe, II; 129(3), 284-6 (2003).

Idriss, I. M.

Closure to "Liquefaction Resistance of Soils: Summary Report from the 1996 NCEER and 1998 NCEER/NSF Workshops on Evaluation of Liquefaction Resistance of Soils" by T. L. Youd, I. M. Idriss, Ronald D. Andrus, Ignacio Arango, Gonzalo Castro, John T. Christian, Richardo Dobry, W. D. Liam Finn, Leslie F. Harder Jr., Mary Ellen Hynes, Kenji Ishihara, Joseph P. Koester, Sam S. C. Liao, William F. Marcuson III, Geoffrey R. Martin, James K. Mitchell, Yoshiharu Moriwaki, Maurice S. Power, Peter K. Robertson, Raymond B. Seed, and Kenneth H. Stokoe II. — T. L. Youd, I. M. Idriss, Ronald D. Andrus, Ignacio Arango, Gonzalo Castro, John T. Christian, Ricardo Dobry, W. D. Liam Finn, Leslie F. Harder, Jr., Mary Ellen Hynes, Kenji Ishihara, Joseph P. Koester, Sam S. C. Liao, William F. Marcuson, III, Geoffrey R. Martin, James K. Mitchell, Yoshiharu Moriwaki, Maurice S. Power, Peter K. Robertson, Raymond B. Seed, and Kenneth H. Stokoe, II; 129(3), 284-6 (2003).

Indraratna, B.

Two-Phase (Air and Water) Flow through Rock Joints: Analytical and Experimental Study. — B. Indraratna, P. G. Ranjith, J. R. Price, and W. Gale; 129(10), 918-28 (2003).

Ishihara, Kenji

Closure to "Liquefaction Resistance of Soils: Summary Report from the 1996 NCEER and 1998 NCEER/NSF Workshops on Evaluation of Liquefaction Resistance of Soils" by T. L. Youd, I. M. Idriss, Ronald D. Andrus, Ignacio Arango, Gonzalo Castro, John T. Christian, Richardo Dobry, W. D. Liam Finn, Leslie F. Harder Jr., Mary Ellen Hynes, Kenji Ishihara, Joseph P. Koester, Sam S. C. Liao, William F. Marcuson III, Geoffrey R. Martin, James K. Mitchell, Yoshiharu Moriwaki, Maurice S. Power, Peter K. Robertson, Raymond B. Seed, and Kenneth H. Stokoe II. — T. L. Youd, I. M. Idriss, Ronald D. Andrus, Ignacio Arango, Gonzalo Castro, John T. Christian, Ricardo Dobry, W. D. Liam Finn, Leslie F. Harder, Jr., Mary Ellen Hynes, Kenji Ishihara, Joseph P. Koester, Sam S. C. Liao, William F. Marcuson, III, Geoffrey R. Martin, James K. Mitchell, Yoshiharu Moriwaki, Maurice S. Power, Peter K. Robertson, Raymond B. Seed, and Kenneth H. Stokoe, II; 129(3), 284-6 (2003).

Iskander, Magued

Drilled Shaft Defects: Detection, and Effects on Capacity in Varved Clay. — Magued Iskander, Douglas Roy, Shawn Kelley, and Carl Ealy; 129(12), 1128-37 (2003).

Ismael, Nabil F.

Closure to "Axial Load Tests on Bored Piles and Pile Groups in Cemented Sands" by Nabil F. Ismael. — Nabil F. Ismael; 129(2), 184-5 (2003).

Jafari, M. R.

Factors Affecting Long-Term Efficiency of Compensation Grouting in Clays. — S. K. A. Au, K. Soga, M. R. Jafari, M. D. Bolton, and K. Komiya; 129(3), 254-62 (2003).

Jaksa, Mark B.

Closure to "Predicting Settlement of Shallow Foundations Using Neural Networks" by Mohamed A. Shahin, Holger R. Maier, and Mark B. Jaksa. — Mohamed A. Shahin, Holger R. Maier, and Mark B. Jaksa; 129(12), 1175-7 (2003).

Joshi, Bhaskar

Behavior of Calculated Nail Head Strength in Soil-Nailed Structures. — Bhaskar Joshi; 129(9), 819-28 (2003).

Juang, C. Hsein

Simplified Cone Penetration Test-based Method for Evaluating Liquefaction Resistance of Soils. — C. Hsein Juang, Haiming Yuan, Der-Her Lee, and Ping-Sien Lin; 129(1), 66-80 (2003).

Juárez-Badillo, Eulalio

Discussion of "Constitutive Behavior of Geosynthetic Interfaces" by Jacob J. B. Esterhuizen, George M. Filz, and J. Michael Duncan. — Eulalio Juárez-Badillo; 129(6), 572 (2003).

Juirnarongrit, Teerawut

Evaluation of Pile Diameter Effect on Initial Modulus of Subgrade Reaction. — Scott A. Ashford and Teerawut Juirnarongrit; 129(3), 234-42 (2003).

Kaliakin, Victor N.
Variable Bulk Modulus Constitutive Model for Sand. — Bashar S. Qubain, Victor N. Kaliakin, and Joseph P. Martin; 129(2), 158-62 (2003).

Kalinski, M. E.
In Situ Estimate of Shear Wave Velocity Using Borehole Spectral Analysis of Surface Waves Tool. — M. E. Kalinski and K. H. Stokoe, II; 129(6), 529-35 (2003).

Karunaratne, G. P.
Installation Stress in Prefabricated Vertical Drains. — G. P. Karunaratne, S. H. Chew, K. W. Leong, W. K. Wong, L. H. Lim, K. S. Yeo, and A. M. Hee; 129(9), 858-60 (2003).

Katti, Dinesh R.
Undrained Response of Clays to Varying Strain Rate. — Dinesh R. Katti, Jingpeng Tang, and S. Yazdani; 129(3), 278-82 (2003).

Kawabata, J.
Centrifuge Modeling of Nonaqueous Phase Liquid Movement and Entrapment in Unsaturated Layered Soils. — K. Soga, J. Kawabata, C. Kechavarzi, H. Coumoulos, and W. A. P. Waduge; 129(2), 173-82 (2003).

Kawabata, Toshinori
Centrifugal Modeling of Seismic Behavior of Large-Diameter Pipe in Liquefiable Soil. — Hoe I. Ling, Yoshiyuki Mohri, Toshinori Kawabata, Huabei Liu, Christopher Burke, and Lixun Sun; 129(12), 1092-101 (2003).

Kechavarzi, C.
Centrifuge Modeling of Nonaqueous Phase Liquid Movement and Entrapment in Unsaturated Layered Soils. — K. Soga, J. Kawabata, C. Kechavarzi, H. Coumoulos, and W. A. P. Waduge; 129(2), 173-82 (2003).

Kelley, Shawn
Drilled Shaft Defects: Detection, and Effects on Capacity in Varved Clay. — Magued Iskander, Douglas Roy, Shawn Kelley, and Carl Ealy; 129(12), 1128-37 (2003).

Kershaw, Kyle A.
Temperature Correction and Strut Loads in Central Artery Excavations. — Youssef M. A. Hashash, Camilo Marulanda, Kyle A. Kershaw, Edward J. Cording, David L. Druss, Dan J. Bobrow, and Prabir K. Das; 129(6), 495-505 (2003).

Kim, B. J.
Assessment of Current Load Factors for Use in Geotechnical Load and Resistance Factor Design. — B. Scott, B. J. Kim, and R. Salgado; 129(4), 287-95 (2003).

Kim, Bumjoo
Behavior of Open- and Closed-Ended Piles Driven Into Sands. — Kyuho Paik, Rodrigo Salgado, Junhwan Lee, and Bumjoo Kim; 129(4), 296-306 (2003).

Kim, Nak-Kyung
Performance of Tension and Compression Anchors in Weathered Soil. — Nak-Kyung Kim; 129(12), 1138-50 (2003).

Kim, Seunghyun
Kinematic Soil-Structure Interaction from Strong Motion Recordings. — Seunghyun Kim and Jonathan P. Stewart; 129(4), 323-35 (2003).

Klangvijit, C.
Calculations of Bearing Capacity Factor N_γ Using Numerical Limit Analyses. — Boonchai Ukritchon, Andrew J. Whittle, and C. Klangvijit; 129(5), 468-74 (2003).

Koerner, Robert M.
Translational Failure Analysis of Landfills. — Xuede Qian, Robert M. Koerner, and Donald H. Gray; 129(6), 506-19 (2003).

Koester, Joseph P.
Closure to "Liquefaction Resistance of Soils: Summary Report from the 1996 NCEER and 1998 NCEER/NSF Workshops on Evaluation of Liquefaction Resistance of Soils" by T. L. Youd, I. M. Idriss, Ronald D. Andrus, Ignacio Arango, Gonzalo Castro, John T. Christian, Richardo Dobry, W. D. Liam Finn, Leslie F. Harder Jr., Mary Ellen Hynes, Kenji Ishihara, Joseph P. Koester, Sam S. C. Liao, William F. Marcuson III, Geoffrey R. Martin, James K. Mitchell, Yoshiharu Moriwaki, Maurice S. Power, Peter K. Robertson, Raymond B. Seed, and Kenneth H. Stokoe II. — T. L. Youd, I. M. Idriss, Ronald D. Andrus, Ignacio Arango, Gonzalo Castro, John T. Christian, Ricardo Dobry, W. D. Liam Finn, Leslie F. Harder, Jr., Mary Ellen Hynes, Kenji Ishihara, Joseph P. Koester, Sam S. C. Liao, William F. Marcuson, III, Geoffrey R. Martin, James K. Mitchell, Yoshiharu Moriwaki, Maurice S. Power, Peter K. Robertson, Raymond B. Seed, and Kenneth H. Stokoe, II; 129(3), 284-6 (2003).

Komiya, K.
Factors Affecting Long-Term Efficiency of Compensation Grouting in Clays. — S. K. A. Au, K. Soga, M. R. Jafari, M. D. Bolton, and K. Komiya; 129(3), 254-62 (2003).

Koseki, Junichi
Modeling the Stress-Strain Relations of Sand in Cyclic Plane Strain Loading. — Fumio Tatsuoka, Toru Masuda, M. S. A. Siddiquee, and Junichi Koseki; 129(5), 450-67 (2003).

Krishnaswamy, N. R.
Consolidation of Clays for Variable Permeability and Compressibility. — K. R. Lekha, N. R. Krishnaswamy, and P. Basak; 129(11), 1001-9 (2003).

Kropp, Alan L.
Closure to "Seismic Performance of Hillside Fills" by Jonathan P. Stewart, Jonathan D. Bray, David J. McMahon, Patrick M. Smith, and Alan L. Kropp. — Jonathan P. Stewart, Jonathan D. Bray, David J. McMahon, Patrick M. Smith, and Alan L. Kropp; 129(6), 570-1 (2003).

Krosley, Lisa
Measured and Estimated Suction Indices for Swelling Potential Classification. — William J. Likos, Harold W. Olsen, Lisa Krosley, and Ning Lu; 129(7), 665-8 (2003).

Kulhawy, Fred H.
Development of a Reliability-Based Design Framework for Transmission Line Structure Foundations. — Kok-Kwang Phoon, Fred H. Kulhawy, and Mircea D. Grigoriu; 129(9), 798-806 (2003).
Multiple Resistance Factor Design for Shallow Transmission Line Structure Foundations. — Kok-Kwang Phoon, Fred H. Kulhawy, and Mircea D. Grigoriu; 129(9), 807-18 (2003).

Kumar, Arvind
Closely Spaced Footings on Geogrid-Reinforced Sand. — Arvind Kumar and Swami Saran; 129(7), 660-4 (2003).

LaFountain, Lester
Analysis and Design of Evapotranspirative Cover for Hazardous Waste Landfill. — Jorge G. Zornberg, Lester LaFountain, and Jack A. Caldwell; 129(5), 427-38 (2003).

Laguros, Joakim G.
Discussion of "Properties and Performance of a Pulverized Fly Ash Grout" by I. N. Markou and D. K. Atmatzidis. — Joakim G. Laguros; 129(10), 962-4 (2003).

Lam, Ignatius P.
Evaluation of Seismic Performance for Tunnel Retrofit Project. — Hubert K. Law and Ignatius P. Lam; 129(7), 575-89 (2003).

Law, Hubert K.
Evaluation of Seismic Performance for Tunnel Retrofit Project. — Hubert K. Law and Ignatius P. Lam; 129(7), 575-89 (2003).

LeCain, Gary D.
Percolation Induced Heat Transfer in Deep Unsaturated Zones. — Ning Lu and Gary D. LeCain; 129(11), 1040-53 (2003).

Lee, Der-Her
Simplified Cone Penetration Test-based Method for Evaluating Liquefaction Resistance of Soils. — C. Hsein Juang, Haiming Yuan, Der-Her Lee, and Ping-Sien Lin; 129(1), 66-80 (2003).

Lee, Hyung-Joo
Evaporation Theory for Deformable Soils. — In-Mo Lee, Hyung-Joo Lee, Jeong-Yeon Cheon, and Lakshmi N. Reddi; 129(11), 1020-7 (2003).

Lee, In-Mo
Evaporation Theory for Deformable Soils. — In-Mo Lee, Hyung-Joo Lee, Jeong-Yeon Cheon, and Lakshmi N. Reddi; 129(11), 1020-7 (2003).

Lee, Junhwan
Behavior of Open- and Closed-Ended Piles Driven Into Sands. — Kyuho Paik, Rodrigo Salgado, Junhwan Lee, and Bumjoo Kim; 129(4), 296-306 (2003).
Estimation of Load Capacity of Pipe Piles in Sand Based on Cone Penetration Test Results. — Junhwan Lee, Rodrigo Salgado, and Kyuho Paik; 129(5), 391-403 (2003).

Lei, G. H.
Performance of Long Rectangular Barrettes in Granitic Saprolites. — Charles W. W. Ng and G. H. Lei; 129(8), 685-96 (2003).

Lekha, K. R.
Consolidation of Clays for Variable Permeability and Compressibility. — K. R. Lekha, N. R. Krishnaswamy, and P. Basak; 129(11), 1001-9 (2003).

Leong, K. W.
Installation Stress in Prefabricated Vertical Drains. — G. P. Karunaratne, S. H. Chew, K. W. Leong, W. K. Wong, L. H. Lim, K. S. Yeo, and A. M. Hee; 129(9), 858-60 (2003).

Leung, C. F.
Behavior of Pile Groups Subject to Excavation-Induced Soil Movement. — C. F. Leung, J. K. Lim, R. F. Shen, and Y. K. Chow; 129(1), 58-65 (2003).

Li, K. S.
Discussion of "First-order Rate Equations in Geotechnical Engineering" by Richard L. Handy. — K. S. Li; 129(8), 778-80 (2003).

Li, Maoxin
Consolidation of Clay with a System of Vertical and Horizontal Drains. — Toyoaki Nogami and Maoxin Li; 129(9), 838-48 (2003).

Li, X. S.
Fully Coupled Analysis of Failure and Remediation of Lower San Fernando Dam. — H. Y. Ming and X. S. Li; 129(4), 336-49 (2003).

Liao, H. J.
Uplift Behavior of Blade-Underreamed Anchors in Silty Sand. — H. J. Liao and S. T. Hsu; 129(6), 560-8 (2003).

Liao, Sam S. C.
Closure to "Liquefaction Resistance of Soils: Summary Report from the 1996 NCEER and 1998 NCEER/NSF Workshops on Evaluation of Liquefaction Resistance of Soils" by T. L. Youd, I. M. Idriss, Ronald D. Andrus, Ignacio Arango, Gonzalo Castro, John T. Christian, Richardo Dobry, W. D. Liam Finn, Leslie F. Harder Jr., Mary Ellen Hynes, Kenji Ishihara, Joseph P. Koester, Sam S. C. Liao, William F. Marcuson III, Geoffrey R. Martin, James K. Mitchell, Yoshiharu Moriwaki, Maurice S. Power, Peter K. Robertson, Raymond B. Seed, and Kenneth H. Stokoe II. — T. L. Youd, I. M. Idriss, Ronald D. Andrus, Ignacio Arango, Gonzalo Castro, John T. Christian, Ricardo Dobry, W. D. Liam Finn, Leslie F. Harder, Jr., Mary Ellen Hynes, Kenji Ishihara, Joseph P. Koester, Sam S. C. Liao, William F. Marcuson, III, Geoffrey R. Martin, James K. Mitchell, Yoshiharu Moriwaki, Maurice S. Power, Peter K. Robertson, Raymond B. Seed, and Kenneth H. Stokoe, II; 129(3), 284-6 (2003).

Likar, Jakob
Time-Dependent Back Analysis of a Multianchored Pile Retaining Wall. — Jakob Likar and Vladimir Vukadin; 129(1), 91-5 (2003).

Likos, William J.
Measured and Estimated Suction Indices for Swelling Potential Classification. — William J. Likos, Harold W. Olsen, Lisa Krosley, and Ning Lu; 129(7), 665-8 (2003).

Lim, J. K.
Behavior of Pile Groups Subject to Excavation-Induced Soil Movement. — C. F. Leung, J. K. Lim, R. F. Shen, and Y. K. Chow; 129(1), 58-65 (2003).

Lim, L. H.
Installation Stress in Prefabricated Vertical Drains. — G. P. Karunaratne, S. H. Chew, K. W. Leong, W. K. Wong, L. H. Lim, K. S. Yeo, and A. M. Hee; 129(9), 858-60 (2003).

Lin, Ping-Sien
Simplified Cone Penetration Test-based Method for Evaluating Liquefaction Resistance of Soils. — C. Hsein Juang, Haiming Yuan, Der-Her Lee, and Ping-Sien Lin; 129(1), 66-80 (2003).

Ling, Hoe I.
Centrifugal Modeling of Seismic Behavior of Large-Diameter Pipe in Liquefiable Soil. — Hoe I. Ling, Yoshiyuki Mohri, Toshinori Kawabata, Huabei Liu, Christopher Burke, and Lixun Sun; 129(12), 1092-101 (2003).

Liu, Huabei
Centrifugal Modeling of Seismic Behavior of Large-Diameter Pipe in Liquefiable Soil. — Hoe I. Ling, Yoshiyuki Mohri, Toshinori Kawabata, Huabei Liu, Christopher Burke, and Lixun Sun; 129(12), 1092-101 (2003).

Loehr, J. Erik
Construction Quality Control for Asphalt Concrete Hydraulic Barriers. — John J. Bowders, J. Erik Loehr, Deepak Neupane, and Abdelmalek Bouazza; 129(3), 219-23 (2003).

Loehr, Raymond C.
Long Term Landfill Primary and Secondary Leachate Production. — Raymond C. Loehr and Bruce M. Haikola; 129(11), 1063-7 (2003).

Lu, Ning
Measured and Estimated Suction Indices for Swelling Potential Classification. — William J. Likos, Harold W. Olsen, Lisa Krosley, and Ning Lu; 129(7), 665-8 (2003).
Percolation Induced Heat Transfer in Deep Unsaturated Zones. — Ning Lu and Gary D. LeCain; 129(11), 1040-53 (2003).

Lyamin, A. V.
Three-Dimensional Lower Bound Solutions for Stability of Plate Anchors in Clay. — R. S. Merifield, A. V. Lyamin, S. W. Sloan, and H. S. Yu; 129(3), 243-53 (2003).

Lyamin, Andrei V.
Prediction of Undrained Sinkhole Collapse. — Charles E. Augarde, Andrei V. Lyamin, and Scott W. Sloan; 129(3), 197-205 (2003).

Macnab, Alan F.
Introduction of Victor Milligan, Thirty-Eighth Karl Terzaghi Lecturer, 2002, Washington, D.C. — Alan F. Macnab; 129(9), 784 (2003).

Maier, Holger R.
Closure to "Predicting Settlement of Shallow Foundations Using Neural Networks" by Mohamed A. Shahin, Holger R. Maier, and Mark B. Jaksa. — Mohamed A. Shahin, Holger R. Maier, and Mark B. Jaksa; 129(12), 1175-7 (2003).

Marcuson, William F., III
Closure to "Liquefaction Resistance of Soils: Summary Report from the 1996 NCEER and 1998 NCEER/NSF Workshops on Evaluation of Liquefaction Resistance of Soils" by T. L. Youd, I. M. Idriss, Ronald D. Andrus, Ignacio Arango, Gonzalo Castro, John T. Christian, Richardo Dobry, W. D. Liam Finn, Leslie F. Harder Jr., Mary Ellen Hynes, Kenji Ishihara, Joseph P. Koester, Sam S. C. Liao, William F. Marcuson III, Geoffrey R. Martin, James K. Mitchell, Yoshiharu Moriwaki, Maurice S. Power, Peter K. Robertson, Raymond B. Seed, and Kenneth H. Stokoe II. — T. L. Youd, I. M. Idriss, Ronald D. Andrus, Ignacio Arango, Gonzalo Castro, John T. Christian, Ricardo Dobry, W. D. Liam Finn, Leslie F. Harder, Jr., Mary Ellen Hynes, Kenji Ishihara, Joseph P. Koester, Sam S. C. Liao, William F. Marcuson, III, Geoffrey R. Martin, James K. Mitchell, Yoshiharu Moriwaki, Maurice S. Power, Peter K. Robertson, Raymond B. Seed, and Kenneth H. Stokoe, II; 129(3), 284-6 (2003).

Markou, Ioannis N.
Closure to "Properties and Performance of a Pulverized Fly Ash Grout" by I. N. Markou and D. K. Atmatzidis. — Ioannis N. Markou and Dimitrios K. Atmatzidis; 129(10), 964 (2003).

Marques, Afonso Celso Moruzzi
Composite Compressibility Model for Municipal Solid Waste. — Afonso Celso Moruzzi Marques, George M. Filz, and Orencio Monje Vilar; 129(4), 372-8 (2003).

Martin, Geoffrey R.
Closure to "Liquefaction Resistance of Soils: Summary Report from the 1996 NCEER and 1998 NCEER/NSF Workshops on Evaluation of Liquefaction Resistance of Soils" by T. L. Youd, I. M. Idriss, Ronald D. Andrus, Ignacio Arango, Gonzalo Castro, John T. Christian, Richardo Dobry, W. D. Liam Finn, Leslie F. Harder Jr., Mary Ellen Hynes, Kenji Ishihara, Joseph P. Koester, Sam S. C. Liao, William F. Marcuson III, Geoffrey R. Martin, James K. Mitchell, Yoshiharu Moriwaki, Maurice S. Power, Peter K. Robertson, Raymond B. Seed, and Kenneth H. Stokoe II. — T. L. Youd, I. M. Idriss, Ronald D. Andrus, Ignacio Arango, Gonzalo Castro, John T. Christian, Ricardo Dobry, W. D. Liam Finn, Leslie F. Harder, Jr., Mary Ellen Hynes, Kenji Ishihara, Joseph P. Koester, Sam S. C. Liao, William F. Marcuson, III, Geoffrey R. Martin, James K. Mitchell, Yoshiharu Moriwaki, Maurice S. Power, Peter K. Robertson, Raymond B. Seed, and Kenneth H. Stokoe, II; 129(3), 284-6 (2003).

Martin, James R., II
Sheet Pile Tensions in Cellular Structures. — Kord J. Wissmann, George M. Filz, Reed L. Mosher, and James R. Martin, II; 129(3), 224-33 (2003).

Martin, Joseph P.
Variable Bulk Modulus Constitutive Model for Sand. — Bashar S. Qubain, Victor N. Kaliakin, and Joseph P. Martin; 129(2), 158-62 (2003).

Marulanda, Camilo
Temperature Correction and Strut Loads in Central Artery Excavations. — Youssef M. A. Hashash, Camilo Marulanda, Kyle A. Kershaw, Edward J. Cording, David L. Druss, Dan J. Bobrow, and Prabir K. Das; 129(6), 495-505 (2003).

Masada, Teruhisa
Evaluation of Cone Penetration Test-Based Settlement Prediction Methods for Shallow Foundations on Cohesionless Soils at Highway Bridge Construction Sites. — Shad M. Sargand, Teruhisa Masada, and Basel Abdalla; 129(10), 900-8 (2003).

Mashnad, Mehedy
Fatigue Behavior of a Pavement Foundation with Recycled Aggregate and Waste HDPE Strips. — Khaled Sobhan and Mehedy Mashnad; 129(7), 630-8 (2003).

Masuda, Toru
Modeling the Stress-Strain Relations of Sand in Cyclic Plane Strain Loading. — Fumio Tatsuoka, Toru Masuda, M. S. A. Siddiquee, and Junichi Koseki; 129(5), 450-67 (2003).

Matešić, Leo
Strain-Rate Effect on Soil Secant Shear Modulus at Small Cyclic Strains. — Leo Matešić and Mladen Vucetic; 129(6), 536-49 (2003).

Maulden, Matthew
Introduction of Richard E. Goodman. — Sandra L. Houston and Matthew Maulden; 129(2), 104 (2003).

McMahon, David J.
Closure to "Seismic Performance of Hillside Fills" by Jonathan P. Stewart, Jonathan D. Bray, David J. McMahon, Patrick M. Smith, and Alan L. Kropp. — Jonathan P. Stewart, Jonathan D. Bray, David J. McMahon, Patrick M. Smith, and Alan L. Kropp; 129(6), 570-1 (2003).

Meier, Roger W.
Discussion of "Predicting Settlement of Shallow Foundations Using Neural Networks" by Mohamed A. Shahin, Holger R. Maier, and Mark B. Jaksa. — Roger W. Meier; 129(12), 1170-1 (2003).

Merayyan, S.
Closure to "Impact of Soil Type and Compaction Conditions on Soil Water Characteristic" by C. J. Miller, N. Yesiller, K. Yaldo, and S. Merayyan. — C. J. Miller, N. Yesiller, K. Yaldo, and S. Merayyan; 129(12), 1169-70 (2003).

Merifield, R. S.
Three-Dimensional Lower Bound Solutions for Stability of Plate Anchors in Clay. — R. S. Merifield, A. V. Lyamin, S. W. Sloan, and H. S. Yu; 129(3), 243-53 (2003).

Mesri, G.
Residual Shear Strength Mobilized in First-Time Slope Failures. — G. Mesri and M. Shahien; 129(1), 12-31 (2003).

Michalowski, Radoslaw L.
Triaxial Compression of Sand Reinforced with Fibers. — Radoslaw L. Michalowski and Jan Čermák; 129(2), 125-36 (2003).
Deformation Patterns of Reinforced Foundation Sand at Failure. — Radoslaw L. Michalowski and Lei Shi; 129(5), 439-49 (2003).

Miller, C. J.
Closure to "Impact of Soil Type and Compaction Conditions on Soil Water Characteristic" by C. J. Miller, N. Yesiller, K. Yaldo, and S. Merayyan. — C. J. Miller, N. Yesiller, K. Yaldo, and S. Merayyan; 129(12), 1169-70 (2003).

Milligan, Victor
Some Uncertainties in Embankment Dam Engineering. — Victor Milligan; 129(9), 785-97 (2003).

Ming, H. Y.
Fully Coupled Analysis of Failure and Remediation of Lower San Fernando Dam. — H. Y. Ming and X. S. Li; 129(4), 336-49 (2003).

Mitani, Yasuhiro
Geographic Information Systems-Based Three-Dimensional Critical Slope Stability Analysis and Landslide Hazard Assessment. — Mowen Xie, Tetsuro Esaki, Guoyun Zhou, and Yasuhiro Mitani; 129(12), 1109-18 (2003).

Mitchell, James K.
Closure to "Liquefaction Resistance of Soils: Summary Report from the 1996 NCEER and 1998 NCEER/NSF Workshops on Evaluation of Liquefaction Resistance of Soils" by T. L. Youd, I. M. Idriss, Ronald D. Andrus, Ignacio Arango, Gonzalo Castro, John T. Christian, Richardo Dobry, W. D. Liam Finn, Leslie F. Harder Jr., Mary Ellen Hynes, Kenji Ishihara, Joseph P. Koester, Sam S. C. Liao, William F. Marcuson III, Geoffrey R. Martin, James K. Mitchell, Yoshiharu Moriwaki, Maurice S. Power, Peter K. Robertson, Raymond B. Seed, and Kenneth H. Stokoe II. — T. L. Youd, I. M. Idriss, Ronald D. Andrus, Ignacio Arango, Gonzalo Castro, John T. Christian, Ricardo Dobry, W. D. Liam Finn, Leslie F. Harder, Jr., Mary Ellen Hynes, Kenji Ishihara, Joseph P. Koester, Sam S. C. Liao, William F. Marcuson, III, Geoffrey R. Martin, James K. Mitchell, Yoshiharu Moriwaki, Maurice S. Power, Peter K. Robertson, Raymond B. Seed, and Kenneth H. Stokoe, II; 129(3), 284-6 (2003).

Mohri, Yoshiyuki
Centrifugal Modeling of Seismic Behavior of Large-Diameter Pipe in Liquefiable Soil. — Hoe I. Ling, Yoshiyuki Mohri, Toshinori Kawabata, Huabei Liu, Christopher Burke, and Lixun Sun; 129(12), 1092-101 (2003).

Mokwa, Robert L.
Rotational Restraint of Pile Caps during Lateral Loading. — Robert L. Mokwa and J. Michael Duncan; 129(9), 829-37 (2003).

Moon, Sangho
Shrink Test–Water Content Method for Shrink and Swell Predictions. — Jean-Louis Briaud, Xiong Zhang, and Sangho Moon; 129(7), 590-600 (2003).

Moriwaki, Yoshiharu
Closure to "Liquefaction Resistance of Soils: Summary Report from the 1996 NCEER and 1998 NCEER/NSF Workshops on Evaluation of Liquefaction Resistance of Soils" by T. L. Youd, I. M. Idriss, Ronald D. Andrus, Ignacio Arango, Gonzalo Castro, John T. Christian, Richardo Dobry, W. D. Liam Finn, Leslie F. Harder Jr., Mary Ellen Hynes, Kenji Ishihara, Joseph P. Koester, Sam S. C. Liao, William F. Marcuson III, Geoffrey R. Martin, James K. Mitchell, Yoshiharu Moriwaki, Maurice S. Power, Peter K. Robertson, Raymond B. Seed, and Kenneth H. Stokoe II. — T. L. Youd, I. M. Idriss, Ronald D. Andrus, Ignacio Arango, Gonzalo Castro, John T. Christian, Ricardo Dobry, W. D. Liam Finn, Leslie F. Harder, Jr., Mary Ellen Hynes, Kenji Ishihara, Joseph P. Koester, Sam S. C. Liao, William F. Marcuson, III, Geoffrey R. Martin, James K. Mitchell, Yoshiharu Moriwaki, Maurice S. Power, Peter K. Robertson, Raymond B. Seed, and Kenneth H. Stokoe, II; 129(3), 284-6 (2003).

Mosher, Reed L.
Sheet Pile Tensions in Cellular Structures. — Kord J. Wissmann, George M. Filz, Reed L. Mosher, and James R. Martin, II; 129(3), 224-33 (2003).

Murakami, Satoshi
Postcyclic Degradation of Strength and Stiffness for Low Plasticity Silt. — Kazuya Yasuhara, Satoshi Murakami, Byung-Woong Song, Seiji Yokokawa, and Adrian F. L. Hyde; 129(8), 756-69 (2003).

Musso, A.
Discussion of "Predicting Settlement of Shallow Foundations Using Neural Networks" by Mohamed A. Shahin, Holger R. Maier, and Mark B. Jaksa. — A. Musso and P. Provenzano; 129(12), 1172-5 (2003).

Neupane, Deepak
Construction Quality Control for Asphalt Concrete Hydraulic Barriers. — John J. Bowders, J. Erik Loehr, Deepak Neupane, and Abdelmalek Bouazza; 129(3), 219-23 (2003).

Ng, Charles W. W.
Laboratory Study of Loose Saturated and Unsaturated Decomposed Granitic Soil. — Charles W. W. Ng and Abraham C. F. Chiu; 129(6), 550-9 (2003).
Performance of Long Rectangular Barrettes in Granitic Saprolites. — Charles W. W. Ng and G. H. Lei; 129(8), 685-96 (2003).

Nguyen, T. Q.
Shaft Resistance of Single Vertical and Batter Piles Driven in Sand. — Adel Hanna and T. Q. Nguyen; 129(7), 601-7 (2003).

Nogami, Toyoaki
Consolidation of Clay with a System of Vertical and Horizontal Drains. — Toyoaki Nogami and Maoxin Li; 129(9), 838-48 (2003).

Noorany, Iraj
Discussion of "Seismic Performance of Hillside Fills" by Jonathan P. Stewart, Jonathan D. Bray, David J. McMahon, Patrick M. Smith, and Alan L. Kropp. — Hannes H. Richter and Iraj Noorany; 129(6), 569-70 (2003).

Norris, Gary
Lateral Loaded Pile Response in Liquefiable Soil. — Mohamed Ashour and Gary Norris; 129(5), 404-14 (2003).

Nwaiwu, Charles M. O.
Discussion of "Impact of Soil Type and Compaction Conditions on Soil Water Characteristic" by C. J. Miller, N. Yesiller, K. Yaldo, and S. Merayyan. — Kolawole J. Osinubi and Charles M. O. Nwaiwu; 129(12), 1168 (2003).

Olsen, Harold W.
Measured and Estimated Suction Indices for Swelling Potential Classification. — William J. Likos, Harold W. Olsen, Lisa Krosley, and Ning Lu; 129(7), 665-8 (2003).

Olson, Scott M.
Yield Strength Ratio and Liquefaction Analysis of Slopes and Embankments. — Scott M. Olson and Timothy D. Stark; 129(8), 727-37 (2003).

O'Rourke, Thomas D.
Pile Response to Lateral Spreads: Centrifuge Modeling. — Tarek Abdoun, Ricardo Dobry, Thomas D. O'Rourke, and S. H. Goh; 129(10), 869-78 (2003).
Single Piles in Lateral Spreads: Field Bending Moment Evaluation. — Ricardo Dobry, Tarek Abdoun, Thomas D. O'Rourke, and S. H. Goh; 129(10), 879-89 (2003).

Osinubi, Kolawole J.
Discussion of "Impact of Soil Type and Compaction Conditions on Soil Water Characteristic" by C. J. Miller, N. Yesiller, K. Yaldo, and S. Merayyan. — Kolawole J. Osinubi and Charles M. O. Nwaiwu; 129(12), 1168 (2003).

Ou, Chang-Yu
Use of Jet Grouting to Limit Diaphragm Wall Displacement of a Deep Excavation. — Hsii-Sheng Hsieh, Chien-Chih Wang, and Chang-Yu Ou; 129(2), 146-57 (2003).

Paik, Kyuho
Determination of Bearing Capacity of Open-Ended Piles in Sand. — Kyuho Paik and Rodrigo Salgado; 129(1), 46-57 (2003).
Behavior of Open- and Closed-Ended Piles Driven Into Sands. — Kyuho Paik, Rodrigo Salgado, Junhwan Lee, and Bumjoo Kim; 129(4), 296-306 (2003).
Estimation of Load Capacity of Pipe Piles in Sand Based on Cone Penetration Test Results. — Junhwan Lee, Rodrigo Salgado, and Kyuho Paik; 129(5), 391-403 (2003).

Parra, Ender
Computational Model for Cyclic Mobility and Associated Shear Deformation. — Zhaohui Yang, Ahmed Elgamal, and Ender Parra; 129(12), 1119-27 (2003).

Parsons, R. L.
Closure to "Evaluating Site Investigation Quality Using GIS and Geostatistics" by R. L. Parsons and J. D. Frost. — R. L. Parsons and J. D. Frost; 129(9), 867-8 (2003).

Pestana, Juan M.
Closure to "Soil Deformation and Excess Pore Pressure Field around a Closed-Ended Pile" by Juan M. Pestana, Christopher E. Hunt, and Jonathan D. Bray. — Juan M. Pestana, Christopher E. Hunt, and Jonathan D. Bray; 129(7), 671 (2003).

Phoon, K. K.
Low Strain Integrity Testing of Piles: Three-Dimensional Effects. — Y. K. Chow, K. K. Phoon, W. F. Chow, and K. Y. Wong; 129(11), 1057-62 (2003).

Phoon, Kok-Kwang
Identification of Statistically Homogeneous Soil Layers Using Modified Bartlett Statistics. — Kok-Kwang Phoon, Ser-Tong Quek, and Ping An; 129(7), 649-59 (2003).
Development of a Reliability-Based Design Framework for Transmission Line Structure Foundations. — Kok-Kwang Phoon, Fred H. Kulhawy, and Mircea D. Grigoriu; 129(9), 798-806 (2003).
Multiple Resistance Factor Design for Shallow Transmission Line Structure Foundations. — Kok-Kwang Phoon, Fred H. Kulhawy, and Mircea D. Grigoriu; 129(9), 807-18 (2003).

Pise, P. J.
Effect of Compressive Load on Uplift Capacity of Model Piles. — B. K. Dash and P. J. Pise; 129(11), 987-92 (2003).

Powell, Chris
Investigations of Blocks in Foundations and Abutments of Concrete Dams. — Richard E. Goodman and Chris Powell; 129(2), 105-16 (2003).

Power, Maurice S.
Closure to "Liquefaction Resistance of Soils: Summary Report from the 1996 NCEER and 1998 NCEER/NSF Workshops on Evaluation of Liquefaction Resistance of Soils" by T. L. Youd, I. M. Idriss, Ronald D. Andrus, Ignacio Arango, Gonzalo Castro, John T. Christian, Richardo Dobry, W. D. Liam Finn, Leslie F. Harder Jr., Mary Ellen Hynes, Kenji Ishihara, Joseph P. Koester, Sam S. C. Liao, William F. Marcuson III, Geoffrey R. Martin, James K. Mitchell, Yoshiharu Moriwaki, Maurice S. Power, Peter K. Robertson, Raymond B. Seed, and Kenneth H. Stokoe II. — T. L. Youd, I. M. Idriss, Ronald D. Andrus, Ignacio Arango, Gonzalo Castro, John T. Christian, Ricardo Dobry, W. D. Liam Finn, Leslie F. Harder, Jr., Mary Ellen Hynes, Kenji Ishihara, Joseph P. Koester, Sam S. C. Liao, William F. Marcuson, III, Geoffrey R. Martin, James K. Mitchell, Yoshiharu Moriwaki, Maurice S. Power, Peter K. Robertson, Raymond B. Seed, and Kenneth H. Stokoe, II; 129(3), 284-6 (2003).

Price, J. R.
Two-Phase (Air and Water) Flow through Rock Joints: Analytical and Experimental Study. — B. Indraratna, P. G. Ranjith, J. R. Price, and W. Gale; 129(10), 918-28 (2003).

Prietto, Pedro D. M.
Plate Load Test on Fiber-Reinforced Soil. — Nilo C. Consoli, Michéle D. T. Casagrande, Pedro D. M. Prietto, and Antônio Thomé; 129(10), 951-5 (2003).

Prietto, Pedro Domingos Marques
Behavior of Plate Load Tests on Soil Layers Improved with Cement and Fiber. — Nilo Cesar Consoli, Márcio Antonio Vendruscolo, and Pedro Domingos Marques Prietto; 129(1), 96-101 (2003).

Provenzano, P.
Discussion of "Predicting Settlement of Shallow Foundations Using Neural Networks" by Mohamed A. Shahin, Holger R. Maier, and Mark B. Jaksa. — A. Musso and P. Provenzano; 129(12), 1172-5 (2003).

Pyke, Robert
Discussion of "Liquefaction Resistance of Soils: Summary Report from the 1996 NCEER and 1998 NCEER/NSF Workshops on Evaluation of Liquefaction Resistance of Soils" by T. L. Youd, I. M. Idriss, Ronald D. Andrus, Ignacio Arango, Gonzalo Castro, John T. Christian, Richardo Dobry, W. D. Liam Finn, Leslie F. Harder Jr., Mary Ellen Hynes, Kenji Ishihara, Joseph P. Koester, Sam S. C. Liao, William F. Marcuson III, Geoffrey R. Martin, James K. Mitchell, Yoshiharu Moriwaki, Maurice S. Power, Peter K. Robertson, Raymond B. Seed, and Kenneth H. Stokoe II. — Robert Pyke; 129(3), 283-4 (2003).

Qian, Xuede
Translational Failure Analysis of Landfills. — Xuede Qian, Robert M. Koerner, and Donald H. Gray; 129(6), 506-19 (2003).

Qubain, Bashar S.
Variable Bulk Modulus Constitutive Model for Sand. — Bashar S. Qubain, Victor N. Kaliakin, and Joseph P. Martin; 129(2), 158-62 (2003).

Quek, Ser-Tong
Identification of Statistically Homogeneous Soil Layers Using Modified Bartlett Statistics. — Kok-Kwang Phoon, Ser-Tong Quek, and Ping An; 129(7), 649-59 (2003).

Quigley, Donald W.
Piecewise-Linear Model for Large Strain Radial Consolidation. — Patrick J. Fox, Mario Di Nicola, and Donald W. Quigley; 129(10), 940-50 (2003).

Ranjith, P. G.
Two-Phase (Air and Water) Flow through Rock Joints: Analytical and Experimental Study. — B. Indraratna, P. G. Ranjith, J. R. Price, and W. Gale; 129(10), 918-28 (2003).

Rechenmacher, Amy L.
Effects of Consolidation History on Critical State of Sand. — Richard J. Finno and Amy L. Rechenmacher; 129(4), 350-60 (2003).

Reddi, Lakshmi N.
Evaporation Theory for Deformable Soils. — In-Mo Lee, Hyung-Joo Lee, Jeong-Yeon Cheon, and Lakshmi N. Reddi; 129(11), 1020-7 (2003).

Reddy, Krishna R.
Sequentially Enhanced Electrokinetic Remediation of Heavy Metals in Low Buffering Clayey Soils. — Krishna R. Reddy and Supraja Chinthamreddy; 129(3), 263-77 (2003).

Reedy, Robert C.
Soil Water Content Monitoring Using Electromagnetic Induction. — Robert C. Reedy and Bridget R. Scanlon; 129(11), 1028-39 (2003).

Richards, R., Jr.
Inclination Factors for Seismic Bearing Capacity. — K. L. Fishman, R. Richards, Jr., and D. Yao; 129(9), 861-5 (2003).

Richter, Hannes H.
Discussion of "Seismic Performance of Hillside Fills" by Jonathan P. Stewart, Jonathan D. Bray, David J. McMahon, Patrick M. Smith, and Alan L. Kropp. — Hannes H. Richter and Iraj Noorany; 129(6), 569-70 (2003).

Robertson, Peter K.
Closure to "Liquefaction Resistance of Soils: Summary Report from the 1996 NCEER and 1998 NCEER/NSF Workshops on Evaluation of Liquefaction Resistance of Soils" by T. L. Youd, I. M. Idriss, Ronald D. Andrus, Ignacio Arango, Gonzalo Castro, John T. Christian, Richardo Dobry, W. D. Liam Finn, Leslie F. Harder, Jr., Mary Ellen Hynes, Kenji Ishihara, Joseph P. Koester, Sam S. C. Liao, William F. Marcuson, III, Geoffrey R. Martin, James K. Mitchell, Yoshiharu Moriwaki, Maurice S. Power, Peter K. Robertson, Raymond B. Seed, and Kenneth H. Stokoe, II; 129(3), 284-6 (2003).

Roy, Douglas
Drilled Shaft Defects: Detection, and Effects on Capacity in Varved Clay. — Magued Iskander, Douglas Roy, Shawn Kelley, and Carl Ealy; 129(12), 1128-37 (2003).

Salgado, R.
Assessment of Current Load Factors for Use in Geotechnical Load and Resistance Factor Design. — B. Scott, B. J. Kim, and R. Salgado; 129(4), 287-95 (2003).
Liquefaction Resistance of Clean and Nonplastic Silty Sands Based on Cone Penetration Resistance. — J. A. H. Carraro, P. Bandini, and R. Salgado; 129(11), 965-76 (2003).

Salgado, Rodrigo
Determination of Bearing Capacity of Open-Ended Piles in Sand. — Kyuho Paik and Rodrigo Salgado; 129(1), 46-57 (2003).
Behavior of Open- and Closed-Ended Piles Driven Into Sands. — Kyuho Paik, Rodrigo Salgado, Junhwan Lee, and Bumjoo Kim; 129(4), 296-306 (2003).
Estimation of Load Capacity of Pipe Piles in Sand Based on Cone Penetration Test Results. — Junhwan Lee, Rodrigo Salgado, and Kyuho Paik; 129(5), 391-403 (2003).

Saran, Swami
Closely Spaced Footings on Geogrid-Reinforced Sand. — Arvind Kumar and Swami Saran; 129(7), 660-4 (2003).

Sargand, Shad M.
Evaluation of Cone Penetration Test-Based Settlement Prediction Methods for Shallow Foundations on Cohesionless Soils at Highway Bridge Construction Sites. — Shad M. Sargand, Teruhisa Masada, and Basel Abdalla; 129(10), 900-8 (2003).

Scanlon, Bridget R.
Soil Water Content Monitoring Using Electromagnetic Induction. — Robert C. Reedy and Bridget R. Scanlon; 129(11), 1028-39 (2003).

Schmertmann, J. H.
Discussion of "Yielding from Field Behavior and its Influence on Oil Tank Settlements" by Riccardo Berardi and Renato Lancellotta. — J. H. Schmertmann; 129(5), 481 (2003).

Scott, B.
Assessment of Current Load Factors for Use in Geotechnical Load and Resistance Factor Design. — B. Scott, B. J. Kim, and R. Salgado; 129(4), 287-95 (2003).

Seed, Raymond B.
Closure to "Liquefaction Resistance of Soils: Summary Report from the 1996 NCEER and 1998 NCEER/NSF Workshops on Evaluation of Liquefaction Resistance of Soils" by T. L. Youd, I. M. Idriss, Ronald D. Andrus, Ignacio Arango, Gonzalo Castro, John T. Christian, Richardo Dobry, W. D. Liam Finn, Leslie F. Harder Jr., Mary Ellen Hynes, Kenji Ishihara, Joseph P. Koester, Sam S. C. Liao, William F. Marcuson III, Geoffrey R. Martin, James K. Mitchell, Yoshiharu Moriwaki, Maurice S. Power, Peter K. Robertson, Raymond B. Seed, and Kenneth H. Stokoe II. — T. L. Youd, I. M. Idriss, Ronald D. Andrus, Ignacio Arango, Gonzalo Castro, John T. Christian, Ricardo Dobry, W. D. Liam Finn, Leslie F. Harder, Jr., Mary Ellen Hynes, Kenji Ishihara, Joseph P. Koester, Sam S. C. Liao, William F. Marcuson, III, Geoffrey R. Martin, James K. Mitchell, Yoshiharu Moriwaki, Maurice S. Power, Peter K. Robertson, Raymond B. Seed, and Kenneth H. Stokoe, II; 129(3), 284-6 (2003).
Inclined Plane Studies of the Newmark Sliding Block Procedure. — Joseph Wartman, Jonathan D. Bray, and Raymond B. Seed; 129(8), 673-84 (2003).

Shahien, M.
Residual Shear Strength Mobilized in First-Time Slope Failures. — G. Mesri and M. Shahien; 129(1), 12-31 (2003).

Shahin, Mohamed A.
Closure to "Predicting Settlement of Shallow Foundations Using Neural Networks" by Mohamed A. Shahin, Holger R. Maier, and Mark B. Jaksa. — Mohamed A. Shahin, Holger R. Maier, and Mark B. Jaksa; 129(12), 1175-7 (2003).

Shahrour, Isam
Analysis of Arch Dams Using Coupled Trial Load and Block Element Methods. — Sheng-hong Chen, Ming-yi Xu, Isam Shahrour, and Peter Egger; 129(11), 977-86 (2003).

Shapiro, Saul
Effects of Silt on Three-Dimensional Stress–Strain Behavior of Loose Sand. — Saul Shapiro and Jerry A. Yamamuro; 129(1), 1-11 (2003).

Sharma, Binu
Plastic Limit, Liquid Limit and Undrained Shear Strength of Soil—Reappraisal. — Binu Sharma and Padma K. Bora; 129(8), 774-7 (2003).

Sharma, K. G.
Testing and Modeling Two Rockfill Materials. — A. Varadarajan, K. G. Sharma, K. Venkatachalam, and A. K. Gupta; 129(3), 206-18 (2003).

Sharma, Shambhu S.
Evaluation of Cyclic Shear Strength of Two Cemented Calcareous Soils. — Shambhu S. Sharma and Martin Fahey; 129(7), 608-18 (2003).
Degradation of Stiffness of Cemented Calcareous Soil in Cyclic Triaxial Tests. — Shambhu S. Sharma and Martin Fahey; 129(7), 619-29 (2003).

Sharp, Michael K.
Liquefaction Centrifuge Modeling of Sands of Different Permeability. — Michael K. Sharp, Ricardo Dobry, and Tarek Abdoun; 129(12), 1083-91 (2003).

Sheahan, Thomas C.
Simplified Trial Wedge Method for Soil Nailed Wall Analysis. — Thomas C. Sheahan and Carlton L. Ho; 129(2), 117-24 (2003).

Shen, R. F.
Behavior of Pile Groups Subject to Excavation-Induced Soil Movement. — C. F. Leung, J. K. Lim, R. F. Shen, and Y. K. Chow; 129(1), 58-65 (2003).

Shi, Lei
Deformation Patterns of Reinforced Foundation Sand at Failure. — Radoslaw L. Michalowski and Lei Shi; 129(5), 439-49 (2003).

Siddiquee, M. S. A.
Modeling the Stress-Strain Relations of Sand in Cyclic Plane Strain Loading. — Fumio Tatsuoka, Toru Masuda, M. S. A. Siddiquee, and Junichi Koseki; 129(5), 450-67 (2003).

Silvagni, G.
Scour Vulnerability of River Bridge Piers. — F. Federico, G. Silvagni, and F. Volpi; 129(10), 890-9 (2003).

Sloan, S. W.
Three-Dimensional Lower Bound Solutions for Stability of Plate Anchors in Clay. — R. S. Merifield, A. V. Lyamin, S. W. Sloan, and H. S. Yu; 129(3), 243-53 (2003).

Sloan, Scott W.
Prediction of Undrained Sinkhole Collapse. — Charles E. Augarde, Andrei V. Lyamin, and Scott W. Sloan; 129(3), 197-205 (2003).
Undrained Stability of Braced Excavations in Clay. — Boonchai Ukritchon, Andrew J. Whittle, and Scott W. Sloan; 129(8), 738-55 (2003).

Smith, Patrick M.
Closure to "Seismic Performance of Hillside Fills" by Jonathan P. Stewart, Jonathan D. Bray, David J. McMahon, Patrick M. Smith, and Alan L. Kropp. — Jonathan P. Stewart, Jonathan D. Bray, David J. McMahon, Patrick M. Smith, and Alan L. Kropp; 129(6), 570-1 (2003).

Sobhan, Khaled
Fatigue Behavior of a Pavement Foundation with Recycled Aggregate and Waste HDPE Strips. — Khaled Sobhan and Mehedy Mashnad; 129(7), 630-8 (2003).

Soga, K.
Centrifuge Modeling of Nonaqueous Phase Liquid Movement and Entrapment in Unsaturated Layered Soils. — K. Soga, J. Kawabata, C. Kechavarzi, H. Coumoulos, and W. A. P. Waduge; 129(2), 173-82 (2003).
Factors Affecting Long-Term Efficiency of Compensation Grouting in Clays. — S. K. A. Au, K. Soga, M. R. Jafari, M. D. Bolton, and K. Komiya; 129(3), 254-62 (2003).

Song, Byung-Woong
Postcyclic Degradation of Strength and Stiffness for Low Plasticity Silt. — Kazuya Yasuhara, Satoshi Murakami, Byung-Woong Song, Seiji Yokokawa, and Adrian F. L. Hyde; 129(8), 756-69 (2003).

Stark, Timothy D.
Yield Strength Ratio and Liquefaction Analysis of Slopes and Embankments. — Scott M. Olson and Timothy D. Stark; 129(8), 727-37 (2003).

Stetson, Kevin P.
Use of an Instrumented Flat Dilatometer in Soft Varved Clay. — Jean Benoît and Kevin P. Stetson; 129(12), 1159-67 (2003).

Stewart, Jonathan P.
Kinematic Soil-Structure Interaction from Strong Motion Recordings. — Seunghyun Kim and Jonathan P. Stewart; 129(4), 323-35 (2003).
Closure to "Seismic Performance of Hillside Fills" by Jonathan P. Stewart, Jonathan D. Bray, David J. McMahon, Patrick M. Smith, and Alan L.

Kropp. — Jonathan P. Stewart, Jonathan D. Bray, David J. McMahon, Patrick M. Smith, and Alan L. Kropp; 129(6), 570-1 (2003).

Stokoe, K. H., II

In Situ Estimate of Shear Wave Velocity Using Borehole Spectral Analysis of Surface Waves Tool. — M. E. Kalinski and K. H. Stokoe, II; 129(6), 529-35 (2003).

Stokoe, Kenneth H., II

Closure to "Liquefaction Resistance of Soils: Summary Report from the 1996 NCEER and 1998 NCEER/NSF Workshops on Evaluation of Liquefaction Resistance of Soils" by T. L. Youd, I. M. Idriss, Ronald D. Andrus, Ignacio Arango, Gonzalo Castro, John T. Christian, Richardo Dobry, W. D. Liam Finn, Leslie F. Harder Jr., Mary Ellen Hynes, Kenji Ishihara, Joseph P. Koester, Sam S. C. Liao, William F. Marcuson III, Geoffrey R. Martin, James K. Mitchell, Yoshiharu Moriwaki, Maurice S. Power, Peter K. Robertson, Raymond B. Seed, and Kenneth H. Stokoe II. — T. L. Youd, I. M. Idriss, Ronald D. Andrus, Ignacio Arango, Gonzalo Castro, John T. Christian, Ricardo Dobry, W. D. Liam Finn, Leslie F. Harder, Jr., Mary Ellen Hynes, Kenji Ishihara, Joseph P. Koester, Sam S. C. Liao, William F. Marcuson, III, Geoffrey R. Martin, James K. Mitchell, Yoshiharu Moriwaki, Maurice S. Power, Peter K. Robertson, Raymond B. Seed, and Kenneth H. Stokoe, II; 129(3), 284-6 (2003).

Sture, Stein

Strain Localization in Sand: Plane Strain versus Triaxial Compression. — Khalid A. Alshibli, Susan N. Batiste, and Stein Sture; 129(6), 483-94 (2003).

Sugimoto, M.

Pullout Behavior of Geogrid by Test and Numerical Analysis. — M. Sugimoto and A. M. N. Alagiyawanna; 129(4), 361-71 (2003).

Sun, Lixun

Centrifugal Modeling of Seismic Behavior of Large-Diameter Pipe in Liquefiable Soil. — Hoe I. Ling, Yoshiyuki Mohri, Toshinori Kawabata, Huabei Liu, Christopher Burke, and Lixun Sun; 129(12), 1092-101 (2003).

Tang, Jingpeng

Undrained Response of Clays to Varying Strain Rate. — Dinesh R. Katti, Jingpeng Tang, and S. Yazdani; 129(3), 278-82 (2003).

Tatsuoka, Fumio

Modeling the Stress-Strain Relations of Sand in Cyclic Plane Strain Loading. — Fumio Tatsuoka, Toru Masuda, M. S. A. Siddiquee, and Junichi Koseki; 129(5), 450-67 (2003).

Teh, C. I.

Pile Response Adjacent to Braced Excavation. — A. T. C. Goh, K. S. Wong, C. I. Teh, and D. Wen; 129(4), 383-6 (2003).

Thomé, Antônio

Plate Load Test on Fiber-Reinforced Soil. — Nilo C. Consoli, Michéle D. T. Casagrande, Pedro D. M. Prietto, and Antônio Thomé; 129(10), 951-5 (2003).

To, Albert C.

Lateral Load Capacity of Drilled Shafts in Jointed Rock. — Albert C. To, Helmut Ernst, and Herbert H. Einstein; 129(8), 711-26 (2003).

Toprak, Selcuk

Liquefaction Potential Index: Field Assessment. — Selcuk Toprak and Thomas L. Holzer; 129(4), 315-22 (2003).

Townsend, F. C.

Case History Evaluation of Laterally Loaded Piles. — J. B. Anderson, F. C. Townsend, and B. Grajales; 129(3), 187-96 (2003).

Ukritchon, Boonchai

Calculations of Bearing Capacity Factor N_γ Using Numerical Limit Analyses. — Boonchai Ukritchon, Andrew J. Whittle, and C. Klangvijit; 129(5), 468-74 (2003).

Undrained Stability of Braced Excavations in Clay. — Boonchai Ukritchon, Andrew J. Whittle, and Scott W. Sloan; 129(8), 738-55 (2003).

Urzua, Alfredo

Discussion of "Least-Squares Finite-Element Evaluation of Flow Nets" by Panos D. Kiousis. — John T. Christian and Alfredo Urzua; 129(11), 1068 (2003).

Varadarajan, A.

Testing and Modeling Two Rockfill Materials. — A. Varadarajan, K. G. Sharma, K. Venkatachalam, and A. K. Gupta; 129(3), 206-18 (2003).

Vendruscolo, Márcio Antonio

Behavior of Plate Load Tests on Soil Layers Improved with Cement and Fiber. — Nilo Cesar Consoli, Márcio Antonio Vendruscolo, and Pedro Domingos Marques Prietto; 129(1), 96-101 (2003).

Venkatachalam, K.

Testing and Modeling Two Rockfill Materials. — A. Varadarajan, K. G. Sharma, K. Venkatachalam, and A. K. Gupta; 129(3), 206-18 (2003).

Vilar, Orencio Monje

Composite Compressibility Model for Municipal Solid Waste. — Afonso Celso Moruzzi Marques, George M. Filz, and Orencio Monje Vilar; 129(4), 372-8 (2003).

Volpi, F.

Scour Vulnerability of River Bridge Piers. — F. Federico, G. Silvagni, and F. Volpi; 129(10), 890-9 (2003).

Vucetic, Mladen

Strain-Rate Effect on Soil Secant Shear Modulus at Small Cyclic Strains. — Leo Matešić and Mladen Vucetic; 129(6), 536-49 (2003).

Vukadin, Vladimir

Time-Dependent Back Analysis of a Multianchored Pile Retaining Wall. — Jakob Likar and Vladimir Vukadin; 129(1), 91-5 (2003).

Waduge, W. A. P.

Centrifuge Modeling of Nonaqueous Phase Liquid Movement and Entrapment in Unsaturated Layered Soils. — K. Soga, J. Kawabata, C. Kechavarzi, H. Coumoulos, and W. A. P. Waduge; 129(2), 173-82 (2003).

Wan, Chi Fai

Time for Development of Internal Erosion and Piping in Embankment Dams. — Robin Fell, Chi Fai Wan, John Cyganiewicz, and Mark Foster; 129(4), 307-14 (2003).

Wang, Chien-Chih

Use of Jet Grouting to Limit Diaphragm Wall Displacement of a Deep Excavation. — Hsii-Sheng Hsieh, Chien-Chih Wang, and Chang-Yu Ou; 129(2), 146-57 (2003).

Wartman, Joseph

Inclined Plane Studies of the Newmark Sliding Block Procedure. — Joseph Wartman, Jonathan D. Bray, and Raymond B. Seed; 129(8), 673-84 (2003).

Wehling, Timothy M.

Nonlinear Dynamic Properties of a Fibrous Organic Soil. — Timothy M. Wehling, Ross W. Boulanger, Rajendram Arulnathan, Leslie F. Harder, Jr., and Michael W. Driller; 129(10), 929-39 (2003).

Welker, Andrea L.

Calibration of Flow and Transport Model with a Bench-Scale Prefabricated Vertical Drain Remediation System. — Andrea L. Welker and Robert B. Gilbert; 129(1), 81-90 (2003).

Wen, D.

Pile Response Adjacent to Braced Excavation. — A. T. C. Goh, K. S. Wong, C. I. Teh, and D. Wen; 129(4), 383-6 (2003).

Whitaker , Aaron M.

Physical Properties of Plywood and Waferboard as Pile Cushion Materials. — Kevin C. Womack, Aaron M. Whitaker , Joseph A. Caliendo, George G. Goble, and Marvin W. Halling; 129(4), 379-82 (2003).

Whittle, Andrew J.

Calculations of Bearing Capacity Factor N_γ Using Numerical Limit Analyses. — Boonchai Ukritchon, Andrew J. Whittle, and C. Klangvijit; 129(5), 468-74 (2003).

Undrained Stability of Braced Excavations in Clay. — Boonchai Ukritchon, Andrew J. Whittle, and Scott W. Sloan; 129(8), 738-55 (2003).

Willson, S. M.

Behavior of Hydrocarbon Reservoir Sands and Sandstones. — M. R. Coop and S. M. Willson; 129(11), 1010-9 (2003).

Wissmann, Kord J.

Sheet Pile Tensions in Cellular Structures. — Kord J. Wissmann, George M. Filz, Reed L. Mosher, and James R. Martin, II; 129(3), 224-33 (2003).

Womack, Kevin C.

Physical Properties of Plywood and Waferboard as Pile Cushion Materials. — Kevin C. Womack, Aaron M. Whitaker , Joseph A. Caliendo, George G. Goble, and Marvin W. Halling; 129(4), 379-82 (2003).

Wong, K. S.

Pile Response Adjacent to Braced Excavation. — A. T. C. Goh, K. S. Wong, C. I. Teh, and D. Wen; 129(4), 383-6 (2003).

Wong, K. Y.

Low Strain Integrity Testing of Piles: Three-Dimensional Effects. — Y. K. Chow, K. K. Phoon, W. F. Chow, and K. Y. Wong; 129(11), 1057-62 (2003).

Wong, W. K.

Installation Stress in Prefabricated Vertical Drains. — G. P. Karunaratne, S. H. Chew, K. W. Leong, W. K. Wong, L. H. Lim, K. S. Yeo, and A. M. Hee; 129(9), 858-60 (2003).

Xenaki, V. C.

Discussion of "Effects of Nonplastic Fines on the Liquefaction Resistance of Sands" by Carmine P. Polito and James R. Martin II. — V. C. Xenaki and G. A. Athanasopoulos; 129(4), 387-9 (2003).

Xie, Mowen
Geographic Information Systems-Based Three-Dimensional Critical Slope Stability Analysis and Landslide Hazard Assessment. — Mowen Xie, Tetsuro Esaki, Guoyun Zhou, and Yasuhiro Mitani; 129(12), 1109-18 (2003).

Xu, Ming-yi
Analysis of Arch Dams Using Coupled Trial Load and Block Element Methods. — Sheng-hong Chen, Ming-yi Xu, Isam Shahrour, and Peter Egger; 129(11), 977-86 (2003).

Xu, Y. F.
Discussion of "Impact of Soil Type and Compaction Conditions on Soil Water Characteristic" by C. J. Miller, N. Yesiller, K. Yaldo, and S. Merayyan. — Y. F. Xu; 129(12), 1168-9 (2003).

Yaldo, K.
Closure to "Impact of Soil Type and Compaction Conditions on Soil Water Characteristic" by C. J. Miller, N. Yesiller, K. Yaldo, and S. Merayyan. — C. J. Miller, N. Yesiller, K. Yaldo, and S. Merayyan; 129(12), 1169-70 (2003).

Yamamuro, Jerry A.
Effects of Silt on Three-Dimensional Stress–Strain Behavior of Loose Sand. — Saul Shapiro and Jerry A. Yamamuro; 129(1), 1-11 (2003).

Yang, Jun
Discussion of "Passive Earth Pressure with Critical State Concept" by Yung-Show Fang, Ying-Chieh Ho, and Tsang-Jiang Chen. — Jun Yang; 129(10), 960-1 (2003).

Yang, Zhaohui
Computational Model for Cyclic Mobility and Associated Shear Deformation. — Zhaohui Yang, Ahmed Elgamal, and Ender Parra; 129(12), 1119-27 (2003).

Yao, D.
Inclination Factors for Seismic Bearing Capacity. — K. L. Fishman, R. Richards, Jr., and D. Yao; 129(9), 861-5 (2003).

Yasuhara, Kazuya
Postcyclic Degradation of Strength and Stiffness for Low Plasticity Silt. — Kazuya Yasuhara, Satoshi Murakami, Byung-Woong Song, Seiji Yokokawa, and Adrian F. L. Hyde; 129(8), 756-69 (2003).

Yazdani, S.
Undrained Response of Clays to Varying Strain Rate. — Dinesh R. Katti, Jingpeng Tang, and S. Yazdani; 129(3), 278-82 (2003).

Yeo, K. S.
Installation Stress in Prefabricated Vertical Drains. — G. P. Karunaratne, S. H. Chew, K. W. Leong, W. K. Wong, L. H. Lim, K. S. Yeo, and A. M. Hee; 129(9), 858-60 (2003).

Yesiller, N.
Closure to "Impact of Soil Type and Compaction Conditions on Soil Water Characteristic" by C. J. Miller, N. Yesiller, K. Yaldo, and S. Merayyan. — C. J. Miller, N. Yesiller, K. Yaldo, and S. Merayyan; 129(12), 1169-70 (2003).

Yokokawa, Seiji
Postcyclic Degradation of Strength and Stiffness for Low Plasticity Silt. — Kazuya Yasuhara, Satoshi Murakami, Byung-Woong Song, Seiji Yokokawa, and Adrian F. L. Hyde; 129(8), 756-69 (2003).

Youd, T. L.
Closure to "Liquefaction Resistance of Soils: Summary Report from the 1996 NCEER and 1998 NCEER/NSF Workshops on Evaluation of Liquefaction Resistance of Soils" by T. L. Youd, I. M. Idriss, Ronald D. Andrus, Ignacio Arango, Gonzalo Castro, John T. Christian, Richardo Dobry, W. D. Liam Finn, Leslie F. Harder Jr., Mary Ellen Hynes, Kenji Ishihara, Joseph P. Koester, Sam S. C. Liao, William F. Marcuson III, Geoffrey R. Martin, James K. Mitchell, Yoshiharu Moriwaki, Maurice S. Power, Peter K. Robertson, Raymond B. Seed, and Kenneth H. Stokoe II. — T. L. Youd, I. M. Idriss, Ronald D. Andrus, Ignacio Arango, Gonzalo Castro, John T. Christian, Ricardo Dobry, W. D. Liam Finn, Leslie F. Harder, Jr., Mary Ellen Hynes, Kenji Ishihara, Joseph P. Koester, Sam S. C. Liao, William F. Marcuson, III, Geoffrey R. Martin, James K. Mitchell, Yoshiharu Moriwaki, Maurice S. Power, Peter K. Robertson, Raymond B. Seed, and Kenneth H. Stokoe, II; 129(3), 284-6 (2003).

Yu, H. S.
Three-Dimensional Lower Bound Solutions for Stability of Plate Anchors in Clay. — R. S. Merifield, A. V. Lyamin, S. W. Sloan, and H. S. Yu; 129(3), 243-53 (2003).

Yuan, Haiming
Simplified Cone Penetration Test-based Method for Evaluating Liquefaction Resistance of Soils. — C. Hsein Juang, Haiming Yuan, Der-Her Lee, and Ping-Sien Lin; 129(1), 66-80 (2003).

Zhang, L. M.
Behavior of Laterally Loaded Large-Section Barrettes. — L. M. Zhang; 129(7), 639-48 (2003).

Zhang, Xiong
Shrink Test–Water Content Method for Shrink and Swell Predictions. — Jean-Louis Briaud, Xiong Zhang, and Sangho Moon; 129(7), 590-600 (2003).

Zhou, Guoyun
Geographic Information Systems-Based Three-Dimensional Critical Slope Stability Analysis and Landslide Hazard Assessment. — Mowen Xie, Tetsuro Esaki, Guoyun Zhou, and Yasuhiro Mitani; 129(12), 1109-18 (2003).

Zornberg, Jorge G.
Strain Distribution within Geosynthetic-Reinforced Slopes. — Jorge G. Zornberg and Fabiana Arriaga; 129(1), 32-45 (2003).
Analysis and Design of Evapotranspirative Cover for Hazardous Waste Landfill. — Jorge G. Zornberg, Lester LaFountain, and Jack A. Caldwell; 129(5), 427-38 (2003).